

Technical Evaluation Record v.1 Jan 2016



QUALIFICATION:	Pesticides – PA6A	Qualification Code:	0216-54 (Ind)					
		Units:	151					
Assessor Name:		Technical Verifier Name:						
Assessor No: NEW? D.O.B:		Technical Verifier No:						
Assessor email:		Start Time:						
Invoice To: (Include Centre name if applicable)		End Time:						
CRITERIA: (To be used in conjunction with current Qualification Guidance)		PERFORMANCE EVALUATION (Circle):			COMMENTS:			
M/C test paper to check PA1 knowledge and specific industry best practice		1	2	3	4	5	1 = 12 or less/20 2 = 14/20 3 = 16/20 4 = 18/20 5 = 20/20	
Knowledge of H&S regulations and industry best practice. Carry out SSRA. Carry out environmental assessment		1	2	3	4	5		
Knowledge of a range of HHA (including pump types and components)		1	2	3	4	5		
Knowledge of pressure management systems		1	2	3	4	5		
Knowledge of operator protection and PPE standards		1	2	3	4	5		
Knowledge of a range of nozzles appropriate to applicator and relevant nozzle chart interpretation		1	2	3	4	5		
Interpretation of two appropriate product labels		1	2	3	4	5		
Carry out a calibration appropriate to the applicator and explain one other (without use of calibration sheet/aids)		1	2	3	4	5		
Read a range of different measuring vessels		1	2	3	4	5		
Knowledge of drift reduction methods		1	2	3	4	5		
Carry out an application. Knowledge of site marking options		1	2	3	4	5		
Knowledge of cleaning/decontamination/disposals		1	2	3	4	5		
Assessment techniques		1	2	3	4	5		
PERFORMANCE EVALUATION COLUMN TOTALS:							= TOTAL SCORE:	
Result of Technical Evaluation (tick):	PASS	TOTAL SCORE REQUIRED TO ACHIEVE ASSESSOR STATUS: (NB. ACHIEVED IN PERFORMANCE EVALUATION COLUMNS 4 & 5 ONLY)					52	
	FAIL							
TECHNICAL VERIFIER COMMENTS (ACTION PLAN):								
<i>Please continue on reverse if necessary</i>								
ASSESSOR COMMENTS:								
<i>Please continue on reverse if necessary</i>								
TECHNICAL VERIFIER SIGNATURE:					Cost: £200 Half Day £300 Full Day		Date:	
ASSESSOR SIGNATURE:								