CITY & GUILDS NPTC LEVEL 2 AWARD IN FOREST MACHINE OPERATIONS – SCARIFIER (QCF) 600/9112/5



QUALIFICATION GUIDANCE

Integrated Assessment

Essential Qualification Information

Not to be used by the Candidate during Assessment

You will require some of this information to accurately complete the Record of Assessment (ROA)

Qualification Group No	0 0 2 0	Forestry and Arboriculture Level 2
Qualification Programme No	0 0 2 0 - 2 6	Award in Forest Machine Operations – Scarifier
Unit	2 1 6	Prepare and Operate An Establishment Machine
Endorsement(s)	0 0 1	Powered
	0 0 2	Non Powered
Pre-Requisite Units	2 0 8	Base Machine
Learning Time (LT)	2 1 6	LT 35 (4 Credits) (* see note on page 2)
Recommended Assessment Duration		1 – 2 hours per Candidate

City and Guilds Level 2 Award in Forest Machine Operations – Scarifier (QCF) Qualification Guidance

Introduction

The scheme will be administered by City & Guilds

City & Guilds will:

Publish - Scheme regulations

- Qualification guidance
- Training materials
- Trainers support materials

Approve centres to co-ordinate and administer the scheme Set standards for the training of Verifiers and Assessors Recruit, train and deploy Verifiers Issue certificates to successful Candidates

The Qualification

The qualification will be awarded to Candidates who achieve the required level of competence in the units to which their certificate relates.

What is the Qualifications and Credit Framework?

OFQUAL have introduced the Qualifications and Credit Framework (QCF) to increase flexibility for learners and employers. Qualifications may be built up from individual units according to rules of combination. The units are derived from the National Occupational Standards, which are compiled by Lantra SSC, the Sector Skills Council for the Land-based industries.

Instruction

Attendance at a course of instruction is not a pre-requisite for an application for an assessment but potential Candidates are strongly advised to ensure that they are up to the standards that will be expected of them when they are assessed.

* Learning Time (LT)

Learning Time (LT) is a better indicator of the time requirement needed for a candidate to achieve competence in this qualification. It has replaced Guided Learning Hours (GLH) which are defined as "tutor or teacher led hours". LT is defined as "a notional measure of the learning time a typical learner might be expected to take to complete and achieve all learning outcomes". It takes into account prior learning and encompasses: formal learning (including classes, tutorials, on line tuition), coaching and mentoring, practical work, relevant IT activity, information retrieval, expected private study and revision, work-based activity which leads to assessment, practice to achieve competence, formative assessment, programme planning and feedback.

Access to Assessment

Assessment centres will be responsible for arranging assessment on behalf of the Candidate.

The minimum age limit for Candidates taking Certificates of Competence is 16 years. There is no upper age limit.

The assessment consists of **one** compulsory unit:

Unit 216 Prepare and Operate an Establishment Machine

Outcome

- 1. Be able to work safely (1)
- 2. Be able to operate the machine (2)
- 3. Know relevant health and safety legislation and industry good practice (3)
- 4. Know how to operate the machine (4)

Candidates must successfully achieve all assessment activities in the above unit.

Endorsement: The assessment may be taken on a machine with any type of:

001 Powered 002 Non Powered

The certificate will be endorsed accordingly. Candidates are encouraged to take their assessment with different machines to broaden their certification.

Only two endorsements can be taken in any one registration.

Quality Assurance

Verification is a process of monitoring assessment; it is an essential check to confirm that the assessment procedures are being carried out in the way City & Guilds has laid down. The overall aim of verification is to establish a system of quality assurance that is acceptable in terms of both credibility and cost effectiveness.

Approved Assessors will be subject to a regular visit by the verifier at a time when assessments are being undertaken.

A selection of assessment reports completed by the Assessor will be evaluated by a City & Guilds approved verifier.

Compliance with the verification requirements is a pre-requisite for Assessors remaining on the list of approved Assessors.

After assessment has been completed the Qualification Guidance is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC). As part of the quality assurance process, a minimum of two observations are required to be undertaken for each qualification that is assessed by a Trainer/Assessor. These will be carried out by an internal Verifier appointed by the Centre. One observation will be conducted in the presence of the Quality Systems Consultant. In respect of risk management, there is an expectation that additional observations up to a maximum of four will be carried out for the inexperienced or newly qualified Trainer/Assessor or Assessors.

Performance Evaluation

The result of each assessment activity is evaluated against the following criteria:

- Met Meets or exceeds the assessment criteria by displaying a level of practical performance and/or underpinning knowledge. If the Criterion has been MET, a tick ☑ is to be put in the box provided in the bottom right-hand column of each section.
- NM = Not Met Does not satisfy the requirements of the assessment criteria, being unable to perform the practical task satisfactorily or safely or being deficient in underpinning knowledge. If the Criterion is NOT MET, a cross 🗵 is to be put in the box provided in the bottom right-hand column of each section.

Appeals and Equal opportunities

Centres must have their own auditable, appeals procedures. If a Candidate is not satisfied with the examination conditions or a Candidate feels the opportunity for examination is being denied, the Centre Manager should, in the first instance, address the problem. If, however the problem cannot be resolved, City & Guilds will arbitrate and an external verifier may be approached to offer independent advice. All appeals must be clearly documented by the Centre Manager and made available to the external verifier or City & Guilds if advice is required.

Should occasions arise when centres are not satisfied with any aspect of the external verification process, they should contact Verification Services at City & Guilds.

Access to the qualification is open to all, irrespective of gender, race, creed, age or special needs. The Centre Manager should ensure that no learner is subjected to unfair discrimination on any grounds in relation to access to assessment and to the fairness of the assessment. QCA requires City & Guilds to monitor centres to check whether equal opportunities policies are being adhered to.

Validation of Equipment

A Manufacturer's instruction book or operator's manual should be available for the Candidate to use during the assessment if required.

Vehicles must comply with department of Transport and road Traffic acts where relevant.

Any appropriate item of machinery complying with current legal requirements is acceptable for the assessment, provided it is suitably equipped for all assessment activities to be carried out.

Additional Information

May be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Questions should be related to the background or employment aspirations of the candidate and, where possible, product labels used should be representative of products typically used in that sector or industry.

Candidates who undertake this assessment and have met the requirements are reminded of their legal obligation to receive/undertake appropriate additional training in the use of any equipment that differs from that used during the assessment, but which they are nevertheless qualified to use.

Assessment Guidance for the Trainer/Assessor

This qualification can be assessed by a Trainer who has trained the Candidate (a Trainer/Assessor) or by a third party (an Assessor) not directly involved with training of the Candidate providing they are suitably qualified and meet the requirements of the awarding body. Please see City & Guilds Centre Manual for guidance.

It is envisaged that assessment will be carried out after all of the training has been completed. However assessment may take place at intervals after each 'period' of training and may be effectively integrated into the training programme. The Candidate must be informed when assessment is taking place in terms of when formal assessment commences and when its ceases. It is not permissible to assess whilst training is being carried out. Assessment must be a separate activity.

Trainer/Assessors are reminded that assessment is a formal process. Assessment must be carried out using the Qualification Guidance. All relevant assessment criteria must be assessed against the criteria as specified in the Qualification Guidance. Assessment will be carried out by direct observation and by oral questioning of the Candidate. Where a specific number of responses are required these may include other suitable answers not specified if they are deemed to be correct by the Assessor. The performance of the Candidate is to be recorded on the Qualification Guidance as directed by completing the tick boxes. Space has been provided on the Qualification Guidance for the person assessing to record relevant information which can be utilised to provide feedback to the Candidate. Trainer/Assessors are reminded that feedback from the Candidate is required on the Record of Assessment that is sent to City & Guilds as part of the quality assurance process. After assessment has been completed the assessment schedule is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

The Candidate may only have a maximum of 3 attempts. Re-assessment cannot take place until further training has been provided.

Assessment Guidance for Candidate

A list of registered assessment centres is available from City & Guilds Land Based Services. (www.nptc.org.uk)

Assessment is a process by which it is confirmed that the candidate is competent in the unit(s) within the award to which the assessment relates. It is the process of collecting evidence about his/her capabilities and judging whether that evidence is sufficient to attribute competence.

The Candidate must be registered through the City & Guilds approved assessment centre for this qualification prior to the assessment.

The results of the assessment will be recorded on the Record of Assessment form (ROA).

The qualification guidance contains criteria relating to:

- Observation of practical performance
- Assessment of underpinning knowledge

Safe Practice:

- 1. Assessors must hold a current 'First Aid at Work' Certificate.
- 2. It is strongly recommended that Candidates hold at least a recent, recognised 'Emergency First Aid' Training Certificate.
- 3. All forest machines used in the assessments must comply with relevant Arboriculture and Forestry Advisory Group (AFAG) Safety Guides
- 4. Candidates should be familiar with the machine that they are going to operate.
- 5. Appropriate Personal Protective Equipment (PPE) must be worn at all times.
- 6. A First Aid kit meeting current regulations, of the appropriate size for the number of persons on site, must be available.
- 7. The Assessor must ensure a Risk Assessment is carried out, and sufficient control measures implemented.
- 8. Any necessary permissions must have been granted, and notifications made as appropriate: (e.g. Forestry Commission, Forest Enterprise, Private owners etc).
- 9. All equipment being used for this assessment must comply with relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998 and Lifting Operations and Lifting Equipment Regulations (LOLER) 1998.
- 10. Information may be sought from the relevant operator manuals or any other appropriate training or safety publication.
- 11. Provision must be made to avoid the risk of environmental pollution and adequate control measures must be implemented. (a suitable response kit to be available on the machine)
- 12. It is the responsibility of the Assessor and the Candidate to ensure that any additional requirements and provisions are met as relevant to this qualification.
- 13. Whenever the Candidate leaves the base machine, the parking brake must be applied.
- 14. When the Base Machine is parked and left unattended, or any attachments/detachments of equipment, must carry out the safe stop procedure.
- 15. The Base Machine must be operated in such a way that the Candidate, Assessor, other persons or equipment are not endangered.
- 16. All ancillary equipment, when detached must be left in a safe and stable condition.
- 17. Candidates must comply with current regulations when working at heights regulations 2005 amended
- 18. The assessment is carried out in accordance with the safety guidelines laid down in Arboriculture and Forestry Advisory Group (AFAG) Safety Guides, Health and Safety publications and current machinery directives.
- 19. A breach of Health and Safety that puts any person at risk during the assessment process will result in the assessment being terminated and the Candidate not meeting the required standard
- 20. Initial tonnage is done on unladen weight

Validation of Equipment:

Any Base Machine complying with industry guidance and European directives is acceptable for the test, provided it is suitably equipped for **all** assessment activities to be carried out. Where a ROPs structure is fitted, an operator seat restraint is in place and functional.

Any machine that can lift or suspend the load above the operator, who isn't protected by adequate/suitable FOPS and OPS, will be required to produce a current LOLER certificate to the Assessor

Published by City & Guilds Building 500 Abbey Park Stareton Warwickshire CV8 2LY

T +44 (0)24 7685 7300 F +44 (0)24 7669 6128

www.nptc.org.uk

e-mail: information@cityandguilds.com

City & Guilds is a registered charity established to promote education and training

Candidate	A Name:		Date	ate: Start Time: Duration:		1:				
Candidate	Candidate B Name: Date: Start Time:		Start Time:	Duration:						
Candidate	C Name:		Date) :	Start Time:	Dura	ation	1:		
Candidate	D Name:		Date) :	Start Time:	Dura	ation	1:		
CRITERIA	ASSESSMENT	ASSESSOR			SSESSMENT			AND		_
NUMBER	CRITERIA	GUIDANCE The Candidate to state			ACTIVITIES	ould.	Α	В	С	D
3.3	Outline the emergency planning procedures relevant to the working	five factors in emergence planning		include	g procedures for a site o	ouia				
3	area			 location name 						
			•	 grid reference 						
			'	 designated me 	•					
				 site location na 						
				 nearest access 	•					
				street name/dis						
				type of access						
				-	pter landing area of nearest doctor					
					none number of nearest					
					mergency hospital					
					r contact details					
				 your own conta 	act number					
					Met ✓ Not	Met X				
1.1 1	Identify the hazards and risks associated with the working area, the proposed work and the machine The Candidate to state four hazards and four risks with the working Identify hazards (anything with the potent cause harm) and risks (who might be hard relevant to: The work area/work to be done Hazards		sks (who might be harme							
		area/work to be done								
				power lines torroin						
				terrainaccess routes						
				access routeschain shot	•					
				risk zones						
				 struck by timb 	ner					
				Risks						
				 others on site 						
				onerator						
				• public						
				other machine	e operators					
				• other						
		The Candidate to state four hazards and three risks for the machine		The machine Hazards						
				 struck by mad 	chine					
				struck by madeaccess and eq						
				 moving parts 	g - 					
				 hot surfaces 						
				 working at he 	ights					
				 high pressure 						
				other						

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA.	TE D
	UNITENIA	GUIDANGE	Risks	<u> </u>			"
1.1 cont			public				
			operatorenvironment				
			other				
			Met√ Not Met X				
1.2	Use appropriate tools, equipment and personal protective equipment	Assessor to observe appropriate tools, equipment and PPE are	All tools, equipment and Personal Protective Equipment are used in line with industry good practice e.g. AFAG/HSE.				
1	(PPE)	used in accordance to industry good practice	During all on site operations PPE in accordance with industry good practice must be worn.				
		All applicable to the task at hand	Personal Protective Equipment identified could include:				
			safety helmet (if required)hearing protection (where needed)				
			suitable protective gloves				
			protective boots				
			non snag outer clothinghigh visibility clothing where risk				
			assessment identifies it				
			hand cleaning materials				
			first aid kitother				
			• other				
			Met ✓ Not Met X				
3.1	Outline key health and safety legislation and industry good practice	The Candidate to state two relevant points of each of the following:	Outline key points from the legislation listed below:				
3	industry good practice	Health and Safety at Work Act (HSWA) (1974)	Health and Safety at Work Act (HSWA) (1974) –				
		7.61 (1160071) (1374)	general duties for employers and employees				
			maintain safe places of work				
			• other				
		Provision and Use of Work Equipment Regulations 1998	Provision and Use of Work Equipment Regulations 1998 (PUWER 98) –				
		(PUWER 98)	record keepingoperators adequately trained				
			equipment fit for purpose				
			• other				
		Lifting Operations and Lifting Equipment Regulations (1998)	Lifting Operations and Lifting Equipment Regulations (1998) (LOLER)				
		(LOLER)	main requirements of the LOLER required by the machine				
			risk zonessafe working load				
			inspection by a competent person				
			operating controls labelled				
			• other				
		Reporting of Injuries, Diseases and Dangerous Occurrences Regulations	Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (RIDDOR)				
		1995 (RIDDOR)	reporting of accidents				
			reporting of dangerous occurrences				
			• other				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT		AND		
NUMBER	CRITERIA	GUIDANCE Working at Heights	ACTIVITIES Working at Heights	Α	В	С	D
3.1 cont		working at Heights	adequate precautions taken for safe				
			working proceduresany height constitutes working at heights				
			other				
			<u> </u>				
		Control of Substances Hazardous to Health (COSHH) Regulations	Control of Substances Hazardous to Health (COSHH) Regulations (2002)				
		(2002)	correct PPE to be identified				
			correct storage and application				
			disposal				
			• other				
		State two sources of industry good practice	Industry Good Practice				
		information	 Arboriculture Forestry Advisory Group (AFAG) information Health and safety in forestry 				
			Forest and water guidelines				
			Operators manual				
		State two factors of lone working	Lone working				
		Working	effective communication system				
			fail to safe system				
			reporting in times				
		State two procedures to be followed when machine	Line contact possible procedures				
		contacts power line	where possible, drive away to safe area				
			if safe, stay in machine and contact power company/supervisor				
			 jump from machine, bunny hop as far as 				
			possible				
		State four factors regarding working near power lines	Power lines designated crossing point (goal posts) liaison with power companies				
			site maps				
			AFAG				
			electricity at work				
			• other				
			Met ✓ Not Met X		$ \Box$		
3.2	Describe the types of records that may be	The Candidate to state two types of record	Records:				
_	required for	keeping to meet PUWER	• logbook				
3	management and legislative		service logbook				
	requirements		time sheet				
			maintenance schedule				
			• other				
			Met ✓ Not Met X				
	<u> </u>		INIGE - NOT MIELY	Ш	Ш	Ш	Ш

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA [*]	TE D
2.2	Carry out pre and post- start checks to test all	Assessor to observe	Either				
2	operating functions of the equipment		Powered				
_			Drive system				
			manufacturers guidancePTO (power take off)				
			chains and sprockets				
			hydraulic coupling				
			• leaks				
			pipe condition				
			guarding				
			rams and ram mountings				
			control spool valve mountings				
			control lever mode of operation clearly marked				
			operator checklist completed				
			• other				
			OR				
			Non powered				
			manufacturers guidance				
			chains and sprockets				
			hydraulic coupling				
			leaks				
			pipe condition				
			• guarding				
			rams and ram mountings				
			control spool valve mountingscontrol lever mode of operation clearly				
			marked				
			operator checklist completed				
			• other				
			Lubrication of attachments may include				
			all lubrication points identified				
			use of the operators manual to identify how frequently lubrication should be undertaken				
			grease lubrication points (as required)				
			• other				
			Met ✓ Not Met X				
2.4	Describe how	Three causes	Environmental damage may be caused by:				
3.4	environmental damage can be caused and		incorrect storage of fuel and oil				
3	minimised		defective machinery				
			poor work practices				
			oil and fuel spillages				
			• other				
		Three preventions	Environmental damage may be prevented by				
			following principles of industry good practice				
			good housekeeping				
			appropriately trained operators				
			spill kits are available				
			• other				
			Met ✓ Not Met X				
	<u> </u>	1	<u> </u>			<u> </u>	

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C A	AND B	IDA.	TE D
3.5	Describe the correct methods for disposing	The Candidate to state one method	Disposal of waste from workplace activities may include:				
	of waste		use of designated waste/recycle bins				
3			waste oils placed in approved containers for				
			disposal other				
			Met ✓ Not Met X				
	Select suitable		Suitable equipment				
2.1	equipment and check security	Assessor to observe	scarifier suitable for the soil type				
2	,		Security may include				
			appropriate and safe following manufacturers instructions				
			safe use of controls				
			pins bolts				
			• hitch				
			safe access and egress				
			compatible and stable to base machine				
			Met ✓ Not Met X				
4.1	State safety precautions	Four precautions	adequate warning signs				
4.1	which should be put in place when working		safe working distancespossible problems are identified when				
4	alongside public rights of way		possible problems are identified when working along side public rights of way				
	or way		the right of way is maintained				
			ensure all footpaths are repaired and safe to be used before the signs are removed				
			and the site is left				
			• other				
			Met ✓ Not Met X				
4.2	State types of land which are considered to		Types of land that could be considered may include:				
7.2	be suitable sites for the	Three types of land					
4	operation		mineral soils and peatssoil depth				
			 natural drainage via slope or soil profile 				
			land subject to high rainfall				
			• other				
			Met ✓ Not Met X				
4.3	State factors to consider	Seven factors	Factors to consider may include				
4.3	when carrying out the operation		site planning and operational systems				
4			appropriate to site conditions				
			desired planting position and environmentpoor traction caused by varying soil and				
			surface conditions				
			poor traction caused by obstacles, tree stumps, boulders and other surface trash				
			wayleaves (electricity, telephone, gas)				
			soil types				
			accuracy of spacingcorrect disc angle and spacing set to the				
			required specification				
			machine speed/gears suited to site conditions and machine capabilities				
			other				
		1					

4.3 cont Two factors Either Powered • downhill working • Safe operation on steep slopes, turning stability and traction OR Non powered • safe operation on steep slopes, turning stability and traction Met ✓ Not Met X 2.4 Manoeuvre the machine on site in a safe and effective way Assessor to observe the candidate carrying out correct starting techniques in accordance to manufacturers Two factors Stafe operation on steep slopes, turning stability and traction Met ✓ Not Met X Start engine • isolator switch engaged • parking brake applied • gears in neutral			
Two factors - downhill working - Safe operation on steep slopes, turning stability and traction OR Non powered - safe operation on steep slopes, turning stability and traction Met ✓ Not Met X 2.4 Manoeuvre the machine on site in a safe and effective way 2 Start engine - isolator switch engaged - parking brake applied - gears in neutral			
Safe operation on steep slopes, turning stability and traction OR Non powered • safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Manoeuvre the machine on site in a safe and effective way Assessor to observe the candidate carrying out correct starting techniques in accordance to manufacturers • Safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Start engine • isolator switch engaged • parking brake applied • gears in neutral			
Stability and traction OR One factor Non powered • safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Manoeuvre the machine on site in a safe and effective way 2 Manoeuvre the machine candidate carrying out correct starting techniques in accordance to manufacturers Start engine • isolator switch engaged • parking brake applied • gears in neutral			
One factor Non powered • safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Manoeuvre the machine on site in a safe and effective way Assessor to observe the candidate carrying out correct starting techniques in accordance to manufacturers Non powered • safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Start engine • isolator switch engaged • parking brake applied • gears in neutral			
• safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Manoeuvre the machine on site in a safe and effective way 2 Manoeuvre the machine candidate carrying out correct starting techniques in accordance to manufacturers • safe operation on steep slopes, turning stability and traction Met ✓ Not Met X Start engine • isolator switch engaged • parking brake applied • gears in neutral			
Stability and traction Met ✓ Not Met X Manoeuvre the machine on site in a safe and effective way Manoeuvre the machine on site in a safe and effective way and traction Start engine in accordance to parking brake applied parking brake applied question Met ✓ Not Met X stability and traction Met ✓ Not Met X			
Manoeuvre the machine on site in a safe and effective way 2.4 Assessor to observe the candidate carrying out correct starting techniques in accordance to manufacturers Start engine isolator switch engaged parking brake applied parking brake applied parking brake applied parking brake applied			
2.4 Manoeuvre the machine on site in a safe and effective way 2 Start engine Start engine in accordance to parking brake applied manufacturers Start engine parking brake applied manufacturers Start engine parking brake applied manufacturers			
effective way correct starting techniques in accordance to manufacturers isolator switch engaged parking brake applied agers in neutral			
in accordance to parking brake applied parking brake applied agency in neutral			
manufacturers e gears in neutral			
recommendations • clutch pedal depressed (if applicable)			
PTO disengaged (if applicable)			
hydraulic services in neutral (if applicable)			
• start			
Assessor to observe the candidate drive the Candidate to drive machine			
machine turning left and right, reverse, park, switch • safe access			
off and exit • start in accordance with manufacturers			
recommendations \Box			
appropriate gear selection			
smoothness of take off			
Assessor to observe and • drive in a straight line			
agree • left and right turn			
reverse (if applicable)			
appropriate speed for conditions			
appropriate use of brakes			
safe position on site chosen			
 controls and attachments in neutral and lowered to the ground parking brake applied and effective 			
parking brake applied and effective safe egress			
Parking machine may include			
safe position on site chosen controls and attachments in neutral and			
lowered to the ground			
parking brake applied (if applicable)			
• engine off			
• key removed			
correct dismounting			
access and egress			
Met ✓ Not Met X			
Carry out the operation in accordance with the interest with the in			
job specification An area to mound is agreed between assessor • efficient smooth operation of machine safe procedures are observed for moving			
and candidate the machine during work			
depth of work acceptable to achieve the required outcome			
standard of work achieved is acceptable			
Met ✓ Not Met X	1 1	'	<u></u>

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	C	AND	IDA	TE
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
4.4	State factors to consider when cleaning,	State two advantages of regularly cleaning the	Machine is cleaned to:				
	servicing and storing	machine	prevent corrosion				
4	the machine		facilitate maintenance & adjustments				
			prevent hazardous operating conditions (e.g. fire)				
			prevent soiling of roads				
			prevention of cross contamination / bio security				
		State three factors to consider for cleaning the	identify PPE to be used remove any unwanted residues safely				
		machine	using appropriate method: • blower				
			compressed air				
			• water				
			brush				
			dispose of waste material according to company policy and legislation				[
		State two reasons for inspecting the machine after use	 machine inspected to establish any wear, damaged and/or missing components through use ensures any defects can be rectified before 				[
			it is next used				[
			other operators / supervisor etc. can be informed through a reporting procedure that defects are present				[
			Met ✓ Not Met X				
1.3	Work in a way which maintains health and safety and is consistent	Assessor to observe	All activities must be completed in a way which protects the operator and those around them.				1
1	with relevant legislation and industry good practice		Met ✓ Not Met X				
1.4	Carry out work to minimise environmental damage	Assessor to observe	It is ensured that any possible environmental damage is minimised at all times during on site operations				
1			Met ✓ Not Met X				

Summary of Assessment (The Assessor is to complete the following as	appropriate)
-------------------------	--	--------------

Candidate A	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓					
	Signed: D	ate:							
Candidate B	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓					
	Signed: D	ate:							
Candidate C	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓					
	Signed: D	ate:							
Candidate D	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓					
	Signed:	Date:							
For (Int	For use by Internal Verifier ONLY if the assessment process was internally verified (Internal Verifier to complete ONE of the boxes below)								
	served an assessment process taking place and I am satisfied the that the judgement of the Assessor was appropriate.	at the a	ssessment was conducted in line with the qualification requirements	Tick ✓					
I observed an assessment process taking place. The following were noted as areas of concern.									