# **CITY & GUILDS NPTC LEVEL 2 AWARD** IN FOREST MACHINE OPERATIONS - **PROCESSING QAN 600/9105/8**



# **QUALIFICATION GUIDANCE**

# **Independently Assessed**

# **Essential Qualification Information**

# Not to be used by the Candidate during Assessment

You will require some of this information to accurately complete the Record of Assessment (ROA)

Qualification Group No	0 0 2 0	Forestry and Arboriculture Level 2
Qualification Programme No	0 0 2 0 - 1 8	Award in Forest Machine Operations - Processing
Unit(s)	2 1 1	Prepare and operate machinery to process trees
Guided Learning Hours (GLH)	2 1 1	GLH 38 (Credit Value 5)
Total Qualification Time (TQT)		50 Hours
Recommended Assessment Duration		1.5 – 3 hours per Candidate
Pre-Requisite Units	2 0 8	Base Machine

Version and date	Change detail	Section
1.2 November 2017	Added TQT details Deleted QCF / Learning Time	Qualification at a glance, Structure Throughout

# City and Guilds NPTC Level 2 Award in Forest Machine Operations - Processing Qualification guidance

#### Introduction

The scheme will be administered by City & Guilds

City & Guilds will:

Publish

- Scheme regulations
- Qualification guidance
- Training material
- Trainers support material

Approve centres to co-ordinate and administer the scheme Set standards for the training of verifiers and assessors Recruit, train and deploy verifiers Manage verification Issue certificates to successful Candidates

The Qualification

The qualification will be awarded to candidates who achieve the required level of competence in the units to which their certificate relates.

#### Instruction

Attendance at a course of instruction is not a pre-requisite for an application for an assessment but potential Candidates are strongly advised to ensure that they are up to the standards that will be expected of them when they are assessed.

## **Total Qualification Time**

Total Qualification Time (TQT) is the total amount of time, in hours, expected to be spent by a Learner to achieve a qualification. It includes both guided learning hours (which are listed separately) and hours spent in preparation, study and assessment.

#### Access to Assessment

Assessment centres will be responsible for arranging assessment on behalf of the Candidate.

The minimum age limit for Candidates taking Certificates of Competence is 16 years. There is no upper age limit.

The assessment consists of one compulsory unit:

Unit 211 Prepare and operate machinery to process trees

Outcome

- 1. Be able to work safely (1)
- 2. Be able to select and prepare machinery (2)
- 3. Be able to drive and manoeuvre machinery (3)
- 4. Be able to process felled trees (4)
- 5. Know how to prepare machinery (5)
- 6. Know how to process trees (6)
- 7. Know relevant health and safety legislation and industry good practice (7)

Candidates must successfully achieve all assessment activities in Mandatory unit 211.

# There are no endorsements for this Award.

# **Quality Assurance**

Verification is a process of monitoring assessment; it is an essential check to confirm that the assessment procedures are being carried out in the way City & Guilds has laid down. The overall aim of verification is to establish a system of quality assurance that is acceptable in terms of both credibility and cost effectiveness

Approved Assessors will be subject to a regular visit by the verifier at a time when assessments are being undertaken.

A selection of assessment reports completed by the Assessor will be evaluated by a City & Guilds approved verifier.

Compliance with the verification requirements is a pre-requisite for Assessors remaining on the list of approved Assessors.

After assessment has been completed the Qualification Guidance is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

### Performance Evaluation

The result of each assessment activity is evaluated against the following criteria:

- M = Met Meets or exceeds the assessment criteria by displaying a level of practical performance and/or underpinning knowledge.

  If the Criterion has been MET, a tick ☑ is to be put in the box provided in the bottom right-hand column of each section.
- NM = Not Met Does not satisfy the requirements of the assessment criteria, being unable to perform the practical task satisfactorily or safely or being deficient in underpinning knowledge. If the Criterion is NOT MET, a cross 🗵 is to be put in the box provided in the bottom right-hand column of each section.

# **Appeals and Equal opportunities**

Centres must have their own auditable, appeals procedures. If a Candidate is not satisfied with the examination conditions or a Candidate feels the opportunity for examination is being denied, the Centre Manager should, in the first instance, address the problem. If, however the problem cannot be resolved, City & Guilds will arbitrate and an external verifier may be approached to offer independent advice. All appeals must be clearly documented by the Centre Manager and made available to the external verifier or City & Guilds if advice is required.

Should occasions arise when centres are not satisfied with any aspect of the external verification process, they should contact Verification Services at City & Guilds.

Access to the qualification is open to all, irrespective of gender, race, creed, age or special needs. Subject to H&S restrictions the Centre Manager should ensure that no learner is subjected to unfair discrimination on any grounds in relation to access to assessment and to the fairness of the assessment. QCA requires City & Guilds to monitor centres to check whether equal opportunities policies are being adhered to.

# Validation of Equipment

A Manufacturer's instruction book or operator's manual should be available for the Candidate to use during the assessment if required.

Vehicles must comply with department of Transport and road Traffic acts where relevant.

Any appropriate item of machinery complying with current legal requirements is acceptable for the assessment, provided it is suitably equipped for all assessment activities to be carried out.

# **Additional Information**

May be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Questions should be related to the background or employment aspirations of the candidate and, where possible, product labels used should be representative of products typically used in that sector or industry.

Candidates who undertake this assessment and have met the requirements are reminded of their legal obligation to receive/undertake appropriate additional training in the use of any equipment that differs from that used during the assessment, but which they are nevertheless qualified to use.

# **Assessment Guidance for the Assessor**

This qualification can only be assessed by an Assessor who is suitably qualified and meets the requirements of the awarding body. The Assessor must be independent **and cannot have been involved with the training of the Candidate**. Please see City & Guilds Centre Manual for guidance.

The Candidate is to be notified of the place and time of assessment and when formal assessment commences and ceases.

Assessors are reminded that assessment is a formal process and that assessment must be carried out using this Qualification Guidance. All relevant assessment criteria must be assessed against the criterion as specified in the Qualification Guidance. Assessment will be carried out by direct observation and by oral questioning of the Candidate. Where a specific number of responses are required theses may include other suitable answers not specified if they are deemed to be correct by the Assessor. The performance of the Candidate is to be recorded on the Qualification Guidance as directed by completing the tick boxes. Space has been provided on the Qualification Guidance for the person assessing to record relevant information which can be utilised to provide feedback to the Candidate. After assessment has been completed the Qualification Guidance document is to be retained by the assessor and provided if required by a Quality Systems consultant (QSC).

# **Assessment Guidance for Candidate**

A list of registered assessment centres is available from City & Guilds NPTC. (www.nptc.org.uk)

Assessment is a process by which it is confirmed that the candidate is competent in the unit(s) within the award to which the assessment relates. It is the process of collecting evidence about his/her capabilities and judging whether that evidence is sufficient to attribute competence.

The Candidate must be registered through the City & Guilds approved assessment centre for this qualification prior to the assessment.

The results of the assessment will be recorded on the Record of Assessment form (ROA).

The qualification guidance contains criteria relating to:

- Observation of practical performance
- Assessment of underpinning knowledge

### Safe Practice:

- 1. Assessors must hold a current 'First Aid at Work' Certificate.
- 2. It is strongly recommended that Candidates hold at least a recent, recognised 'Emergency First Aid' Training Certificate.
- 3. All forest machines used in the assessments must comply with relevant Arboriculture and Forestry Advisory Group (AFAG) Safety Guides
- 4. Candidates should be familiar with the machine that they are going to operate.
- 5. Appropriate Personal Protective Equipment (PPE) must be worn at all times.
- 6. A First Aid kit meeting current regulations, of the appropriate size for the number of persons on site, must be available.
- 7. The Assessor must ensure a Risk Assessment is carried out, and sufficient control measures implemented.
- 8. Any necessary permissions must have been granted, and notifications made as appropriate: (e.g. Forestry Commission, Forest Enterprise, Private owners etc).
- 9. All equipment being used for this assessment must comply with relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998 and Lifting Operations and Lifting Equipment Regulations (LOLER) 1998.
- 10. Information may be sought from the relevant operator manuals or any other appropriate training or safety publication.
- 11. Provision must be made to avoid the risk of environmental pollution and adequate control measures must be implemented. (a suitable response kit to be available on the machine)
- 12. It is the responsibility of the Assessor and the Candidate to ensure that any additional requirements and provisions are met as relevant to this qualification.
- 13. Whenever the Candidate leaves the base machine, the parking brake must be applied.
- 14. When the Base Machine is parked and left unattended, or any attachments/detachments of equipment, must carry out the safe stop procedure.
- 15. The Base Machine must be operated in such a way that the Candidate, Assessor, other persons or equipment are not endangered.
- 16. All ancillary equipment, when detached must be left in a safe and stable condition.
- 17. Candidates must comply with current regulations when working at heights regulations 2005 amended
- 18. The assessment is carried out in accordance with the safety guidelines laid down in Arboriculture and Forestry Advisory Group (AFAG) Safety Guides, Health and Safety publications and current machinery directives.
- 19. A breach of Health and Safety that puts any person at risk during the assessment process will result in the assessment being terminated and the Candidate not meeting the required standard
- 20. Initial tonnage is done on unladen weight

# Validation of Equipment:

Any Base Machine complying with industry guidance and European directives is acceptable for the test, provided it is suitably equipped for **all** assessment activities to be carried out. Where a ROPs structure is fitted, an operator seat restraint is in place and functional.

Any machine that can lift or suspend the load above the operator, who isn't protected by adequate/suitable FOPS and OPS, will be required to produce a current LOLER certificate to the Assessor

Published by City & Guilds Building 500 Abbey Park Stareton Warwickshire CV8 2LY

T +44 (0)24 7685 7300 F +44 (0)24 7669 6128 www.nptc.org.uk

e-mail: information@cityandguilds.com

Candidate	A	Name:		Dat	te:	Start Time:	Dura	ition	:		
Candidate	В	Name:		Dat	te:	Start Time:	Dura	ition	ı:		
Candidate	C	Name:		Dat	te:	Start Time:	Dura	ition	ı: 		
Candidate	D	Name:		Dat	te:	Start Time:	Dura	ition	( <b>:</b>		
CRITERIA		ASSESSMENT	ASSESSOR		ASSESSMENT			C	AND	IDAT	ГΕ
NUMBER		CRITERIA	GUIDANCE		1	ACTIVITIES		Α	В	С	D
1.1 <b>1</b>	an wit	entify the hazards d risks associated th the working area d the proposed work				nything with the potential sks (who might be harme			, 		
			The Candidate to state <b>four</b> hazards and <b>four</b> risks with the working area/work to be done		The work area/work	k to be done					
					<ul> <li>power lines</li> </ul>						
					<ul> <li>terrain</li> </ul>						
					access routes	3					
					chain shot						
					risk zones						
					struck by timb						
					• other						
					Risks				]		
					<ul><li>others on site</li><li>operator</li></ul>						

other machine operators

struck by machine

access and egress

working at heights

high pressure fluids

other \_\_\_\_\_

moving parts

hot surfaces

public

The machine

Hazards

Risks

public

operator

environment

other \_\_\_\_\_

other \_\_\_

The Candidate to state **four** hazards and **three** risks for the machine

Met✓ Not Met X

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA	TE D
_	Use appropriate tools,	Assessor to observe	All tools, equipment and Personal		В		
1.2	equipment and Personal Protective	appropriate tools, equipment and PPE are	Protective Equipment are used in line with industry good practice e.g. AFAG/HSE.				
1	Equipment	used in accordance to	During all on site operations PPE in				
-		industry good practice	accordance with industry good practice				
			must be worn.	Ш			
		All applicable to the task	Personal Protective Equipment identified could				
		at hand	include:  safety helmet (if required)				
			hearing protection (where needed)				
			suitable protective gloves				
			protective boots				
			non snag outer clothing				
			high visibility clothing where risk     assessment identifies it				
			hand cleaning materials				
			first aid kit				
			• other				
			Met ✓ Not Met X		П		
	Outline current health	The Candidate to state	Outline key points from the legislation listed				
7.1 <b>7</b>	and safety legislation, codes of practice and any additional	two relevant points of each of the following:	below:				
•	requirements	Health and Safety at Work	Health and Safety at Work Act (HSWA) (1974) –				
		Act (HSWA) (1974)	general duties for employers and employees				
			maintain safe places of work				
			other				
		Provision and Use of	Provision and Use of Work Equipment				
		Work Equipment	Regulations 1998 (PUWER 98) –	_	_	_	_
		Regulations 1998 (PUWER 98)	record keeping     operators adequately trained				
		(I OWER 30)	equipment fit for purpose				
			other				
		Lifting Operations and Lifting Equipment	Lifting Operations and Lifting Equipment Regulations (1998) (LOLER)				
		Regulations (1998)	main requirements of the LOLER required				
		(LOLER)	by the machine risk zones				
			safe working load				
			inspection by a competent person				
			operating controls labelled				
			• other				
		Reporting of Injuries,	Reporting of Injuries, Diseases and Dangerous				
		Diseases and Dangerous Occurrences Regulations	Occurrences Regulations 1995 (RIDDOR)  reporting of accidents				
		1995 (RIDDOR)	<ul> <li>reporting of accidents</li> <li>reporting of dangerous occurrences</li> </ul>				
			other				
		Working at Heights	Working at Heights				
		Working at Heights	adequate precautions taken for safe				
			working procedures				
			any height constitutes working at heights				
			• other				
		Control of Substances	Control of Substances Hazardous to Health				
		Hazardous to Health	(COSHH) Regulations (2002)				
		(COSHH) Regulations (2002)	<ul> <li>correct PPE to be identified</li> <li>correct storage and application</li> </ul>				
			disposal				
			• other				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	_	AND		
NUMBER	CRITERIA	State two sources of	Industry Good Practice	Α	В	С	D
7.1 cont		industry good practice information	Arboriculture Forestry Advisory Group (AFAG) information				
			Health and safety in forestry				
			Forest and water guidelines				
			Operators manual				
		Ctata true factors of lane	Lana wanting				
		State <b>two</b> factors of lone working	Lone working  • effective communication system				
		3	fail to safe system				
			reporting in times				
		State <b>two</b> procedures to	Line contact possible procedures:				
		be followed when machine contacts power line	where possible, drive away to safe area				
		Contacts power line	if safe, stay in machine and contact power company/supervisor				
			jump from machine, bunny hop as far as				
			possible				
		State <b>four</b> factors	Power lines				
		regarding working near	designated crossing point (goal posts)				
		power lines	Iiaison with power companies				
			site maps				
			• AFAG				
			electricity at work				
			• other				
	Describe the types of	The Candidate to state	Met ✓ Not Met X Records:	Ш	Ш	Ш	Ш
7.3	records that may be	two types of record	Necords.				
	required for	keeping to meet PUWER	logbook				
7	management and legislative		service logbook     time sheet				
	requirements		time sheet     maintenance schedule				
			other				
			Met ✓ Not Met X				
7.2	Explain why it is	State one	Importance of communication could include:				
1.2	important to maintain good communication		health and safety				
7	and team work within		site planning/co-ordination				
	the working environment		• other				
	Silvii Sillii Sil		Met ✓ Not Met X	П	П		
	Carry out pre and post-	Plan work and the work	Met v Not Met x				H
2.1	start checks to test all	site to maintain safe					
2	operating functions of the equipment	working areas to operate the timber processor					
	and definitions						
		State five	Planning work may include:				
			with minimal damage to the worksite				
			standing trees				
			• tracks				
			• roads				
			• drains				
			environment     in accordance with the site and job				
			in accordance with the site and job     specification				
			• other				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C/ A	AND B	IDA <sup>*</sup>	TE D
NOWIBER	ORITERIA	State four	Utilise additional safeguards such as:	A	В	C	ט
2.1 cont			Cambo dadanonar careguar ao caon do:				
			barriers				
			banksman				
			• signs				
			other workers				
			risk zone e.g. adjacent roads and tracks				
			• other				
		Assessor to observe candidate carrying out the pre and post start checks of the machine	Pre and post start checks on base machine according to the operators handbook and to include:				
			machine on level ground				
		Candidate to comment on machines serviceability	ensure machine services in neutral and lowered where applicable				
		Theorim of Convictability	engine stopped and key removed				
		Assessor is to use their	check engine oil, transmission/hydraulic oil,				
		own discretion as to whether a seat belt/lap	coolant and fuel level, engine air filter				
		restraint is to be worn	importance of cleanliness				
		during assessment	seat, steering mechanism and mirror     division and				
			<ul><li>adjustment</li><li>operator seat restraint is functional (where</li></ul>				
			applicable)				
			check operator protection systems				
			check relevant access and egress points				
			check wheel nuts				
			check pin bush wear and security				
			check for cracks/fatigue				
			check for hydraulic leaks				
			security of components				
			check safety decals				
			LOLER certificate (if required)				
			radiators (coolant and hydraulic)				
			fuel filters and/or water trap				
			grease where and when appropriate				
		Check security of loader to base	bolts cracks leaks				
		Check security of loader attachment	bolts cracks				
		Check attachment	security				
			condition				
			hydraulic leaks				
			pin and bushes				
[			pipe work				
			guarding				
		Maintenance of processor	Chassis/ Frame				
			• cracks				
			pin security				
			• bushes				
			cylinders				
		Assessor to observe	attachment				
		candidate adhering to	loose or broken bolts				
[		environmental best practice and COSHH	cables and connections				
		regulations	guarding				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDAT	TE D
2.1 cont			De-limbing mechanism				
			security				
			sharpness				
			<ul><li>cracks</li><li>profile</li></ul>				
			profile     pins and bushes				
			lubricant				
			0 1 : (75)				
			Saw chain (if fitted)				
			<ul><li>sharpness</li><li>tension (if applicable)</li></ul>				
			tension (if applicable)     wear and tear				
			broken tie straps				
			lubricant				
			guarding				
			Guide bar (if fitted)				
			straight				
			overheating				
			• sprocket				
			nose     lubricant				
			Sheers (if fitted)				
			sharp     cracks				
			straight				
			alignment				
			lubricant				
			guarding				
			Circular saw (if fitted)				
			• sharp				
			straight				
			<ul><li>cracks</li><li>missing teeth</li></ul>				
			• set				
			lubricant				
			guarding				
			Hydraulic hoses				
			• leaks				
			• cracks				
			<ul><li>cuts</li><li>abrasions</li></ul>				
			security				
			guarding				
			Environmental considerations				
			disposal				
			storage of oils on site				
			spill kit mats used				
			Met ✓ Not Met X				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT			IDA	_
NUMBER	CRITERIA State the safety	GUIDANCE All required	ACTIVITIES  Level ground	Α	В	С	D
5.1 <b>5</b>	requirements, routine and functional checks required for machine and operator protection	Airrequired	all fluid levels can be accurately checked     other  Machine Services				
			security     unauthorised third party operation     other  Cleanliness				
			<ul> <li>personal contamination</li> <li>system contamination</li> <li>other</li> </ul>				
			Adjustment      ergonomics     visibility     other  Restraint systems				
			personal safety     HSE requirement     other  Operator protection systems				
			<ul> <li>roll over protective structure (ROPS)</li> <li>falling object protective structure FOPS)</li> <li>operator protection structure (OPS)</li> <li>other</li> </ul>				
			Access and Egress      operator safety     PUWER     other				
			<ul><li>visually</li><li>torque wrench</li><li>operators handbook</li></ul>				
		Candidate to identify <b>all</b>	according to manufacturers     recommendations     other				
		procedure for replacing a hydraulic hose	Safe procedure for detection of leaks:      hands not used for detection of leak     use a piece of card or paper     other				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA <sup>*</sup>	TE D
	51111 <b>2</b> 111111	00.57.1.102	appropriate PPE identified				
5.1 cont			use of spill kit				
			hydraulic system lowered and pressure relieved				
			importance cleanliness				
			vacuum pump (if fitted)				
			shut off valve (if fitted)				
		Correct amount of tools	Tools				
		chosen	spanners x 2				
		Identify the four main	Criteria for pipe replacement				
		criteria for a replacement	pressure rating				
			• length				
			end fittings				
			• bore				
			referred to Operators manual				
		What factor needs to be taken into account when	new hose fitted ensuring inside of hose and joints are clean				
		fitting the new hose	correctly routed not twisted				
			switch off vacuum pump (if fitted)				
			open valve (if fitted)				
			hydraulic oil topped up and checked as	_	_	_	
			required     start machine				
			operate function				
			check for leaks				
			clean up spill kit				
			re-check oil level				
		Environmental	waste bagged and labelled				
		considerations	licensed disposal				
			recycle     other				
			• other				
			Met ✓ Not Met X				
5.3	Explain the implications of terrain, ground	Describe factors to consider when route	Route planning may be achieved by assessing:				
	conditions, season, weather and tree	planning	Terrain				
5	condition on planning access routes and	One example from each	<ul><li>roughness, slope</li><li>other</li></ul>				
	driving the machine						
			Ground conditions				
			load to match ground conditions (ground bearing capacity)				
			• other				
			Seasonal				
			<ul><li>winter, summer</li><li>other</li></ul>				
			Tree species				
			transport of brash from worked racks				
			<ul> <li>transport of brash from worked racks</li> <li>tree species relevant to brash availability</li> </ul>				
			• other				
			Met ✓ Not Met X				

NUMBER CRITERIA GUIDANCE ACTIVITIES  Describe safe driving techniques that should be used on site  Three of each  CRITERIA GUIDANCE ACTIVITIES  Importance of loader position and machine stability  Loader position	A	В	С	D
be used on site				
5 Loader position				
<ul> <li>maintain the centre of gravity</li> <li>over reaching</li> </ul>				
over loading				
slope/steep ground				
loader parking position				
Machine stability				
<ul> <li>use of legs (if fitted)</li> <li>oscillation lock</li> </ul>				
ballast of tyres/traction aids				
ground condition				
Four methods Safe driving techniques may be applied by				
<ul> <li>correct gear selection and engine speed</li> <li>route selection and planning</li> </ul>				
patching and brash matt repair				
appropriate use of difflock				
appropriate use of traction aids				
• stability				
<ul><li>avoid standing crop</li><li>other</li></ul>				
Other	_   🗆			
Met ✓ Not Met	t X	1 -		
6.1 size and species to limitations of the machine				
meet the job specification in relation to processing specification in relation to proc				
stem straightness				
branch formation				
Met ✓ Not Me	t X			
Describe how to Describe one from each Double				
6.2 process trees Implication of processing • cut before fork • zero measurement				
6 1. double 2. shattered • deal with double as two singles				
3. diseased • other	_   □			
4. rotten dead 5. other malformed trees Shattered				
optimize the value of the stem				
• cut to waste				
• other	_   □			
Diseased		1_		
<ul><li>cut out diseased section</li><li>other</li></ul>				
	_   _			
Rotten, Dead and malformed  maximise value				
• other	_   _			
Procedure for setting log length • Refer to operators manual				
How to decide which trees • outside the parameters of the processor				
should be prepared or processed manually  • other	_   □			
Met ✓ Not Mer	t X			

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA <sup>*</sup>	TE D
6.3 6	Describe how to measure log length to ensure it meets specification	Ensure timber tolerances are met	regular checks on specification of processed timber during operation and recognise malfunctions				
	·		measures manually with tape or other measuring device				
			Met ✓ Not Met X				
3.1	Drive the machine on site in a safe and effective way	Assessor to observe the candidate drive the machine turning left and right, reverse, park, switch off and exit	candidate to drive or manoeuvre machine     safe access     start in accordance with manufacturers				
&			<ul><li>recommendations</li><li>appropriate gear selection</li></ul>				
3.2	Manoeuvre the machine		smoothness of take off				
	on site in a safe and effective way		drive in a straight line				
3	enective way		left and right turn				
			<ul><li>reverse</li><li>appropriate speed for conditions</li></ul>				
			appropriate use of brakes				
			parking brake applied and effective				
			stop in accordance with manufacturers				
			recommendations				
			safe egress				
			Met ✓ Not Met X				
	Process the felled trees	Minimum of ten trees to	Process trees according to site specification				
4.1 <b>4</b>	in accordance with the job specification	be processed	safely and efficiently     branches removed methodically				
		De-limb trees according to	excessive damage to stems				
		specification	<ul> <li>products are de-limbed cleanly and within the standard</li> <li>ensure that any brash is placed clear of</li> </ul>				
			timber zone  ensure that any damage to the remaining				
		Crosscut trees according	standing trees or to the environment is minimal				
		to specification	Cross-cut     ensure products are not in the brash zone				
		'	cross-cut to job specification				
			saw not to be pointed at cab				
			position machine correctly, safely and effectively				
			measuring device zeroed before processing begins				
			Met ✓ Not Met X				
	Maintain brash	Assessor to observe	To reduce ground damage				
3.3 <b>3</b>			cut to specified length/diameter     ensure brash is layout to width and depth				
			for machine travel  segregate for brash for bailing - chipping				
			segregate for brash for balling - cripping     small trees, tops etc. to reduce ground     damage and aid flotation				
			create brash for bailing				
			• other				
			Met ✓ Not Met X				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	C	AND	IDA	ſΕ
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
4.2	Segregate logs to enable ease of extraction	Assessor to observe	Timber processed according to specification     logs graded and segregated into				
4			specification				
-			organised timber zones are maintained				
			ensuring that any brash is placed clear of timber				
			stack logs to enable efficient extraction				
			Met ✓ Not Met X				
1.3 1	Carry out work specification in accordance with relevant legislation, industry good practice	Assessor to observe	All activities must be completed in a way which protects the operator and those around them.      Met ✓ Not Met X				
	and maintain health and safety						
1.4	Carry out work to minimise environmental damage	Assessor to observe	It is ensured that any possible environmental damage is minimised at all times during on site operations				
1			Met ✓ Not Met X				
4.3	Use machinery in accordance with	Assessor to observe	Use machinery in accordance:				
4	relevant legislation and manufacturer's		relevant legislation and manufacturer's instructions				
-	instructions		• other				
			Met ✓ Not Met X				

Summary of Assessment (	The A	lssessor is	to con	nnlete ti	he fo	ıllowina as	appropriate
-------------------------	-------	-------------	--------	-----------	-------	-------------	-------------

Candidate A	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓					
	Signed: Date:								
Candidate B	Candidate <b>has met</b> all of the assessment criteria	Tick	The Candidate <b>has not</b> met all of the assessment criteria; ( <b>state reason(s)</b> )	Tick ✓					
	Signed:	Date:							
Candidate C	Candidate has met all of the assessment criteria	Tick	The Candidate <b>has not</b> met all of the assessment criteria; ( <b>state reason(s)</b> )	Tick					
	Signed: Date:								
	Signed:	Date:							
Candidate D	Candidate has met all of the assessment criteria	Tick	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓					
		Tick	The Candidate <b>has not</b> met all of the assessment criteria; ( <b>state reason(s)</b> )	✓					
Candidate	Candidate <b>has met</b> all of the assessment criteria	Tick	reason(s))	✓					
Candidate	Candidate has met all of the assessment criteria  Signed:  ruse by Internal Verifier ONLY if the assessment process was internal Verifier to complete ONE of the boxes below)	Tick  Date:	reason(s))	✓					
For (Internal Candidate	Candidate has met all of the assessment criteria  Signed:  r use by Internal Verifier ONLY if the assessment process was internal Verifier to complete ONE of the boxes below)  processerved an assessment process taking place and I am satisfied the	Tick  Date:	v verified ssessment was conducted in line with the qualification requirements	Tick					