CITY & GUILDS NPTC LEVEL 2 AWARD IN SAFE USE OF HANDHELD HEDGE CUTTERS (QCF) QAN 601/1300/5



QUALIFICATION GUIDANCE

Integrated Assessment

Essential Qualification Information

Not to be used by the Candidate during Assessment

You will require some of this information to accurately complete the Record of Assessment (ROA)

Group No	0 0 1 4	Machinery
Qualification Programme No	0 0 1 4 - 2 3	L2 Award in Safe Use of Handheld Hedge Cutters
Unit(s)	2 0 1	Handheld hedge trimmer operations
Learning Time (LT)	2 0 1	LT 30 (3 Credits) (* see note on page 2)
Recommended Assessment Duration		1.5 – 3 hours per Candidate

City and Guilds NPTC Level 2 Award in Safe Use of Handheld Hedge Cutters (QCF) **Qualification Guidance**

Introduction

The scheme will be administered by City & Guilds

City & Guilds will:

- Publish Scheme regulations
 - Qualification guidance
 - Training materials
 - Trainers support materials

Approve centres to co-ordinate and administer the scheme Set standards for the training of Verifiers and Assessors Recruit, train and deploy Verifiers Issue certificates to successful Candidates

The Qualification

The qualification will be awarded to Candidates who achieve the required level of competence in the units to which their certificate relates.

What is the Qualifications and Credit Framework?

OFQUAL have introduced the Qualifications and Credit Framework (QCF) to increase flexibility for learners and employers. Qualifications may be built up from individual units according to rules of combination. The units are derived from the National Occupational Standards, which are compiled by Lantra SSC, the Sector Skills Council for the Land-based industries.

Instruction

Attendance at a course of instruction is not a pre-requisite for an application for an assessment but potential Candidates are strongly advised to ensure that they are up to the standards that will be expected of them when they are assessed.

* Learning Time (LT)

Learning Time (LT) is a better indicator of the time requirement needed for a candidate to achieve competence in this qualification. It has replaced Guided Learning Hours (GLH) which are defined as "tutor or teacher led hours". LT is defined as "a notional measure of the learning time a typical learner might be expected to take to complete and achieve all learning outcomes". It takes into account prior learning and encompasses: formal learning (including classes, tutorials, on line tuition), coaching and mentoring, practical work, relevant IT activity, information retrieval, expected private study and revision, work-based activity which leads to assessment, practice to achieve competence, formative assessment, programme planning and feedback.

Access to Assessment

Assessment centres will be responsible for arranging assessment on behalf of the Candidate.

The minimum age limit for Candidates taking Certificates of Competence is 16 years. There is no upper age limit.

The assessment consists of **one** compulsory unit:

Unit 201		(Mandatory)	(Credit Value 3)
	Outcome 1.	Know how to carry out a	risk assessment (Criteria 1.1 – 1.1)
	Outcome 2.	Know the health and saf	fety legislation that underpins hand held hedge trimmer operations (Criteria 2.1 – 2.1)
	Outcome 3.	Know the appropriate Po	ersonal Protective Equipment (PPE) for hand held hedge trimmer operations (Criteria 3.1 – 3.1)
	Outcome 4.	Know the health and saf	fety features of the equipment being used (Criteria 4.1 – 4.1)
	Outcome 5.	Know that there are diffe	erent types of hedge trimmer (Criteria 5.1 – 5.1)
	Outcome 6.	Understand hedge types	s and growth habits (Criteria 6.1 – 6.2)
	Outcome 7.	Know how to maintain th	ne hedge trimmer (Criteria 7.1 – 7.4)
	Outcome 8.	Know how to prepare we	ork area (Criteria 8.1 – 8.1)
	Outcome 9.	Know how to operate a	hedge trimmer (Criteria 9.1 – 9.8)

Candidates must successfully achieve all assessment activities in the above unit.

There are no endorsements for this Award.

Outcome 10.

Quality Assurance

Verification is a process of monitoring assessment; it is an essential check to confirm that the assessment procedures are being carried out in the way City & Guilds has laid down. The overall aim of verification is to establish a system of quality assurance that is acceptable in terms of both credibility and cost effectiveness.

Know how to clean, store and transport equipment safely and appropriately (Criteria 10.1 – 10.1)

Approved Assessors will be subject to a regular visit by the verifier at a time when assessments are being undertaken.

A selection of assessment reports completed by the Assessor will be evaluated by a City & Guilds approved verifier.

Compliance with the verification requirements is a pre-requisite for Assessors remaining on the list of approved Assessors.

Quality Assurance continued...

After assessment has been completed the Qualification Guidance is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

As part of the quality assurance process, a minimum of **two** observations are required to be undertaken for each qualification that is assessed by a Trainer/Assessor. These will be carried out by an internal Verifier appointed by the Centre. One observation will be conducted in the presence of the Quality Systems Consultant. In respect of risk management, there is an expectation that additional observations up to a maximum of **four** will be carried out for the inexperienced or newly qualified Trainer/Assessor or Assessors.

Performance Evaluation

The result of each assessment activity is evaluated against the following criteria:

- Met Meets or exceeds the assessment criteria by displaying a level of practical performance and/or underpinning knowledge. If the Criterion has been MET, a tick ☑ is to be put in the box provided in the bottom right-hand column of each section.
- NM = Not Met Does not satisfy the requirements of the assessment criteria, being unable to perform the practical task satisfactorily or safely or being deficient in underpinning knowledge. If the Criterion is NOT MET, a cross 🗵 is to be put in the box provided in the bottom right-hand column of each section.

Appeals and Equal Opportunities

Centres must have their own auditable, appeals procedures. If a Candidate is not satisfied with the examination conditions or a Candidate feels the opportunity for examination is being denied, the Centre Manager should, in the first instance, address the problem. If, however the problem cannot be resolved, City & Guilds will arbitrate and an external verifier may be approached to offer independent advice. All appeals must be clearly documented by the Centre Manager and made available to the external verifier or City & Guilds if advice is required.

Should occasions arise when centres are not satisfied with any aspect of the external verification process, they should contact Verification Services at City & Guilds.

Access to the qualification is open to all, irrespective of gender, race, creed, age or special needs. The Centre Manager should ensure that no learner is subjected to unfair discrimination on any grounds in relation to access to assessment and to the fairness of the assessment. QCA requires City & Guilds to monitor centres to check whether equal opportunities policies are being adhered to.

Validation of Equipment

A Manufacturer's instruction book or other operator's manual should be available. It is permissible for the Candidate to use this during formal assessment.

All equipment being used for this assessment must comply with the relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998.

Vehicles must comply with Department of Transport and Road Traffic Acts where relevant.

Any appropriate item of machinery complying with legal requirements is acceptable for the assessment, provided it is suitably equipped for all assessment activities to be carried out.

Safe Practice

Appropriate Personal Protective Equipment (PPE) must be worn at all times.

The Assessor must ensure that a site specific risk assessment is carried out.

All equipment must be operated in such a way that the Candidate, Assessor, other persons, or other equipment are not endangered.

All ancillary equipment, when detached, must be safely parked.

Failure to operate safely and comply with these requirements will result in the Candidate not meeting the required standard.

Warning signs stating that an assessment is in progress should be available.

The Assessor may stop the assessment on the grounds of safety at any time at his/her discretion.

Before any assessments take place, Assessor & Candidate should be aware of any local or national issues to prevent breach of security, safety and any cross contamination or damage to the local environment.

A breach of Health and Safety that puts any person at risk during the assessment process will result in the assessment being terminated and the Candidate not meeting the required standard.

Additional Information

May be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Questions should be related to the background or employment aspirations of the candidate and, where possible, product labels used should be representative of products typically used in that sector or industry.

Candidates who undertake this assessment and have met the requirements are reminded of their legal obligation to receive/undertake appropriate additional training in the use of any equipment that differs from that used during the assessment, but which they are nevertheless qualified to use.

Assessment Guidance for the Trainer/Assessor

This qualification can be assessed by a Trainer who has trained the Candidate (a Trainer/Assessor) or by a third party (an Assessor) not directly involved with training of the Candidate providing they are suitably qualified and meet the requirements of the awarding body. Please see City & Guilds Centre Manual for guidance.

It is envisaged that assessment will be carried out after all of the training has been completed. However assessment may take place at intervals after each 'period' of training and may be effectively integrated into the training programme. The Candidate must be informed when assessment is taking place in terms of when formal assessment commences and when its ceases. It is not permissible to assess whilst training is being carried out. Assessment must be a separate activity.

Trainer/Assessors are reminded that assessment is a formal process. Assessment must be carried out using the Qualification Guidance. All relevant assessment criteria must be assessed against the criteria as specified in the Qualification Guidance. Assessment will be carried out by direct observation and by oral questioning of the Candidate. Where a specific number of responses are required these may include other suitable answers not specified if they are deemed to be correct by the Assessor. The performance of the Candidate is to be recorded on the Qualification Guidance as directed by completing the tick boxes. Space has been provided on the Qualification Guidance for the person assessing to record relevant information which can be utilised to provide feedback to the Candidate. Trainer/Assessors are reminded that feedback from the Candidate is required on the Record of Assessment that is sent to City & Guilds as part of the quality assurance process. After assessment has been completed the assessment schedule is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

The Candidate may only have a maximum of 3 attempts. Re-assessment cannot take place until further training has been provided.

Assessment Guidance for Candidate

A list of registered assessment centres is available from City & Guilds Land Based Services. (www.nptc.org.uk)

Assessment is a process by which it is confirmed that the candidate is competent in the unit(s) within the award to which the assessment relates. It is the process of collecting evidence about the candidate's capabilities and judging whether that evidence is sufficient to attribute competence.

The Candidate must be registered through the City & Guilds approved assessment centre for this qualification prior to the assessment.

The results of the assessment will be recorded on the Record of Assessment form (ROA).

The qualification guidance contains criteria relating to:

- Observation of practical performance
- Assessment of underpinning knowledge

Published by City & Guilds **Building 500** Abbey Park Stareton Warwickshire **CV8 2LY**

T+44 (0)24 7685 7300 F +44 (0)24 7669 6128 www.nptc.org.uk

e-mail: information@cityandquilds.com

Candidate	A	Name:		Dat	e:	Start Time:	Dura	ition	1:		
Candidate	В	Name:		Date	e:	Start Time:	Dura	ition	1:		
• " • •											
Candidate	C	Name:		Dat	e:	Start Time:			Duration:		
Candidate	D	Name:		Dat	e:	Start Time:	Dura	tion	1:		
CRITERIA NUMBER		ASSESSMENT CRITERIA	ASSESSOR GUIDANCE		ASSESSMENT ACTIVITIES		C/ A	AND B	IDAT C	D D	
Unit 201 1.1	asse	ry out a risk essment relevant to the ration to identify: significant hazards those at risk control measures emergency procedures	Candidate to carry out a Ri Assessment by checking the sites for hazards and report findings to the Assessor Candidate to state two possible risks when operate a handheld hedgecutter	he rt :ing	May include: flying debris operator overrea cutters coming ir fire	rds be at risk ole control measures	r				
			Candidate to state two sat precautions that should be observed with flammable liquids (for fuel powered hedgecutters)		fuellingavoiding contactfuel topped up to expansion	ed flames utters engine to cool be fore with hot surfaces correct level allowing for ealt with using the correct m					
			Candidates to state three fuel storage and transportation requirement Or	s	Fuel containers used be specifically de have a non-spill be clearly labelle have securely fit	must: esigned for fuel storage spout ed					
			Candidate to state two sat requirements (for electrical powered hedgecutters)	allý	This may include: must have a currectificate run from a 110 v be connected via	rent 'Portable Appliance Tes					
			Candidate to state two precautions to be taken wh loading the hedgecutter an materials	nen id	This may include: avoiding manual use mechanical use safe lifting te		Met X				
Unit 201 8.1	carr	pect the work area and y out a Site Specific Assessment	This criterion will have been assessed in 1.1		To include: work area inspec Site Specific Ris	cted k Assessment completed Met ✓ Not I	Wet X				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA ⁻	TE D
	Describe the relevant	(Note: Any three required by	May include the following:				
Unit 201	Health and Safety legislation in relation to	name and an outline of the implication on handheld	The Health & Safety at Work Act 1974 – specified duties under the act as an employee				
2.1	hand held hedge trimmer operations	hedgecutter operation)	The Management of Health and Safety at Work Regulations 1999 – a risk assessment must be				
		(Any implications considered to be valid by	carried for all activities				
		the Assessor may be accepted)	 Personal Protective Equipment Regulations 1992 PPE must be supplied and worn 				
		accepted)	Manual Handling Operations Regulations 1992 –				
			not to manually handle, use safe lifting techniques Provision and Use of Work Equipment				
			Regulations (PUWER) 1998 – requires that regular checks are made				
			Electricity at Work Regulations 1989 – Test certificate, run from 110 volt power supply via a circuit breaker				
			Noise at Work Regulations 2005 – hearing protection must be worn over 85db				
			Wildlife and Countryside Act (WCA) 1981 –				
			operation carried out at times to minimise the impact on wildlife				
			The Control of Vibration at Work Regulations 2005 – to reduce the risk to health from vibrations				
			Met ✓ Not Met X				
	Identify the different types	Candidate to identify three	May include handheld versions of:				
Unit 201	of hedge trimmer	different types of hedgecutter	 mains electric, with single or double sided 'blades' 				
5.1		Assessor note: This activity can be completed using high quality images	battery powered, with single or double sided 'blades'				
		. , ,	 petrol, with single or double sided 'blades' long reach hedge trimmer or 'pole trimmer' mains 				
			electric, battery or petrol, with single or double sided 'blades'				
		Candidate to state one	Advantages may include:				
		advantage of each type of cutting mechanism	 hedgecutters with double sided 'blades' allow for cutting in both directions, but are heavier and generally shorter. Ideal for fine work 				
			 single-sided 'blades' provide greater length at a lower overall weight and allow the operator to work in long continuous 'cuts'. Ideal for commercial use 				
			 long reach hedge trimmers allow the operator to be able to cut taller hedges without the need for access equipment, as well saving the need to bend down when cutting down low 				
			Met ✓ Not Met X				
Unit 201	Identify three pruning groups	Candidate to identify the three types (as defined by The Royal Horticultural	Includes the following: Group 1 - Upright plants, e.g. Hawthorn, Privet, Box, Escallonia, Chinese Honeysuckle				
6.1		Society)	Group 2 - Bushy plants, e.g. Beech, Hornbeam, Hazel, Forsythia and Ribies				
			 Group 3 - Conifers and most evergreens, e.g. 				
			Lawson Cypress, Leyland Cypress, Yew, Bay, Cherry Laurel, Cotoneaster and Pyracantha				
			Met ✓ Not Met X				
Unit 201	Understand hedge types and growth habits	Candidate to define the terms formal, informal and native hedge	Formal hedge – a closely controlled form, which is regularly clipped to a specific outline				
6.2		native neage	Informal hedge – a less controlled for, which does not conform to a specific outline				
			Native hedge – an informal or formal hedge containing a mixture of plants native to the United Kingdom				
		Candidate to select and	Group 1 – Upright plants				
		describe one plant from each group listed	Hawthorn – formal, in summer and autumn Drivet – formal trian or three during the				
Continued			Privet – formal twice or three times during the growing season				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C/A	AND B	IDAT	TE D
Cont			Box – formal, twice or three times during growing season				
Unit 201			Escallonia – informal, after flowering				
6.2			Chinese Honeysuckle – formal two or three times during the growing season				
			Rosa rugosa – informal, thin out after flowering				
			Group 2 – Bushy plant Beech – formal, once in late summer				
			Hornbeam – formal, once in mid to late summer				
			Hazel – once in mid to late summer Forsythia – informal, thin out one third of old				
			stems after flowering Ribies – informal, thin out one third of old stems				
			after flowering				
			Group 3 – Conifers and most evergreens				
			 Lawson Cypress – formal, spring and summer Leyland Cypress – formal, up to three times in the 				
			growing season Yew – formal, twice, once in summer and again in				
			early autumn				
			 Bay – light trim in summer Cherry Laurel – formal twice during the growing 				
			season Cotoneaster – after fruiting				
			Pyracantha – late summer				
			Holly – formal, once late summer				
			Native hedge – pruned with consideration for the needs of wildlife				
	Calcat the annuaries	Condidate to identify suitable	Met ✓ Not Met X				
Unit 201	Select the appropriate Personal Protective Equipment (PPE) for hand	Candidate to identify suitable PPE required for operation	Unless other wise stated in the manufacturers handbook/operators manual or Risk Assessment, PPE may include:				
3.1	held hedge trimmer operations	Assessor to note: Chainsaw trousers are recommended,	hard hat/helmet with full face visor and ear				
	operations	but not obligatory for hand	defenders dust mask				
		held hedgecutter operations	gloves for operation				
			gloves for maintenancechainsaw trousers (not obligatory)				
			non snag clothing high visibility clothing				
			high visibility clothingsafety footwear				
			Met ✓ Not Met X				
Unit 201	Identify the Health and Safety features of the	Candidate to state the guarding requirements for the	To include: all moving parts must be guarded				
4.1	equipment being used	hedgecutter	cutter guard to be fitted to the hedgecutter when not in use				
		Identify and explain the	To include:				
		function of the controls and safety decals appropriate to	the operator protection decals				
		the hedgecutter	bystander protection decals				
			To include all of the following: on/off switch				
			choke Operator Presence Control (OPC)/safety interlock				
			 Operator Presence Control (OPC)/safety interlock blade locking lever (if fitted) 				
			throttle throttle lock				
			primer bulb (if fitted)				
			decompressor (if fitted)				
			Met ✓ Not Met X		Ш	Ш	Ш

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA	TE
	Describe the operator	Candidate to carry out pre-	To include:			Ť	† <u> </u>
Unit 201 7.1	checks that should be carried out in accordance with manufacturer's	operation checks and to report their findings to the Assessor	 pre start checks carried out in accordance with manufacturers' handbook/operators manual 				
	instructions		 visual inspection completed for loose components and fixings 				
			checking the fuel level				
			re-fuelling the hedgecutter (if required)				
			 checking the oil level (if applicable) 				
			condition reported to the Assessor				
			Met ✓ Not Met X				
Unit 201	Correctly mix the fuel and fuel the hedge trimmer	The candidate is required to state how to correctly mix the	To include: correct ratio stated for hedgecutter as				
9.1		fuel (petrol powered hedgecutters only)	recommended in accordance with manufacturer's handbook/operators manual				
			checking the fuel level				
			fuelling the hedgecutter (if required)				
			 checking the oil level (if applicable) 				
			Met ✓ Not Met X				
Unit 201	Identify routine maintenance procedures	The candidate is required to identify routine maintenance	It includes:				
	for the hedge trimmer	procedures for the	 cleaning power unit and covers service the air filter 				
7.2		hedgecutter	service the spark plug				
		This criterion will be met in	service the recoil starter mechanism				
		7.3 and 7.4 and need not be assessed separately	service fuel filter				
		,	• check the gearbox				
			lubricate the 'cutters' (if appropriate)sharpen the blade				
			·				H
	Describe the procedures	The candidate is required to	Met ✓ Not Met X Power unit and covers:		Ш	Ш	닏
Unit 201	for maintaining the engine	carry out the following	inspect for security and damage – damaged				
7.3	of the hedge trimmer	activities and describe to the assessor what they are doing	equipment should not be used				
1.3		and why these activities are	external fixings present and secure				
		necessary	 debris removed from fins/air intake – allows for cooling of engine 				
			exhaust (muffler) is secure and intact – reduce				
			noise and vibration				
		The candidate to state the	Service air filter:				
		purpose of the air filter	 air filter prevents debris from entering the carburettor and needs to be clean to maintain 				
			correct air/fuel ratio				
			debris removed from around filter prior to removal filter removed (above along or protected)				
			 filter removed (choke closed or protected) filter cleaned or new filter obtained (as 				
			appropriate)				
			filter replaced and cover fitted				
		The candidate to state the	Service the spark plug:				
		relevance of the colour of the deposits on the spark plug	if fuel rich – deposits dark brown to black				
		deposits on the spant plag	if fuel weak – deposits light brown to white				
			engine cover and spark plug removedplug cleaned appropriately				
			 wear/damage assessed (replaced if necessary) or 				
			gap size checked and set if necessary				
		The candidate to assess the	Service starter recoil mechanism:				
		recoil mechanism and comment on tension and	when the spring is slack the cord does not fully retroot.				
		condition of cord	 retract over tight spring binds the cord before it can be 				
			fully extended recognise wear points; at base of toggle and				
			 recognise wear points; at base of toggle and where attached to pulley 				
			 starter cover removed and ventilation slots cleaned 				
Continued			cord inspected for wear				
		•					

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA ⁻	TE D
HOMBER	OMITEMIA	The candidate is required	Fuel filter:	1		C	D
Cont		only to state how to service	fuel cap to be removed				
Unit 201		the fuel filter	filter to be located and removed from tank using				
			an appropriate tool				
7.3			condition of the filter determined, replacement if necessary				
			cleaning procedures include using non flammable detergents followed by rinsing and drying				
		The candidate is required to	Gearbox:				
		service the gear box as recommended by the	access plug removed				
		manufacturer	lubricant checked				
			lubricant topped up (if appropriate)				
		One distanta in the demands a house	Met ✓ Not Met X				
Unit 201	Describe the procedures for maintaining the cutting blade of the hedge trimmer	Candidate is to describe how to lubricate and sharpen the hedgecutter blade	Lubrication: spray cutters with recommended cleaner/lubricant (if applicable)				
		Assessor to note: The	Sharpen hedgecutter blade:				
		candidate is not required to	gloves worn when handling blades				
		demonstrate sharpening, but may be asked to apply	remove cutter guard				
		lubricant	loosen and remove retaining nuts				
			remove blade assembly				
			check the blade for damage				
			secure the blade for filing/grinding (using a mini grinder is acceptable)				
			blade sharpened correctly				
			blade re-checked for cracks/damage				
			blades re-assembled, washers and lock nuts replaced/secured				
			Met ✓ Not Met X				
Unit 201	Start the hedge trimmer safely and in accordance with manufacturer's guidance	Candidate is required to test start the hedgecutter	To include (as appropriate): check integrity of power connections, turn on power (mains powered hedgecutter)				
9.2 9.3	Carry out pre-cutting tests		ensure ELT/RCD is working correctly (mains powered hedgecutter)				
9.4	Adjust the idle screw if required		remove guard position hedgecutter securely for starting (on the				
	required		ground) start hedgecutter safely				
			check operation of the safety interlocks				
			check controls are fully operational				
			ensure cutters are stationary at idling speed (adjust idling screw if necessary)				
			stop the hedgecutter and replace guard				
			Met ✓ Not Met X				
Unit 201	Use the hedge trimmer safely and in accordance	The candidate is to demonstrate the operation of	To include (as appropriate): • hedgecutter moved to an appropriate start point				
9.5	with manufacturer's guidance	a hedgecutter	power source connected (mains operated)				
9.6	Use appropriate cutting	A minimum of ten metres to be cut a minimum of one side	 hedgecutter) power cables arranged safely (mains operated 				
	techniques for the site	and round the top	hedgecutter) hedgecutter started safely				
9.7	Use appropriate pruning techniques for the site		quality of work checked after the initial 'cuts' and adjustments made if necessary				
			power cables and connections checked after initial 'cuts'				
			safe and efficient working practice maintained throughout the operation				
			hedgecutter stopped and guard replaced hedgecutter disconnected on completion of work				
			(mains operated hedgecutter)				
			Met ✓ Not Met X				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	С	AND	IDA	TE
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
Unit 201 9.8	Clear site of trimmings and dispose of in an environmentally appropriate manner	The candidate is required to demonstrate clearing of the site, removal and disposal of the trimmings	May include:				
			practice trimmings composted on site (if applicable) site left in a clean and tidy condition				
			Met ✓ Not Met X				
Unit 201 10.1	Clean, store and transport equipment appropriately and in accordance with manufacturer's guidelines	Candidate is to state two advantages of regularly cleaning the hedgecutter after use	May include, to: prevent corrosion facilitate maintenance and adjustments prevent personal contamination				
		Candidate to state two factors to consider when cleaning the hedgecutter	May include: using appropriate PPE removing unwanted residues using an appropriate method(s), which may include:				
			 compressed air degreasing agent hose and water (not electrically powered 				
			hedgecutters) brush waste disposed in line with company policy,				
		Condidate to state and	environmental good practice and any legislative requirements				
		Candidate to state one reason for inspecting the hedgecutter after use	May include:				
			ensures that defects can be rectified before hedgecutter is required again for use				
			Met ✓ Not Met X				

Summary of A	ssessment ((The Assesso	r is to com	plete the	following as	: appropriate)
--------------	-------------	--------------	-------------	-----------	--------------	----------------

Candidate A	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓
	Signed: D	ate:		
Candidate B	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓
	Signed: D	ate:		
Candidate C	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓
	Signed: D	ate:		
Candidate D	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓
	Signed:	Date:		
For (Int	t use by Internal Verifier ONLY if the assessment process was internal Verifier to complete ONE of the boxes below)	nternally	v verified	
	oserved an assessment process taking place and I am satisfied the I that the judgement of the Assessor was appropriate.	at the as	ssessment was conducted in line with the qualification requirements	Tick
I ob	oserved an assessment process taking place. The following were	noted as	s areas of concern.	Tick ✓