# CITY & GUILDS NPTC LEVEL 2 AWARD IN THE SAFE USE OF A STUMP GRINDER QAN 601/2266/3



## **QUALIFICATION GUIDANCE**

# **Independently Assessed**

## **Essential Qualification Information**

# Not to be used by the Candidate during Assessment

You will require some of this information to accurately complete the Record of Assessment (ROA)

Qualification Group No	0 0 2 0	Forestry and Arboriculture
Qualification Programme No	0 0 2 0 - 5 4	L2 Award in the Safe Use of a Stump Grinder
Unit(s)	2 2 0	Prepare and Operate a Stump Grinder
Guided Learning Hours (GLH)	2 2 0	GLH 8 (Credit Value 1)
Total Qualification		40.11
Time (TQT)		10 Hours
Recommended Assessment Duration		1.5 – 3 hours per Candidate

Version and date	Change detail	Section
1.2 November 2017	Added TQT details Deleted QCF / Learning Time	Qualification at a glance, Structure Throughout

# City and Guilds Level 2 Award in the Safe Use of a Stump Grinder Qualification Guidance

#### Introduction

The scheme will be administered by City & Guilds

City & Guilds will:

Publish - Scheme regulations

- Qualification guidance
- Training materials
- Trainers support materials

Approve centres to co-ordinate and administer the scheme Set standards for the training of Verifiers and Assessors Recruit, train and deploy Verifiers Issue certificates to successful Candidates

#### The Qualification

The qualification will be awarded to Candidates who achieve the required level of competence in the units to which their certificate relates.

#### Instruction

Attendance at a course of instruction is not a pre-requisite for an application for an assessment but potential Candidates are strongly advised to ensure that they are up to the standards that will be expected of them when they are assessed.

#### **Total Qualification Time**

Total Qualification Time (TQT) is the total amount of time, in hours, expected to be spent by a Learner to achieve a qualification. It includes both guided learning hours (which are listed separately) and hours spent in preparation, study and assessment.

#### Access to Assessment

Assessment centres will be responsible for arranging assessment on behalf of the Candidate.

The minimum age limit for Candidates taking Certificates of Competence is 16 years. There is no upper age limit.

The assessment consists of one compulsory unit:

Unit 220 Prepare and Operate a Stump Grinder (Mandatory)

Outcomes

- 1. Know the health and safety requirements for operating a stump grinder (criteria 1.1 1.5)
- 2. Be able to carry out a risk assessment on a site (criteria 2.1 2.4)
- 3. Be able to prepare the equipment and site for stump grinder operations (criteria 3.1 3.4)
- 4. Be able to operate a stump grinder (criteria 4.1)
- 5. Carry out maintenance on a stump grinder (criteria 5.1 5.4)

Candidates must successfully achieve all assessment activities in the above unit.

#### There are no endorsements for this Award.

#### **Quality Assurance**

Verification is a process of monitoring assessment; it is an essential check to confirm that the assessment procedures are being carried out in the way City & Guilds has laid down. The overall aim of verification is to establish a system of quality assurance that is acceptable in terms of both credibility and cost effectiveness.

Approved Assessors will be subject to a regular visit by the verifier at a time when assessments are being undertaken.

A selection of assessment reports completed by the Assessor will be evaluated by a City & Guilds approved verifier.

Compliance with the verification requirements is a pre-requisite for Assessors remaining on the list of approved Assessors.

After assessment has been completed the Qualification Guidance is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

As part of the quality assurance process, a minimum of **two** observations are required to be undertaken for each qualification that is assessed by a Trainer/Assessor. These will be carried out by an internal Verifier appointed by the Centre. One observation will be conducted in the presence of the Quality Systems Consultant. In respect of risk management, there is an expectation that additional observations up to a maximum of **four** will be carried out for the inexperienced or newly qualified Trainer/Assessor or Assessors.

#### Performance Evaluation

The result of each assessment activity is evaluated against the following criteria:

- Met Meets or exceeds the assessment criteria by displaying a level of practical performance and/or underpinning knowledge.

  If the Criterion has been MET, a tick ☑ is to be put in the box provided in the bottom right-hand column of each section.
- NM = Not Met Does not satisfy the requirements of the assessment criteria, being unable to perform the practical task satisfactorily or safely or being deficient in underpinning knowledge. If the Criterion is NOT MET, a cross 🗵 is to be put in the box provided in the bottom right-hand column of each section.

#### **Appeals and Equal Opportunities**

Centres must have their own auditable, appeals procedures. If a Candidate is not satisfied with the examination conditions or a Candidate feels the opportunity for examination is being denied, the Centre Manager should, in the first instance, address the problem. If, however the problem cannot be resolved, City & Guilds will arbitrate and an external verifier may be approached to offer independent advice. All appeals must be clearly documented by the Centre Manager and made available to the external verifier or City & Guilds if advice is required.

Should occasions arise when centres are not satisfied with any aspect of the external verification process, they should contact Verification Services at City & Guilds.

Access to the qualification is open to all, irrespective of gender, race, creed, age or special needs. The Centre Manager should ensure that no learner is subjected to unfair discrimination on any grounds in relation to access to assessment and to the fairness of the assessment. QCA requires City & Guilds to monitor centres to check whether equal opportunities policies are being adhered to.

#### Additional Information

May be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Questions should be related to the background or employment aspirations of the candidate and, where possible, product labels used should be representative of products typically used in that sector or industry.

Candidates who undertake this assessment and have met the requirements are reminded of their legal obligation to receive/undertake appropriate additional training in the use of any equipment that differs from that used during the assessment, but which they are nevertheless qualified to use.

#### **Assessment Guidance for the Assessor**

This qualification can only be assessed by an Assessor who is suitably qualified and meets the requirements of the awarding body. The Assessor must be independent **and cannot have been involved with the training of the Candidate**. Please see City & Guilds Centre Manual for guidance.

The Candidate is to be notified of the place and time of assessment and when formal assessment commences and ceases. Assessors are reminded that assessment is a formal process and that assessment must be carried out using this Qualification Guidance. All relevant assessment criteria must be assessed against the criterion as specified in the Qualification Guidance. Assessment will be carried out by direct observation and by oral questioning of the Candidate. Where a specific number of responses are required theses may include other suitable answers not specified if they are deemed to be correct by the Assessor. The performance of the Candidate is to be recorded on the Qualification Guidance as directed by completing the tick boxes. Space has been provided on the Qualification Guidance for the person assessing to record relevant information which can be utilised to provide feedback to the Candidate. After assessment has been completed the Qualification Guidance document is to be retained by the assessor and provided if required by a Quality Systems consultant (QSC).

#### **Assessment Guidance for Candidate**

A list of registered assessment centres is available from City & Guilds Land Based Services. (www.nptc.org.uk)

Assessment is a process by which it is confirmed that the candidate is competent in the unit(s) within the award to which the assessment relates. It is the process of collecting evidence about his/her capabilities and judging whether that evidence is sufficient to attribute competence.

The Candidate must be registered through the City & Guilds approved assessment centre for this qualification prior to the assessment.

The results of the assessment will be recorded on the Record of Assessment form (ROA).

The qualification guidance contains criteria relating to:

- Observation of practical performance
- Assessment of underpinning knowledge

#### Assessment and site requirements:

Stump suitable for grinding (minimum 380mm diameter)

#### **Chainsaw Safe Practice**

At all times during the assessment, equipment must be used in accordance with industry good practice, whatever the task being carried out.

- Assessors must hold a current 'First Aid at Work' Certificate.
- 2. All chainsaws used in assessments must comply with relevant Arboriculture and Forestry Advisory Group (AFAG) guidance and HSE Chainsaws at Work INDG317(rev1), in terms of safety features, and be a model and size suited to the task(s) required.
- Recommended guide bar lengths should be observed, although variations may be accepted at the discretion of the assessor where this is appropriate to the task.
- 5. Candidates should be familiar with the machinery, equipment and tools that they are going to use.
- 6. During chainsaw based assessments a spare working chainsaw must be available.
- 7. Appropriate Personal Protective Equipment (PPE) must be worn at all times by both the candidate and the assessor. All PPE used must comply with relevant AFAG guidance, industry good practice, Health and Safety Executive publications and current legal requirements in terms of specification and use.
- 8. A First Aid kit meeting current regulations, of the appropriate size for the number of persons on site, must be available, along with appropriate fire fighting and suitable welfare facilities e.g. hand cleansing wipes.
- The use of personal first aid kits must be line with current industry good practice.
- 10. The assessor must ensure a site specific risk assessment has been carried out, sufficient control measures implemented and appropriate emergency procedures recorded. All recorded risk assessment information should be clearly legible and accessible to candidates and completed for all locations where assessment activities are scheduled to take place.
- 11. Manual handling techniques must comply with current legislation and industry good practice.
- 12. Any necessary permission must have been granted, and notifications made as appropriate.
- 13. All equipment being used for this assessment must comply with relevant legislative requirements.
- 14. Information may be sought from the relevant operator manuals or any other appropriate training or safety publication.
- 15. The current regulations for transport, handling and storage of fuel and oils must be complied with.
- 16. Provision must be made to avoid the risk of environmental pollution.
- 17. It is the responsibility of the assessor and the candidate to ensure that any additional requirements and provisions are met as relevant to this qualification.
- 18. At all times during the assessment, candidates must act in a way so as not to endanger themselves, the assessor or any other person or equipment. Work must be carried out to achieve the requirements of the assessment criteria in accordance with all relevant and current legislation and good practice guidance.
- 19. If required, relevant records must be accurately kept.
- 20. Appropriate steps should be taken to maintain effective teamwork in respect of other persons on site during the assessment.
- 21. Any appropriate item of machinery complying with current legal requirements is acceptable for the assessment, provided it is suitably equipped for **all** assessment activities to be carried out.
- 22. All equipment being used for this assessment must comply with the relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998.
- 23. A breach of Health and Safety that puts any person at risk during the assessment process will result in the assessment being terminated and the Candidate not meeting the required standard.

This may include taking steps to ensure effective communication and safety precautions.

Published by City & Guilds Building 500 Abbey Park Stareton Warwickshire CV8 2LY

T +44 (0)24 7685 7300 F +44 (0)24 7669 6128 www.nptc.org.uk

e-mail: information@cityandguilds.com

City & Guilds is a registered charity established to promote education and training

Candidate	A Name:	Date:		te:		Start Time:	Dura	tior	n:			
Candidate	B Name:		Dat	te:		Start Time:	Duration:			tion:		
Candidate	C Name:		Dat	te:		Start Time:	Dura	tior	1:			
Candidate	D Name:		Dat	te:		Start Time:	Duration:					
CRITERIA	ASSESSMENT	ASSESSOR			AS	SSESSMENT		C	AND	IDAT	Έ	
NUMBER	CRITERIA	GUIDANCE				ACTIVITIES		Α	В	С	D	
2.1	Identify hazards and risks associated with the working area and the proposed work	Three hazards and risks with the working area  Three hazards and risks with		harm		thing with the potential to ca might be harmed and how),						
		the proposed work		•	The work area							
				•	The work to be	done						
								П				
	- I : u : I					Met√ Not N		Ш				
1.2	Explain the risk assessment process	Five steps to risk assessm	ient		risk assessment steps:	process may contain the foll	iowing					
				•	identify the haz	ards						
				•	decide who mig	ght be harmed and how						
				•	evaluate the ris	sks and decide on precaution	ns					
				•	record the findi	ngs and implement them						
				•	review and upd	late the assessment as nece	essary					
						Met√ Not N	Met X					
1.3	State emergency planning procedures relevant to the work area	State five		Eme inclu		es relevant to a work site ma	ау					
				•	location name							
				•	grid reference							
				•	designated me	eting place						
				•	site location na	me						
				•	nearest access	point						
				•	street name/dis	strict						
				•	type of access wheel drive)	(public road/light vehicles, fo	our-					
				•	suitable helicop	oter landing area						
				•	phone number	of nearest doctor						
				•	location of near	rest accident and emergency none number	у					
				•	works manage	r contact details						
				•	your own conta	ct number/mobile number						
				•	other							
						Met√ Not N	Mat Y					
		I				wet Not i	AIG! V		ı—'		_	

NUMBER  CRITERIA  State legislation covering stump grinding operations  State five by name with a basic outline of the implication on a stump grinding operation  The Health & Safety at Work Act 1974 – specified duties under the act as an employee  The Management of Health and Safety at Work Regulations 1999 – a risk assessment must be carried for all activities  Personal Protective Equipment Regulations 1992 – PPE must be supplied and worn	A	В	С	D
<ul> <li>stump grinding operations</li> <li>basic outline of the implication on a stump grinding operation</li> <li>The Health &amp; Safety at Work Act 1974 – specified duties under the act as an employee</li> <li>The Management of Health and Safety at Work Regulations 1999 – a risk assessment must be carried for all activities</li> <li>Personal Protective Equipment Regulations</li> </ul>				
implication on a stump grinding operation  The Health & Safety at Work Act 1974 — specified duties under the act as an employee  The Management of Health and Safety at Work Regulations 1999 — a risk assessment must be carried for all activities  Personal Protective Equipment Regulations				
Regulations 1999 – a risk assessment must be carried for all activities  Personal Protective Equipment Regulations		_		
Personal Protective Equipment Regulations  1003 PRF must be cumpled and users.				
1992 – PPE must be supplied and worn				
Manual Handling Operations Regulations 1992 –     not to manually handle, use safe lifting techniques				
The Control of Vibration at Work Regulations 2005 – to reduce the risk to health from vibrations				
Provision and Use of Work Equipment     Regulations (PUWER) 1998 – requires that     regular checks are made				
Noise at Work Regulations 2005 – hearing protection must be worn over 85db				
COSHH - hazard awareness of toxic vegetation/chemicals				
Countryside and Wildlife Act 1981 –     operation carried out at times to minimise     the impact on wildlife				
RIDDOR - reporting of dangerous occurrences and accidents				
State <b>two</b> stump grinder specifics of PUWER Provision and Use of Work Equipment Regulations (PUWER) 1998				
self propelled machines				
Roll Over Protective Structure (ROPS)				
Power Take Off (PTO)				
Met✓ Not Met X			П	
Use Personal Protective Assessor to observe As per manufacturers recommendations, PPE should				H
3.4 Equipment (PPE) and include appropriate: machine safety features for				
stump grinding operations  • safety helmet				
• eye protection				
● ear defenders				
• gloves				
• non snag clothing				
trousers to protect from flying debris				
safety boots with protective toecaps				
<ul> <li>personal first aid kits should be available</li> <li>additional PPE as required by the risk</li> </ul>				
assessment  Met✓ Not Met X				
Identify safety features of State all Safety features identified must include:	干			一
2.2 the stump grinder   warning / information symbols identified and				
interpreted  machine safety guards secured				
controls identified and checked for function and direction of operation				
brakes, chocks, stabilisers and other security devices checked				
sweep mechanism (if applicable)				
Met✓ Not Met X				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	<u> </u>		IDAT	_
NOWIDER	Carry out maintenance on	GUIDANCE	Maintenance tasks carried out as outlined in	Α	В	С	D
5.3	the stump grinder	MACHINE SPECIFIC	manufacturer's or operators instruction book, including:				
		Carry out the maintenance of the stump grinder	wear appropriate PPE				
		the stamp grinder	ensure that machine is made safe				
			key removed				
			oil level sufficient				
			air filter inspected and cleaned				
			cooling system inspected & cleaned & coolant level checked (if appropriate)				
			fuel system, starting and charging systems inspected and commented on				
			electrical system checked for damage				
			greasing and lubricating points				
			pulleys, clutches, shafts etc. inspected depending on style of machine				
			drive belts in good condition and tensioned correctly (if fitted)				
			hydraulic system checked for leaks or damage (hoses, pump, motors, spool valves, filters etc.)				
			linkages, pivots, springs etc. inspected and lubricated				
			hydraulic oil level correct				
		Inspect teeth	Cutting system checks may include:  cutting teeth:				
			are sharp				
			clearance is correct				
			are secure				
		Carry out the removal and	as per manufacturer's instruction book				
		replacement of cutters	ensure that machine is safe to work on				
			ensure that damaged cutters identified				
			use of setting tools				
			remove cutters				
			replace new/replacement cutters				
			tighten all nuts to correct torque setting				
			clearances checked on completion				
			Met√ Not Met X		П		
		Explain the removal and	as per manufacturer's instruction book				
5.1	Explain the removal and replacement of the cutters	replacement of <b>two</b> cutters	ensure that machine is safe to work on				
	ropiacoment of the cuttore		ensure that madeline is safe to work on     ensure that damaged cutters identified				
			use of setting tools				
			remove cutters				
			replace new/replacement cutters				
			tighten all nuts to correct torque setting				
			clearances checked on completion				
		0	'				
		State <b>three</b> possible causes of damage to teeth	Possible causes of damage to teeth may include:  loose mountings / bolts / nuts				
			over-tightened bolts / nuts				
			over-lightened boils / huts     soil damage				
			damage from metal / stone / hard objects				

CRITERIA	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT	_	AND		
NUMBER	CRITERIA		ACTIVITIES	Α	В	С	D
5.1 cont		State all	Possible consequences of poorly maintained cutters could include:  machine not working efficiently				
			cutting mechanism overheats/ warps				
			increased likelihood of jamming				
			increased vibration				
	Reassemble stump	Assessor to observe	Met ✓ Not Met X  Reassembled according to manufacturers	Ш	Ш	Ш	Ш
5.4	grinder to a functional and operational standard		recommendations				
		Position stump grinder	As appropriate, check that:     Inkage/draw bar settings are correct				
			stabilisers are used				
			controls/handle bars set correctly				
			brake is engaged if appropriate				
			Met ✓ Not Met X  Machine moved to work position in safe manner may	Ш	Ш	Ш	Ш
2.3	State factors to consider when manoeuvring a stump grinder to the work	MACHINE AND SITE SPECIFIC	include:				
	position	Candidate to state factors on how to manoeuvre the stump	awareness of slopes and obstacles on the ground				
		grinder	<ul> <li>use of banksman if required when reversing / moving stump grinder where visibility impaired</li> </ul>				
			machine moved at safe speed				
			appropriate use of operator controls for self propelled machines				
			<ul> <li>appropriate use of hitching attachment/ three point linkage when manoeuvring a tractor- mounted machine</li> </ul>				
			appropriate control of trailed stump grinder when manoeuvring on site				
			machines have high centre of gravity therefore tendency to tip over				
			chocking of wheels/tracks on slopes				
			avoid turning on slopes / ramps with tracked machine				
			operator must be on upper side when ascending or descending slopes				
			extreme care when climbing over an obstacle (e.g. roots, holes, steps) or change of angle at top of ramp as machine can rear up / slew violently				
			hydraulic fluid must be warm before negotiating uphill slope				
			ensure ramps / bridging to support weight of				
			machine are strong enough				
	Community was about about	Assessment of the owner	Met√ Not Met X				
3.1	Carry out pre start checks on the stump grinder	Assessor to observe  For trailed stump grinders,	For trailed stump grinder:				
		the candidate is not required to manoeuvre the machine with the towing vehicle.	jockey wheel lowered or hitch attachment on				
		mar the towning verilloic.	vehicle secure     brakes, chocks, stabiliser(s) applied as				
			brakes, chocks, stabiliser(s) applied as appropriate				

CRITERIA	ASSESSMENT	ASSESSOR			AND		
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
3.1 cont		For tractor mounted stump grinders the candidate must be able to operate the tractor to lift and lower the stump	For 3-point linkage machines:  attachment of lift arms, top link and stabilisers is secure				
		grinder and re-position if necessary. The tractor is an	machine is correctly aligned				
		integral part of the stump	engagement of PTO shaft or other drive	_	_	_	_
		grinder set up. This qualification will not	mechanisms is secure and safe				
		imply that the candidate is a competent tractor driver.	all PTO guards are secure and in good condition				
		For tracked stump grinders the candidate must be able to move the machine using the	For tracked stump grinders:				
		controls.	<ul> <li>tracks, rollers, sprockets etc are in safe condition and tensioned / aligned correctly</li> </ul>				
			hydraulic levelling / widening is employed as appropriate (if fitted)				
			Met√ Not Met X				
2.4	Carry out site inspection	Assessor to observe	Site inspection carried out may include:				
2.7			walk the site and remove or mark hazards				
			identifying location of underground services				
			confirm the condition of the site as acceptable for the operation to take place				
			report to the appropriate person if the site condition is unsuitable     set out warning signs and barriers (if				
			appropriate) to advise or exclude public/animals  implement suitable controls to protect the				
			operator Mat / Not Mat /				
	State precautions to be	State <b>three</b> precautions	Met ✓ Not Met X  Precautions observed when working adjacent to				
1.5	observed when working adjacent to highways	·	highways may include:				
			wear high visibility clothing     warning signs deployed in accordance with				
			department of transport requirements  exclusion zone / barriers set up to protect both				
			operators and public  position machine safely				
			<ul><li>position machine safely</li><li>direction of flying debris</li></ul>				
			discharge barriers set up as appropriate				
			ensure constant awareness of traffic				
			Met√ Not Met X				
3.3	Prepare the material for grinding	Assessor to observe	Ensure that:				
	3		remove debris from around stump base				
			cut stump down to ground level, if applicable				
			erect screen/barriers, as appropriate				
			Met√ Not Met X				
3.2	Carry out safe starting and post operational checks	Assessor to observe	Ensure that:				
J.2	1 -1 -1 -1 20010	MACHINE SPECIFIC	safe starting zone selected				
			all bystanders at an appropriate safety distance				
			visual pre start checks carried out				
			stump grinder started in accordance with manufacturers recommendations				
			throttle control adjusted to achieve full working speed				
			<ul> <li>operator protection and restart mechanism checked for correct operation (if fitted)</li> </ul>				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT	_		IDAT	
NUMBER	CRITERIA	GOIDANCE	ACTIVITIES     emergency stop control checked for	Α	В	С	D
3.2 cont			effectiveness  all controls functioning correctly				
			stump grinder stopped safely and correctly, key				
			removed				
			Met✓ Not Met X				
4.1	Carry out the grinding operation	Operate machine to grind a tree stump of at least 380mm	Ensure that:				
	·	diameter as per site specification	safety procedures are adopted				
		Specification	area clear of other persons				
			engine speed/gear set to obtain optimum output				
			optimum depth of swath across stump is obtained				
			stump is ground to specified depth				
			arisings disposed of / back filled appropriately				
		State <b>four</b> factors	Factors to consider when dealing with larger stumps:				
			disengage cutter wheel				
			ensure cutter wheel is stationary before				
			repositioning				
			back fill arisings to improve stability     re-position machine to remove stump in sections				
		Assessor to observe	Convert to transport position:				
		7.6555557.15					
			<ul> <li>isolate power source and convert to transport position as per manufacturer's recommendations</li> </ul>				
		Assessor to observe	Site checked and tidied:				
			site is safe and secure				
			debris cleared according to site specification				
			breakdown the site				
			Met√ Not Met X				
5.2	State post operational checks to be carried out on	State <b>two</b> operational checks	Post operational checks may include:				
	the stump grinder		stump grinder inspected and cleaned to establish any wear, damaged and/or missing components				
			through use				
			<ul> <li>ensures any defects can be rectified before it is next used</li> </ul>				
			other operators / supervisor etc. can be informed through a reporting procedure that defects are				
			present				
			Met√ Not Met X	Ш	Ш	Ш	Ш
1.4	State the environmental and public hazard	State <b>four</b> environmental considerations	Environmental considerations to include:				
	considerations when dealing with arisings from		mouldy or dead material that produces fungal spores				
	stump grinding		physical hazard to public				
			hazard to road users from flying debris				
			risk of blocking drains, watercourses etc				
			hazard to wildlife, plants and trees				
			hazard to property from flying debris				
			Met✓ Not Met X			$f egin{array}{c} \egin{array}{c} arr$	

Summary of Assessment (	The Asses.	sor is to co	omplete the	following as	appropriate)
-------------------------	------------	--------------	-------------	--------------	--------------

Candidate A	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓				
	Signed:	ate:						
Candidate B	Candidate has met all of the assessment criteria	Tick ✓	The Candidate <b>has not</b> met all of the assessment criteria; ( <b>state reason(s)</b> )	Tick				
	Signed:	ate:						
Candidate C	Candidate has met all of the assessment criteria	Tick	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick				
	Signed:	ate:						
Candidate D	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick				
	Signed:	Date:						
Foi (Int	use by Internal Verifier ONLY if the assessment process was internal Verifier to complete ONE of the boxes below)	nternally	y verified					
	sserved an assessment process taking place and I am satisfied th I that the judgement of the Assessor was appropriate.	at the a	ssessment was conducted in line with the qualification requirements	Tick ✓				
I ob	I observed an assessment process taking place. The following were noted as areas of concern.							
Sig	Signed: Date:							