Technical Evaluation Record v3 Jan22





QUALIFICATION:		sticides – PA6GW Hand Held Qualification Code:					0216-54 (Ind)			
	Pellet/Granular	Applicators	Units:				154			
Assessor Name:	Assessor Name:			Technical Verifier Name:						
Assessor No: NEW? DOB:				Technical Verifier No:						
Assessor Email:				Start Time:						
Invoice To: (Include Centre name if applicable)			End Time:							
CRITERIA: (Please refer to the following pages and current Qualification Guidance)			PERFORMANCE EVALUATION (Circle):):	JUSTIFICATION:		
M/C test paper to check PA1 knowledge and specific industry best practice (new assessors only)			1			4	5	5 = Pass w 4 = Pass with 18/20		
Knowledge of H&S regulations and industry best practice. Carry out SSRA, COSHH and environmental assessment			1	2	3	4	5			
Knowledge of possible risks to the aquatic environment from pesticide application. Knowledge of the application approval process			1	2	3	4	5			
Knowledge of range of hand held granular applicators (including all controls and components)			1	2	3	4	5			
Knowledge of operator protection and PPE standards			1	2	3	4	5			
Ability to interpret application guidance charts			1	2	3	4	5			
Interpretation of two appropriate product labels			1	2	3	4	5			
Carry out a calibration appropriate to the applicator (without use of calibration sheet/aids)			1	2	3	4	5			
Read a range of different measuring equipment			1	2	3	4	5			
Knowledge of uniformity of spread and reduction of off- target application			1	2	3	4	5			
Carry out measuring and filling. Carry out an application. Knowledge of site marking options			1	2	3	4	5			
Knowledge of cleaning/decontamination/disposals. Complete a treatment record.			1	2	3	4	5			
Assessment techniques (new assessors only)			1	2	3	4	5			
PERFORMANCE EVALUATION COLUMN TOTALS:								= TOTAL SCO	RE:	
Result of Technic Evaluation (tick		TOTAL SCORE REQUIRED TO ACHIEVE ASSESSOR STATUS: (NB. ACHIEVED IN PERFORMANCE EVALUATION COLUMNS 4 & 5 ONLY) If an existing PA Assessor then please adjust total score required to 44								
ACTION PLAN FOR	ASSESSOR:									
ASSESSOR COMMENTS:										
TECHNICAL VERIFIER SIGNATURE:								Please continue on reverse if necess COST: DATE: £200 Half Day		
ASSESSOR SIGNATURE:								£300 Full Day		

TECHNICAL EVALUATION RECORD

Pesticid (PA6)	Level 2 Award in the Safe Application of es using Pedestrian Hand Held Equipment QG 1 Operating Pedestrian Hand Held Applicators to	 Knowledge of the application approval process ☐ Knowledge of relevant environmental agency application process. ☐ Completion of application form explained (this 						
	esticide Pellets or Granules to or Near Water	does not need to be physically completed).						
M/C test paper to check PA1 knowledge and specific industry best practice Minimum score of 18/20 achieved.		Knowledge of a range of applicators suitable for pellet/granule application, to include inspection of applicator and description of applicator components ☐ Spinning disc, ground driven						
	(Please note: this paper only needs to be completed by new PA assessors).	☐ Spinning disc, hand operated☐ Other						
Knowle	dge of H&S regulations and industry best practice	Knowledge of operator protection and PPE standards ☐ CE and EN markings-relevance						
	Key principles and practical relevance: Health and Safety at Work etc. Act 1974 (HASAWA)	☐ Coverall specifications –Type 4/5/6☐ Glove specification						
	Management of Health and Safety at Work Regulations 1999 (MHSWR)	☐ Face shield ☐ Boot specification						
	Provision and Use of Work Equipment Regulations 1998 (PUWER)	□ RPE – types and reasons□ Personal buoyancy equipment						
	Personal Protective Equipment at Work Regulations 1992 (PPE regs)	Ability to interpret application guidance charts ☐ Charts interpreted						
	Control Of Substances Hazardous to Health Regulations (COSHH)	·						
	The Health and Safety (First Aid) Regulations 1992	Interpretation of two appropriate product label ☐ Product label 1						
	Reporting of Injuries Diseases Dangerous Occurrence Regulations (RIDDOR)	Carry out a calibration appropriate to the applicator and explain one other (without use of calibration sheet/aids)						
	Wildlife and Countryside Act 1981 Countryside and Rights of Way Act 2000	☐ Calibration method 1 (carried out): ☐ Quantity for area						
	Sustainable Use (PPP) regulations Pesticides Code of Practice	Read a range of different measuring equipment						
	2 sources of industry best practice Operator certification Risk assessments	To be read in grams and kilograms. ☐ Weigh scales ☐ Product specific measuring vessel						
	Condition and guarding of equipment	Knowledge of uniformity of spread and reduction of off						
Carry o	ut COSHH assessment Using template provided or an approved	target application ☐ Weather conditions						
	template	☐ Disc height ☐ Disc speed						
	Assessor to complete a Site Specific Risk Assessment, using provided template.	☐ Applicator/disc level☐ Direction of application☐ Density and size of product						
	Header and footer. Hazards and controls relative to site, task and equipment.	Carry out measuring and addition to applicator. ☐ Suitable site selected.						
	Operator safety considerations in the aquatic environment explained.	☐ Correct PPE used ☐ Accurate measurement of product. ☐ Correct storage of posticide measuring vessel.						
-	ut environmental assessment	Correct storage of pesticide measuring vessel.Avoidance of spillage. Collection tray used.						
	Definition of the term in or near water Environmental risks to site identified	Carry out an application. Knowledge of site marking						
	Methods to minimise risks explained. Additional risks not identified on site, (that may occur in typical assessment situations) to be discussed.	options ☐ Site accurately marked ☐ Treatment method explained ☐ Whole site treated within 10% accuracy ☐ Explanation of how to accurately carry out spot						

treatment

Knowledge of cleaning/decontamination/disposals						
	Surplus product, storage					
	Cleaning procedure explained					
	Waste, disposal					
	Empty container/packaging, storage and disposal					
Complete a treatment record						
	Treatment record correctly completed					
Assessm	ent techniques					
	Clear and concise questions/instructions					
	Question/instruction relative to unit.					
	(Please note: this section only needs to be					
	completed by new PA assessors).					
AL-4-, IS	and a victima DA management is and discretely and a second					

Note: If an existing PA assessor is adding this as a new unit, the M/C test paper and assessment technique sections do not need to be completed.

Total score required (on front sheet) can be adjusted to 44.