

# Technical Evaluation Record V3 Jan22



<b>QUALIFICATION:</b>	Pesticides – PA9A Mists (Outdoors)	<b>Qualification Code:</b>	0216-57 (Ind)				
		<b>Units:</b>	182				
<b>Assessor Name:</b>		<b>Technical Verifier Name:</b>					
<b>Assessor No:</b> <b>NEW? DOB:</b>		<b>Technical Verifier No:</b>					
<b>Assessor Email:</b>		<b>Start Time:</b>					
<b>Invoice To:</b> (Include Centre name if applicable)		<b>End Time:</b>					
<b>CRITERIA: (Please refer to the following pages and current Qualification Guidance)</b>		<b>PERFORMANCE EVALUATION (Circle):</b>			<b>JUSTIFICATION:</b>		
M/C test paper to check PA1 knowledge and specific industry best practice <i>(new pesticide assessors only)</i>		1		4	5	5 = Pass with 20/20 4 = Pass with 18/20 or 19/20 1 = Fail	
Knowledge of H&S regulations and industry best practice. Carry out SSRA, COSHH and environmental assessment		1	2	3	4	5	
Knowledge of range of mist blowers/mist generators (including components and controls)		1	2	3	4	5	
Knowledge of operator protection and PPE standards Knowledge of protecting human health		1	2	3	4	5	
Interpretation of two appropriate product labels		1	2	3	4	5	
Calibrate the applicator (without use of calibration sheet/aids).		1	2	3	4	5	
Complete calibration test paper		1		4	5		5 = Pass with 100% 4 = Pass with <100% 1 = Fail
Measure, mix and fill applicator. Carry out an application. Knowledge of site marking options		1	2	3	4	5	
Knowledge of cleaning/decontamination/disposals		1	2	3	4	5	
Assessment techniques <i>(new assessors only)</i>		1	2	3	4	5	
<b>PERFORMANCE EVALUATION COLUMN TOTALS:</b>							<b>= TOTAL SCORE:</b>
<b>Result of Technical Evaluation (tick):</b>	<b>MET</b>	<b>TOTAL SCORE REQUIRED TO ACHIEVE ASSESSOR STATUS:</b>					<b>40</b>
	<b>NOT MET</b>	<b>(NB. ACHIEVED IN PERFORMANCE EVALUATION COLUMNS 4 &amp; 5 ONLY)</b> <i>If an existing PA Assessor then please adjust total score required to 32</i>					
<b>ACTION PLAN FOR ASSESSOR:</b>							
<i>Please continue on reverse if necessary</i>							
<b>ASSESSOR COMMENTS:</b>							
<i>Please continue on reverse if necessary</i>							
<b>TECHNICAL VERIFIER SIGNATURE:</b>		<b>COST:</b>		<b>DATE:</b>			
<b>ASSESSOR SIGNATURE:</b>		£200 Half Day £300 Full Day					

## **TECHNICAL EVALUATION RECORD**

**0216-57** L2 Award in the Safe Application of Pesticide Mists, Fogs and Smokes (PA9)

**Unit 182** Applying Pesticide Mists, less than 100 Microns VMD Outdoors (PA9B)

### **M/C test paper to check PA1 knowledge and specific industry best practice**

- Minimum score of 18/20 achieved.

*(Please note: this paper only needs to be completed by new PA assessors).*

### **Knowledge of H&S regulations and industry best practice**

Key principles and practical relevance:

- Health and Safety at Work etc. Act 1974 (HASAWA)
- Management of Health and Safety at Work Regulations 1999 (MHSWR)
- Provision and Use of Work Equipment Regulations 1998 (PUWER)
- Personal Protective Equipment at Work Regulations 1992 (PPE Regs)
- Control Of Substances Hazardous to Health Regulations (COSHH)
- The Health and Safety (First Aid) Regulations 1992
- Reporting of Injuries Diseases Dangerous Occurrence Regulations (RIDDOR)
- Wildlife and Countryside Act 1981
- Countryside and Rights of Way Act 2000
  
- Sustainable Use (PPP) regulations
- Pesticides Code of Practice
- 2 sources of industry best practice
- Operator certification
- Risk assessments
- Condition and guarding of equipment

### **Carry out COSHH assessment**

- Using template provided or an approved template

### **Carry out SSRA**

- Assessor to complete a Site Specific Risk Assessment, using provided template.
- Header and footer.
- Hazards and controls relative to site, task and equipment.

### **Carry out environmental assessment**

- Environmental risks to site identified
- Methods to minimise risks explained.
- Additional risks not identified on site, (that may occur in typical assessment situations) to be discussed.

### **Knowledge of a range of mist blowers/mist generators (including pump types, liquid/air flow, controls, components, induction systems)**

Applicable to equipment used for the TE and questioning to cover knowledge of variations:

- Operating controls
- Applicator components
- Liquid flow
- Air flow

### **Knowledge of operator protection and PPE standards**

- CE and EN markings – relevance
- Coverall specifications – Type 4/5/6
- Glove specification
- Face shield
- Boot specification
- RPE – types and reasons

### **Knowledge of protecting human health**

- Warning signs
- Avoiding off target application
- Avoidance of overdosing
- Harvest intervals

### **Interpretation of two appropriate product labels**

- Product label 1
- Product label 2

### **Calibrate the applicator (without use of calibration sheet/aids).**

- Calibration method (carried out):
  - Application volume
  - Amount of water for area
  - Amount of pesticide for area
  - Amount of pesticide for full tank

### **Complete calibration test paper**

- Calibration test paper successfully completed  
*Note to TV: The assessor is expected to complete all the calibration test paper exercises. A marking sheet range has been produced to allow for variations in methods used and rounding up/down.*

### **Carry out measuring and mixing.**

- Suitable site selected.
- Correct PPE used
- Safe use of water supply
- Accurate measurement of water (allowing for pesticide volume) and pesticide.
- Read a range of different measuring vessels (to be read in millilitres and litres)
  - Large jug (water)
  - Small jug (chemical)
  - Cylinder
  - Knowledge of how to accurately measure powders/granules
- Correct cleaning procedure of pesticide measuring vessel.
- Avoidance of spillage. Drip tray used.

**Carry out an application. Knowledge of site marking options.**

- Site marking options (to ensure accurate application)
- Safe and accurate application carried out
- Procedure for blocked outlet during application
- Procedure for refilling during application

**Knowledge of cleaning/decontamination/disposals.**

- Surplus dilute, disposal
- Washing procedure explained
- Washings, disposal
- Empty container/packaging, washing, storage and disposal (Crop Protection Association Best Practice Guide 'Container Cleaning' 2012)

**Complete a treatment record**

- Treatment record correctly completed

**Assessment techniques**

- Clear and concise questions/instructions
- Question/instruction relative to unit.

*(Please note: this section only needs to be completed by new PA assessors).*

**Note:** *If an existing PA assessor is adding this as a new unit, the M/C test paper and assessment technique sections do not need to be completed.*

**Total score required (on front sheet) can be adjusted to 32.**

The calibration test paper must be completed by all potential assessors.