Technical Evaluation Record v3 Jan22





QUALIFICATION: Pest		esticides – PA7 Aerial Application		Qualification Code:					0216-55 (Ind)	
				Units:					161	
Assessor Name:			Technical Verifier Name:							
Assessor No: NEW? DOB:				Technical Verifier No:				lo:		
Assessor Email:				Start Time:						
Invoice To: (Include Centre name if applicable)				End Time:						
CRITERIA: (Please r current Qualification			wing pages and	PERFORMANCE EVALUATION (Circle):				e):	JUSTIFICATION:	
M/C test paper to coindustry best practi				1			4	5	5 = Pass with 20/20 4 = Pass with 18/20 or 19/20 1 = Fail	
_	_		industry best practice. nmental assessment	1	2	3	4	5		
Knowledge of differ	ring	aircraft appl	lication equipment	1	2	3	4	5		
Knowledge of differ	ring	aircraft lift c	apacities	1	2	3	4	5		
Knowledge of CAA license requirements. Knowledge of pre-flight clearances required			1	2	3	4	5			
Familiarity with nei	ghbo	our notificat	ion requirements	1	2	3	4	5		
Knowledge of operations standards	ator	protection,	PPE requirements and	1	2	3	4	5		
Interpretation of two appropriate product labels			1	2	3	4	5			
Ability to read rang	e of	differing me	easuring vessels	1	2	3	4	5		
Calibrate the applic sheet/aids)	cator	(without us	se of calibration	1	2	3	4	5		
Knowledge of appropriate nozzles for aerial application & related information charts			1	2	3	4	5			
Ability to provide robust ground crew safety briefing			1	2	3	4	5			
Knowledge of drift reduction methods			1	2	3	4	5			
Carry out measuring and mixing			1	2	3	4	5			
Carry out/observe an application. Knowledge of site marking options			1	2	3	4	5			
Knowledge of cleaning/decontamination/disposals. Complete a treatment record.				1	2	3	4	5		
Assessment techniques (new assessors only)			1	2	3	4	5			
PERFORMANCE EVALUATION COLUMN TOTALS:									= TOTAL SCORE:	
Result of Technic Evaluation (ticl	· ·	MET NOT MET	(NB. ACHIEVED IN PE	TOTAL SCORE REQUIRED TO ACHIEVE ASSESSOR STATUS: ED IN PERFORMANCE EVALUATION COLUMNS 4 & 5 ONLY) Ing PA Assessor then please adjust total score required to 60						

ACTION PLAN FOR ASSESSOR:

ASSESSOR COMMENTS:		
	Please continu	ie on reverse if necessary
TECHNICAL VERIFIER SIGNATURE:	COST: £200 Half Day	DATE:
ASSESSOR SIGNATURE:	£300 Full Day	

Knowledge of differing aircraft application equipment **TECHNICAL EVALUATION RECORD** Applicable to equipment used for the TE and questioning to cover knowledge of variations: 0216-55 L2 Award in the Safe Application of Pesticides □ Operating controls from the Air (PA7) ☐ Applicator components Unit 161 Operation of Aircraft Mounted Sprayers to Apply Common pump types Pesticides from the Air (PA7) ☐ Liquid flow ☐ Air flow (if applicable) M/C test paper to check PA1 knowledge and specific ☐ Emergency dump valve industry best practice ☐ Minimum score of 18/20 achieved. Knowledge of differing aircraft lift capacities (Please note: this paper only needs to be □ Information from manufacturer completed by new PA assessors). Knowledge of CAA license requirements. Knowledge of Knowledge of H&S regulations and industry best practice pre-flight clearances required Key principles and practical relevance: ☐ CRD permit ☐ Health and Safety at Work etc. Act 1974 Local authority (HASAWA) □ Natural England ☐ Management of Health and Safety at Work ☐ Scottish Natural Heritage Regulations 1999 (MHSWR) □ Natural Resources Wales ☐ Provision and Use of Work Equipment ☐ Appropriate Environmental Agency Regulations 1998 (PUWER) □ Water supply companies ☐ Personal Protective Equipment at Work ☐ National Air Traffic Control Regulations 1992 (PPE Regs) ☐ Control Of Substances Hazardous to Health Familiarity with neighbour notification requirements Regulations (COSHH) ☐ State who must be notified ☐ The Health and Safety (First Aid) Regulations Knowledge of operator protection, PPE requirements ☐ Reporting of Injuries Diseases Dangerous and standards Occurrence Regulations (RIDDOR) ☐ CE and EN markings – relevance ☐ Wildlife and Countryside Act 1981 ☐ Coverall specifications – Type 4/5/6 ☐ Countryside and Rights of Way Act 2000 ☐ Glove specification ☐ Face shield ☐ Sustainable Use (PPP) regulations □ Boot specification ☐ Pesticides Code of Practice ☐ RPE – types and reasons ☐ 2 sources of industry best practice ☐ Operator certification Interpretation of two appropriate product labels □ Risk assessments ☐ Product label 1 ☐ Condition and guarding of equipment ☐ Product label 2 ☐ Using best available drift reducing technology ☐ Aircraft lift capacity Read a range of different measuring vessels ☐ Permitted load weight To be read in millilitres and litres. □ CAA licence ☐ Large jug (water). ☐ Small jug (chemical). Carry out COSHH assessment ☐ Cylinder. ☐ Using template provided or an approved Knowledge of how to accurately measure template powders/granules. Carry out SSRA Calibrate the applicator (without use of calibration ☐ Assessor to complete a Site Specific Risk sheet/aids). Assessment, using provided template. ☐ Calibration method (carried out): ☐ Header and footer. Application volume ☐ Hazards and controls relative to site, task and Amount of water for area equipment. Amount if pesticide for area Amount of pesticide for full tank Carry out environmental assessment ☐ Knowledge of differing calibration procedures – ☐ Environmental risks to site identified ☐ Methods to minimise risks explained.

- □ statutory notification of neighbours before application
- ☐ Additional risks not identified on site, (that may occur in typical assessment situations) to be discussed.
- particularly in view of possible use of Imperial/US units of measurement

& related information charts Pencil jet – coarse spray quality. Generally used to apply herbicides Rain-drop – coarse spray quality. Good drift reduction properties Spinning Disc (CDA) – ultra fine spray quality.			
to apply herbicides Rain-drop – coarse spray quality. Good drift reduction properties Spinning Disc (CDA) – ultra fine spray quality. Suitable for insecticide application Ground crew briefed according to standard operating procedures Weather conditions Direction of spraying Nozzle type and size Pressure Flight speed Operating height Carry out measuring and mixing. Suitable site selected. Correct PPE used Safe use of water supply Accurate measurement of water (allowing for pesticide volume) and pesticide Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options Site marking options Procedure for blocked nozzle during application Procedure for refilling during application Procedure for locked nozzle during application Procedure for refilling for the form of the form of the form of the	& relate	ed information charts	Assessm
Rain-drop — coarse spray quality. Good drift reduction properties Spinning Disc (CDA) — ultra fine spray quality. Suitable for insecticide application Rain-drop — coarse spray quality. Suitable for insecticide application Rain-drop — coarse spray quality. Suitable for insecticide application Rocard — Ground crew briefed according to standard operating procedures Rocard — Ground crew briefed according to standard operating procedures Rocard — Ground crew briefed according to standard operating procedures Rocard — Ground — G	Ц		
Spinning Disc (CDA) — ultra fine spray quality. Suitable for insecticide application Ground crew briefed according to standard operating procedures Weather conditions Direction of spraying Nozzle type and size Pressure Flight speed Operating height Accurate measurement of water (allowing for pesticide volume) and pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out — minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application Procedure for refilling during application Procedure for blocked nozzle during application Procedure for refilling during application Procedure for refilling during application Procedure for blocked nozzle during application Procedure for blocked nozzle during application Procedure for refilling during application Procedure for provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washings, disposal Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best		Rain-drop – coarse spray quality. Good drift	
Suitable for insecticide application Ability to provide robust ground crew safety briefing Ground crew briefed according to standard operating procedures 60.	п	· · ·	Note: If
Ability to provide robust ground crew safety briefing Ground crew briefed according to standard operating procedures Knowledge of drift reduction methods Weather conditions Direction of spraying Nozzle type and size Pressure Flight speed Operating height Carry out measuring and mixing. Suitable site selected. Correct PPE used Safe use of water supply Accurate measurement of water (allowing for pesticide volume) and pesticide. Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out — minimum 3 bouts Procedure for refilling during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			<mark>unit, the</mark>
Ground crew briefed according to standard operating procedures Knowledge of drift reduction methods Weather conditions Direction of spraying Nozzle type and size Pressure Flight speed Operating height Carry out measuring and mixing. Suitable site selected. Correct PPE used Safe use of water supply Accurate measurement of water (allowing for pesticide volume) and pesticide. Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out — minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application Procedure for refilling during application Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best	Ability 1	to provide robust ground crew safety briefing	sections
Weather conditions Direction of spraying Nozzle type and size Pressure Flight speed Operating height Carry out measuring and mixing. Suitable site selected. Correct PPE used Safe use of water supply Accurate measurement of water (allowing for pesticide volume) and pesticide. Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out − minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best		Ground crew briefed according to standard	Total sco 60.
Weather conditions Direction of spraying Nozzle type and size Pressure Flight speed Operating height Carry out measuring and mixing. Suitable site selected. Correct PPE used Safe use of water supply Accurate measurement of water (allowing for pesticide volume) and pesticide. Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out − minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best	Knowle	dge of drift reduction methods	
□ Nozzle type and size □ Pressure □ Flight speed □ Operating height Carry out measuring and mixing. □ Suitable site selected. □ Correct PPE used □ Safe use of water supply □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best		=	
 □ Pressure □ Flight speed □ Operating height Carry out measuring and mixing. □ Suitable site selected. □ Correct PPE used □ Safe use of water supply □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washings, disposal □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 			
☐ Flight speed ☐ Operating height Carry out measuring and mixing. ☐ Suitable site selected. ☐ Correct PPE used ☐ Safe use of water supply ☐ Accurate measurement of water (allowing for pesticide volume) and pesticide. ☐ Correct cleaning procedure of pesticide measuring vessel. ☐ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options ☐ Site marking options (to ensure accurate application) ☐ Safe and accurate application carried out — minimum 3 bouts ☐ Procedure for locked nozzle during application ☐ Procedure for refilling during application ☐ Procedure for refilling during application ☐ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. ☐ Surplus dilute, disposal ☐ Washings, disposal ☐ Washings, disposal ☐ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best		• •	
Carry out measuring and mixing. □ Suitable site selected. □ Correct PPE used □ Safe use of water supply □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washings, disposal □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
Carry out measuring and mixing. Suitable site selected. Correct PPE used Safe use of water supply Accurate measurement of water (allowing for pesticide volume) and pesticide. Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out – minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application Procedure for refilling during application Sepret to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
 □ Suitable site selected. □ Correct PPE used □ Safe use of water supply □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out – minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 	Ц	Operating height	
□ Correct PPE used □ Safe use of water supply □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out – minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best	Carry o	ut measuring and mixing.	
 □ Safe use of water supply □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out – minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 		Suitable site selected.	
 □ Accurate measurement of water (allowing for pesticide volume) and pesticide. □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out – minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 			
pesticide volume) and pesticide. Correct cleaning procedure of pesticide measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out — minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washings procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
 □ Correct cleaning procedure of pesticide measuring vessel. □ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washings procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 	Ц		
measuring vessel. Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options Site marking options (to ensure accurate application) Safe and accurate application carried out — minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
□ Avoidance of spillage. Drip tray used. Carry out/observe an application. Knowledge of site marking options □ Site marking options (to ensure accurate application) □ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best	ш		
marking options Site marking options (to ensure accurate application) Safe and accurate application carried out — minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best		-	
□ Site marking options (to ensure accurate application) □ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best	Carry o	ut/observe an application. Knowledge of site	
application) Safe and accurate application carried out — minimum 3 bouts Procedure for blocked nozzle during application Procedure for refilling during application If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
□ Safe and accurate application carried out — minimum 3 bouts □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
 □ Procedure for blocked nozzle during application □ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 		Safe and accurate application carried out –	
□ Procedure for refilling during application □ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
☐ If observation carried out then full observational report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. ☐ Surplus dilute, disposal ☐ Washing procedure explained ☐ Washings, disposal ☐ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
report to be provided to Technical Verifier Knowledge of cleaning/decontamination/disposals. Surplus dilute, disposal Washing procedure explained Washings, disposal Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
 □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 	_		
 □ Surplus dilute, disposal □ Washing procedure explained □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 	Knowle	dge of cleaning/decontamination/disposals.	
 □ Washings, disposal □ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best 		- · · · · · · · · · · · · · · · · · · ·	
☐ Empty container/packaging, washing, storage and disposal (Crop Protection Association Best			
and disposal (Crop Protection Association Best			
uractico (judo "Containor (loaning' 1011 1)			
Practice Guide Container Cleaning 2012)		Practice Guide 'Container Cleaning' 2012)	

Complete a treatment record

□ Treatment record correctly completed

Assessment techniques

Clear and concise questions/instructions
Question/instruction relative to unit.
(Please note: this section only needs to be
completed by new PA assessors).

Note: If an existing PA assessor is adding this as a new unit, the M/C test paper and assessment technique sections do not need to be completed.

Total score required (on front sheet) can be adjusted to 60.