CITY & GUILDS NPTC LEVEL 2AWARD IN FOREST MACHINE OPERATIONS - BASE MACHINE WITH SKIDDER QAN 600/9419/9



QUALIFICATION GUIDANCE

Independent Assessment

Essential Qualification Information

Not to be used by the Candidate during Assessment

You will require some of this information to accurately complete the Record of Assessment (ROA)

Qualification Group No	0 0 2 0	Forestry & Arboriculture Level 2
Qualification Programme No	0 0 2 0 - 4 5	L2 Award in Forest Machine Operations - Base Machine with Skidder
Units	2 0 8	Prepare and Operate a Base Machine
	2 1 3	Prepare and operate a Skidder
Endorsement(s)	0 0 1	Under 2.5 tonne Tracked
	0 0 2	Over 2.5 tonne Tracked
	0 0 3	Under 2.5 tonne Wheeled Articulated
	0 0 4	Over 2.5 tonne Wheeled Articulated
	0 0 5	Under 2.5 tonne Wheeled Rigid
	0 0 6	Over 2.5 tonne Wheeled Rigid
	0 0 7	Line
	0 0 8	Grapple
Guided	2 0 8	GLH 35 (Credit Value 4)
Learning Hours (GLH)	2 1 3	GLH 35 (Credit Value 4)
Total Qualification Time(TQT)		80 Hours
Recommended Assessment Duration		2.5 – 4 hours per Candidate

Version and date	Change detail	Section
1.2 November 2017	Added TQT details Deleted QCF / Learning Time	Qualification at a glance, Structure Throughout

City and Guilds NPTC Level 2 Award in Forest Machine Operations - Base Machines With Skidder Qualification Guidance

Introduction

The scheme will be administered by City & Guilds

City & Guilds will:

Publish - Scheme regulations

- Qualification guidance
- Training materials
- Trainers support materials

Approve centres to co-ordinate and administer the scheme Set standards for the training of Verifiers and Assessors Recruit, train and deploy Verifiers

Issue certificates to successful Candidates

The Qualification

The qualification will be awarded to Candidates who achieve the required level of competence in the units to which their certificate relates.

Instruction

Attendance at a course of instruction is not a pre-requisite for an application for an assessment but potential Candidates are strongly advised to ensure that they are up to the standards that will be expected of them when they are assessed.

Total Qualification Time

Total Qualification Time (TQT) is the total amount of time, in hours, expected to be spent by a Learner to achieve a qualification. It includes both guided learning hours (which are listed separately) and hours spent in preparation, study and assessment.

Access to Assessment

Assessment centres will be responsible for arranging assessment on behalf of the Candidate.

The minimum age limit for Candidates taking Certificates of Competence is 16 years. There is no upper age limit.

The assessment consists of one compulsory unit:

Unit 208 Prepare and Operate a Base Machine

Outcome:

- 1. Be able to work safely (B1)
- 2. Be able to prepare and drive the machine (B2)
- 3. Know how to prepare and drive machine (B3)
- 4. Know relevant health and safety legislation and industry good practice (B4)

Candidates must successfully achieve all assessment activities in the above unit.

Endorsement: The assessment may be taken on a machine with any type of machine that is

Under 2.5 tonne Tracked
Over 2.5 tonne Tracked
Under 2.5 tonne Wheeled Articulated
Over 2.5 tonne Wheeled Articulated
Under 2.5 tonne Wheeled Rigid

006 Over 2.5 tonne Wheeled Rigid

Only **ONE** of the above endorsements for this unit may be registered.

The certificate will be endorsed accordingly. Candidates are encouraged to take their assessment with different machines to broaden their certification.

Unit 213 Prepare and Operate a Skidder

Outcomes

- 1. Be able to work safely (S1)
- 2. Be able to operate the skidder (S2)
- 3. Know relevant health and safety legislation and environmental good practice (S3)
- 4. Know how to operate the skidder (S4)

Candidates must successfully achieve all assessment activities in the above unit.

Endorsement: The assessment may be taken on a machine with any type of:

007 Line skidder 008 Grapple

Only **ONE** of the above endorsements for this unit may be registered.

The certificate will be endorsed accordingly.

2 © City & Guilds 2017 Reproduction of this document in whole or in part is forbidden without prior consent of City & Guilds Base Machines with Skidder

Only two endorsements can be taken in any one registration. ONE for each unit

Quality Assurance

Verification is a process of monitoring assessment; it is an essential check to confirm that the assessment procedures are being carried out in the way City & Guilds has laid down. The overall aim of verification is to establish a system of quality assurance that is acceptable in terms of both credibility and cost effectiveness.

Approved Assessors will be subject to a regular visit by the verifier at a time when assessments are being undertaken.

A selection of assessment reports completed by the Assessor will be evaluated by a City & Guilds approved verifier.

Compliance with the verification requirements is a pre-requisite for Assessors remaining on the list of approved Assessors.

After assessment has been completed the Qualification Guidance is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

As part of the quality assurance process, a minimum of **two** observations are required to be undertaken for each qualification that is assessed by a Trainer/Assessor. These will be carried out by an internal Verifier appointed by the Centre. One observation will be conducted in the presence of the Quality Systems Consultant. In respect of risk management, there is an expectation that additional observations up to a maximum of **four** will be carried out for the inexperienced or newly qualified Trainer/Assessor or Assessors.

Performance Evaluation

The result of each assessment activity is evaluated against the following criteria:

- M = Met Meets or exceeds the assessment criteria by displaying a level of practical performance and/or underpinning knowledge.

 If the Criterion has been MET, a tick ☑ is to be put in the box provided in the bottom right-hand column of each section.
- NM = Not Met Does not satisfy the requirements of the assessment criteria, being unable to perform the practical task satisfactorily or safely or being deficient in underpinning knowledge. If the Criterion is NOT MET, a cross 🗵 is to be put in the box provided in the bottom right-hand column of each section.

Appeals and Equal opportunities

Centres must have their own auditable, appeals procedures. If a Candidate is not satisfied with the examination conditions or a Candidate feels the opportunity for examination is being denied, the Centre Manager should, in the first instance, address the problem. If, however the problem cannot be resolved, City & Guilds will arbitrate and an external verifier may be approached to offer independent advice. All appeals must be clearly documented by the Centre Manager and made available to the external verifier or City & Guilds if advice is required.

Should occasions arise when centres are not satisfied with any aspect of the external verification process, they should contact Verification Services at City & Guilds.

Access to the qualification is open to all, irrespective of gender, race, creed, age or special needs. The Centre Manager should ensure that no learner is subjected to unfair discrimination on any grounds in relation to access to assessment and to the fairness of the assessment. QCA requires City & Guilds to monitor centres to check whether equal opportunities policies are being adhered to.

Validation of Equipment

A Manufacturer's instruction book or operator's manual should be available for the Candidate to use during the assessment if required.

Vehicles must comply with department of Transport and road Traffic acts where relevant.

Any appropriate item of machinery complying with current legal requirements is acceptable for the assessment, provided it is suitably equipped for all assessment activities to be carried out.

Additional Information

May be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Questions should be related to the background or employment aspirations of the candidate and, where possible, product labels used should be representative of products typically used in that sector or industry.

Candidates who undertake this assessment and have met the requirements are reminded of their legal obligation to receive/undertake appropriate additional training in the use of any equipment that differs from that used during the assessment, but which they are nevertheless qualified to use.

Assessment Guidance for the Trainer/Assessor

This qualification can only be assessed by an Assessor who is suitably qualified and meets the requirements of the awarding body. The Assessor must be independent **and cannot have been involved with the training of the Candidate**. Please see City & Guilds Centre Manual for guidance.

The Candidate is to be notified of the place and time of assessment and when formal assessment commences and ceases.

Assessors are reminded that assessment is a formal process and that assessment must be carried out using this Qualification Guidance. All relevant assessment criteria must be assessed against the criterion as specified in the Qualification Guidance. Assessment will be carried out by direct observation and by oral questioning of the Candidate. Where a specific number of responses are required theses may include other suitable answers not specified if they are deemed to be correct by the Assessor. The performance of the Candidate is to be recorded on the Qualification Guidance as directed by completing the tick boxes. Space has been provided on the Qualification Guidance for the person assessing to record relevant information which can be utilised to provide feedback to the Candidate. After assessment has been completed the Qualification Guidance document is to be retained by the assessor and provided if required by a Quality Systems consultant (QSC).

Assessment Guidance for Candidate

A list of registered assessment centres is available from City & Guilds Land Based Services. (www.nptc.org.uk)

Assessment is a process by which it is confirmed that the candidate is competent in the unit(s) within the award to which the assessment relates. It is the process of collecting evidence about his/her capabilities and judging whether that evidence is sufficient to attribute competence.

The Candidate must be registered through the City & Guilds approved assessment centre for this qualification prior to the assessment.

The results of the assessment will be recorded on the Record of Assessment form (ROA).

The qualification guidance contains criteria relating to:

- Observation of practical performance
- Assessment of underpinning knowledge

Safe Practice:

- 1. Assessors must hold a current 'First Aid at Work' Certificate.
- 2. It is strongly recommended that Candidates hold at least a recent, recognised 'Emergency First Aid' Training Certificate.
- 3. All forest machines used in the assessments must comply with relevant Arboriculture and Forestry Advisory Group (AFAG) Safety Guides
- 4. Candidates should be familiar with the machine that they are going to operate.
- 5. Appropriate Personal Protective Equipment (PPE) must be worn at all times.
- 6. A First Aid kit meeting current regulations, of the appropriate size for the number of persons on site, must be available.
- 7. The Assessor must ensure a Risk Assessment is carried out, and sufficient control measures implemented.
- 8. Any necessary permissions must have been granted, and notifications made as appropriate: (e.g. Forestry Commission, Forest Enterprise, Private owners etc).
- 9. All equipment being used for this assessment must comply with relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998 and Lifting Operations and Lifting Equipment Regulations (LOLER) 1998.
- 10. Information may be sought from the relevant operator manuals or any other appropriate training or safety publication.
- 11. Provision must be made to avoid the risk of environmental pollution and adequate control measures must be implemented. (a suitable response kit to be available on the machine)
- 12. It is the responsibility of the Assessor and the Candidate to ensure that any additional requirements and provisions are met as relevant to this qualification.
- 13. Whenever the Candidate leaves the base machine, the parking brake must be applied.
- 14. When the Base Machine is parked and left unattended, or any attachments/detachments of equipment, must carry out the safe stop procedure.
- 15. The Base Machine must be operated in such a way that the Candidate, Assessor, other persons or equipment are not endangered.
- 16. All ancillary equipment, when detached must be left in a safe and stable condition.
- 17. Candidates must comply with current regulations when working at heights regulations 2005 amended
- 18. The assessment is carried out in accordance with the safety guidelines laid down in Arboriculture and Forestry Advisory Group (AFAG) Safety Guides, Health and Safety publications and current machinery directives.
- 19. A breach of Health and Safety that puts any person at risk during the assessment process will result in the assessment being terminated and the Candidate not meeting the required standard
- 20. Initial tonnage is measured on unladen vehicle weight

Validation of Equipment:

Any Base Machine complying with industry guidance and European directives is acceptable for the test, provided it is suitably equipped for **all** assessment activities to be carried out. Where a ROPs structure is fitted, an operator seat restraint is in place and functional.

Published by City & Guilds Building 500 Abbey Park Stareton Warwickshire CV8 2LY

T +44 (0)24 7685 7300 F +44 (0)24 7669 6128 www.nptc.org.uk

e-mail: information@cityandguilds.com

Candidate A	Name:	Date:	Start Time:	Duration:
Candidate B	Name:	Date:	Start Time:	Duration:
Candidate C	Name:	Date:	Start Time:	Duration:
Candidate D	Name:	Date:	Start Time:	Duration:

Candidate	te D Name:		Date:	Start Time: Dura			ration:			
CRITERIA	ASSESSMENT	ASSESSOR		SSESSMENT				IDAT		
NUMBER	CRITERIA	GUIDANCE		ACTIVITIES	اماريم	Α	В	С	D	
4.4/3.3	Outline the emergency planning relevant to the working area	The Candidate to state five factors in emergence planning		ng procedures for a site c	ouia					
B4	3		 location name 							
S3			grid reference							
			designated me	= :						
			site location na							
			nearest acces	•						
			street name/di							
			type of access							
				pter landing area						
			-	r of nearest doctor						
			-	hone number of nearest						
				emergency hospital						
			works manageyour own cont	er contact details						
			your own com	act number						
				Met ✓ Not I	Met X					
	Identify the hazards		Identify hazards (a	nything with the potential	to					
1.1	and risks associated			isks (who might be harme	ed),					
D 0 C4	with the working area, the proposed work and		relevant to:							
B & S1	the machine	The Candidate to state four hazards and three	The work area/wor	k to be done						
		risks with the working area/work to be done	Hazards							
			 power lines 							
			• terrain							
			access route	S						
			chain shot							
			risk zones	h						
			struck by timl other							
			• other							
			Risks							
			 operator 							
			others on site	9						
			• public							
			other machin							
			• other							
		The Candidate to state four hazards and three	The machine							
		risks for the machine	Hazards							
			struck by ma							
			access and e	-						
			moving parts							
			hot surfaces							
			working at he							
			high pressure							
			• other							

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA ⁻	TE D
NOWIDER	CRITERIA	GOIDANCE	Risks	^	В		٦
1.1 cont			public				
			operator				
			environment				
			• other				
					_		
			Met√ Not Met X	Ш	Ш	Ш	Ш
1.2 B & S1	Use appropriate tools, equipment and personal protective equipment (PPE)	Assessor to observe appropriate tools, equipment and PPE are used in accordance to industry good practice All applicable to the task	All tools, equipment and Personal Protective Equipment are used in line with industry good practice e.g. AFAG/HSE. During all on site operations PPE in accordance with industry good practice must be worn.				
		at hand	Personal Protective Equipment identified could include:				
			safety helmet (if required)				
			hearing protection (where needed)				
			suitable protective gloves				
			protective bootsnon snag outer clothing				
			high visibility clothing where risk				
			assessment identifies it				
			hand cleaning materials				
			first aid kit				
			other	Ш		Ш	
			Met ✓ Not Met X				
4.1/3.1	Outline key health and safety legislation and industry good practice	The Candidate to state two relevant points of each of the following:	Outline key points from the legislation listed below:				
B4 S3		Health and Safety at Work Act (HSWA) (1974)	Health and Safety at Work Act (HSWA) (1974) –				
			general duties for employers and employees				
			maintain safe places of work				
			• other				
		Provision and Use of Work Equipment	Provision and Use of Work Equipment Regulations 1998 (PUWER 98) –				
		Regulations 1998 (PUWER 98)	record keeping				
		(. 5.1.2.1.55)	operators adequately trained				
			equipment fit for purpose				
			• other				
		Reporting of Injuries, Diseases and Dangerous Occurrences Regulations	Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (RIDDOR)				
		1995 (RIDDOR)	reporting of accidents				
			reporting of dangerous occurrences				
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	• other				
		Working at Heights	Working at Heights				
			adequate precautions taken for safe working procedures				
			any height constitutes working at heights				
			• other				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA ⁻	TE D
	ONTENIA	Control of Substances	Control of Substances Hazardous to Health		<u> </u>	C	
4.1/3.1 cont		Hazardous to Health (COSHH) Regulations	(COSHH) Regulations (2002)				
00.11.11		(2002)	correct PPE to be identified				
			correct storage and application				
			disposalother				
			• other				
		State two sources of industry good practice	Industry Good Practice				
		information	Arboriculture Forestry Advisory Group (A.C.A.C.) information				
			(AFAG) information • Health and safety in forestry				
			Forest and water guidelines				
			Operators manual				
		State two factors of lone working	Lone working				
		Working	effective communication system				
			fail to safe system				
			reporting in times				
		State two procedures to be followed when machine	Line contact possible procedures:				
		contacts power line	where possible, drive away to safe area				
			if safe, stay in machine and contact power				
			company/supervisor jump from machine, bunny hop as far as				
			possible				
		State four factors	Power lines				
		regarding working near power lines	designated crossing point (goal posts)				
		'	liaison with power companies				
			site maps				
			• AFAG				
			electricity at work				
			• other				
			Met ✓ Not Met X				
4.3/3.2	Describe the types of records that may be	The Candidate to state two types of record	Records:]]		
B4	required for management and	keeping to meet PUWER	logbook service logbook				
S3	legislative		maintenance schedule				
	requirements		other				
			Met ✓ Not Met X	Ш	Ш	Ш	Ш
4.2	State why it is important to maintain good	State One	Importance of communication could include:				
	communication and		health and safety				
B4	team work within the working environment		site planning/co-ordination				
			• other				
			Met ✓ Not Met X				
	<u> </u>	l	INIGE ★ INOURINGE X	二			

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C A	AND B	IDA ⁻	
NUMBER	State the safety	All required	Level ground	A	В	C	D
3.1 B3	requirements and routine checks required for the machine		all fluid levels can be accurately checked other				
			Machine Services				
			security unauthorised third party operation				
			• other				
			Cleanliness				
			personal contamination				
			system contamination				
			• other				
			Adjustment				
			ergonomics visibility				
			other				
			Restraint systems				
			personal safety				
			HSE requirement				
			• other				
			Operator protection systems				
			roll over protective structure (ROPS)				
			falling object protective structure FOPS)operator protection structure (OPS)				
			other				
			Access and Egress				
			operator safetyPUWER				
			• other				
			Either				
			Wheeled				
			Tyre pressure and ballast				
			tyre dealers recommendations				
			operators handbookstability				
			traction aids				
			band tracks of chains				
			• other				
			Wheel nuts				
			visually torrup wrongh				
			torque wrenchoperators handbook				
<u> </u>	<u> </u>	l	Sporatoro Hariabook		\Box	ш	

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA [*]	TE D
3.1 cont			OR Tracked Track Drive Train				
			 track will come off track will break lack of traction premature wear long term damage other 				
			Tension criteria according to manufacturers recommendations other				
			Met ✓ Not Met X				
2.1 B2	Carry out pre and post- start checks of the machine consistent with environmental good	Assessor to observe candidate carrying out the pre and post start checks of the machine	Pre and post start checks on base machine according to the operators handbook and to include:				
	practice and manufacturers recommendations	Candidate to comment on machines serviceability Assessor is to use their	 machine on level ground ensure machine services in neutral and lowered where applicable engine stopped and key removed 				
		own discretion as to whether a seat belt/lap restraint is to be worn during assessment	 check engine oil, transmission/hydraulic oil, coolant and fuel level, engine air filter importance of cleanliness seat, steering mechanism and mirror 				
		during assessment	adjustment operator seat restraint is functional (where applicable) check operator protection systems				
			check operator protection systems check relevant access and egress points radiators (coolant and hydraulic) fuel filters and/or water trap				
			grease where and when appropriate				
		Assessor to observe candidate adhering to	Chassis/ Frame				
		environmental best practice and COSHH regulations	crackspin securitybushescylinders				
			 attachment loose or broken bolts cables and connections 				
			guarding Hydraulic hoses				
			leakscrackscutsabrasionssecurityguarding				

NUMBER CRITERIA GUIDANCE ACTIVITIES A B Either Wheeled • tyre suitably inflated • tyre condition • check wheel nuts OR Tracked • track drive train condition and maintenance are checked • pins (if applicable) • sprocket • idler • track plates/pads (if applicable) • tension criteria Environmental considerations: • disposal • storage of oils on site • spill kit mats used	
tyre suitably inflated tyre condition check wheel nuts OR Tracked track drive train condition and maintenance are checked pins (if applicable) sprocket idler track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
check wheel nuts OR Tracked track drive train condition and maintenance are checked pins (if applicable) sprocket idler track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
Tracked track drive train condition and maintenance are checked pins (if applicable) sprocket idler track plates/pads (if applicable) track plates/pads (if applicable) tension criteria	
Tracked • track drive train condition and maintenance are checked • pins (if applicable) • sprocket • idler • track plates/pads (if applicable) • tension criteria Environmental considerations: • disposal • storage of oils on site	
track drive train condition and maintenance are checked pins (if applicable) sprocket idler track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
pins (if applicable) sprocket idler track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
sprocket idler track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
idler track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
track plates/pads (if applicable) tension criteria Environmental considerations: disposal storage of oils on site	
tension criteria Environmental considerations: disposal storage of oils on site	
Environmental considerations: disposal storage of oils on site	
disposal storage of oils on site	
storage of oils on site	
• spill kit mats used	
Met ✓ Not Met X	
All required • nuts, bolts all present	
4.1 Explain the fitting, condition, operation and	
S4 control system of the • cracked frame	
extraction equipment • report defects □ □	
• maintenance records • Check fitting, condition,	
operation and control	
system of extraction • warning/safety decals □ □	
equipment as inter to	
• greasing	
• other □	
Either	
Line skidder	
• rope test certificate	
• fair lead rollers/pulleys	
rope compatible with winch rope condition	
extraction system chokering system is compatible	
chain adjustment and guarding	
PTO guards	
clutch adjustment	
brake adjustment	
free spool adjustment	
• other □	

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDAT	TE D
4.1/2.1			OR				
cont							
			Grapple • hydraulic tongs				
			hydraulic pipes				
			grapple operation				
			• other				
			Met ✓ Not Met X				
4.6/3.6	Describe the correct methods for disposing	The Candidate to state one method	Disposal of waste from workplace activities may include:				
B4	of waste		waste oils placed in approved containers				
S3			for disposal use of designated waste/recycle bins				
			other				
	Describe how	Three causes	Met ✓ Not Met X Environmental damage may be caused by:	H			H
4.5/3.5	environmental damage						
B4	can be caused and minimised		incorrect storage of fuel and oil defective machinery				
S3			poor work practice				
			oil and fuel spillages				
			• other				
		Three preventions	Environmental damage may be prevented by:				
		·	following principals of industry good				
			practice good housekeeping				
			appropriately trained operators				
			spill kits are available				
			other				
			Met ✓ Not Met X				
	State the factors that	Candidate to state four	Factors that may cause the cooling system to				
3.3	may cause the cooling system to overheat		over heat may include: • fan belt slack				
В3	System to overneat		radiator core blocked				
			radiator fins blocked				
			faulty thermostat				
			cylinder fins spaces blocked (air cooled only)				
			low fluid levels				
			• other				
			Met ✓ Not Met X				
3.4	Describe how to check the battery(s) and report	State how to clean battery terminals	use of hot water				
3.4	on the condition	terrilliais	• other				
В3		State three reasons that could cause a battery to	Battery could explode due to:				
		explode	excessive charge rate charger not switched off before connection				
			or disconnection while on charge				
			sparks near gas outletinvoluntary earthing of the battery				
			 involuntary earthing of the battery incorrect fitting of jump leads from machine 				
			to machine or power pack				
			• other				
⊕ City 8	2 Guilde 2017 December of this o	I document in whole or in part is forbidden wit.	the set and an analysis of City & Coulds	, -			11

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	C		IDAT	Έ
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
3.4 cont		State three	battery is secured				
0.4 00111		Clato tino	leads connected and checked for damage				
			terminals cleaned satisfactorily				
			anti-corrosion grease put on leads and				
			terminals when reconnecting				
			bolts are tight but not over-tightened				
			• other				
			Met ✓ Not Met X				
	Explain the safe	Candidate to explain the	Safe procedure for detection may include:				
3.5	procedure to follow for detecting leaks in high	safe procedure for detection	hands not used for detection of leak				
В3	pressure hydraulic	detection	hands not used for detection of leakuse a piece of card or paper				
Б3	systems		• other				
			Met ✓ Not Met X				
	Explain the procedure	Candidate to identify all	According to the operators manual and to				H
3.6	to follow when replacing	procedure for replacing a	include:				
	a hydraulic hose	hydraulic hose		l _	_	_	
B3			appropriate PPE identified				
			use of spill kit budgettie greaters levered and pressure.				
			hydraulic system lowered and pressure				
			relieved				
			importance of cleanliness importance of cleanliness				
			vacuum pump (if fitted)				
			shut off valve (if fitted)				
		Correct amount of tools	Tools:				
		chosen	spanners x 2				
		Identify the four main	Criteria for hose replacement				
		criteria for a replacement	pressure rating				
		hose	length				
			end fittings				
			• bore				
			referred to operators manual				
		What factors need to be	new hose fitted ensuring inside of hose and initial are clean.				
		taken into account when fitting the new hose	joints are clean correctly routed not twisted				
		3	switch off vacuum pump (if fitted)				
			open valve (if fitted)				
			hydraulic oil topped up and checked as				
			required				
			start machine				
			operate function				
			check for leaks				
			clean up spill kit				
			re-check oil level				
		Environmental	bagged and labelled				
		considerations	licensed disposal				
			recycle				
			• other				
			Met ✓ Not Met X			Ľ	
-		•	•	•	•		

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA ⁻	TE D
	Explain the function of		Refer to operators manual				
3.2	all controls and how to interpret instrument	The Candidate to explain	The function and setting of the following controls:				
B3	readings	the controls inside the cab and what are their functions	starting devices, including cold start				
			engine speed control				
			stop control				
			check function of emergency stop				
			1166 (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.				
			PTO lever engagement and speed range selector (where applicable)				
			brakes (independent and parking) and				
			remote braking device if fitted				
			hydraulic controls				
			draft control (as applicable)				
			position control (as applicable)				
			other controls provided				
			external services				
			 lights, direction indicators, horn, screen wash/wipe, heating and ventilation controls and any safety warning device (where applicable) 				
		State the instruments inside the cab, what are	tractormeter and associated chart (if applicable)				
		they and how should they	oil pressure gauge (or warning light)				
		be interpreted	battery condition indicator or warning light				
			other warning lights (as applicable)				
			reversing aid (if applicable)				
		What action should be taken in the event of a	refer to operators manual				
		warning light coming on What action should be	fire fighting system(s) tested (if fitted)				
		taken to maintain/check	fire extinguishers maintained, checked and				
		the fire fighting system is	in date				
		operational	access and egress points in the event of an emergency				
			Met ✓ Not Met X				
	Carry out safe access	Assessor to visually	Candidates must demonstrate safe access				
2.2	and egress	observe safe access and egress	and egress from machine using the hand and foot holds provided and facing into the				
B2			cab (3 points of contact) Met ✓ Not Met X				
	Explain the procedure	State six procedures to be	safety belt fastened (if fitted)				П
4.2	for woodland driving	followed when driving a	stacking blade/butt plate fully raised (if fitted)				
0.4		line/ grapple skidder	choice of gear/engine speed				
S4		through woodland	use of differential lock				
			negotiation of stacks				
		AFAG guides and industry	negotiation of uphill slopes				
		best practice are to be referred to for Overhead	negotiation of downhill slopes				
		hazards	negotiation of side slopes				
			use of independent brakes				
			overhead hazards				
			• other				
			Met ✓ Not Met X	Ш	Ш		

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	C	AND		ſΕ
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
2.3 S2	Carry out the operation in accordance with the job specification	Use cable drum winch/grapple Sufficient chokering,	position tractor Appropriate attachment				
		extraction, unchokering must be assessed	Either				
		covering loading to the	Line				
		capacity of the machine; relating load size to site	take out winch cable smoothly correct angle/direction of pull				
		conditions.					
			method of attachment About a thorough a decourse (0" 40")				
			 choker attached 220mm -300mm (8"-12") from butt/tip end when ground skidding if hooked choker is used, the opening should 				
			If hooked choker is used, the opening should face away from the direction of pull				
			surplus slack in chokers adjusted using		_	_	
			approved method to maintain ground				
			clearance when load is held against tractor butt plate				
			appropriate butt plate pulley selected (if		_	_	_
			applicable)				
			concise instructions to winch operator				
			tension cable				
			winch in load				
			correct use of remote controls where applicable				
			safety of operator				
			OR				
			Grapple				
			assemble load to optimum capacity of equipment				
			economy of movement				
			ability to extract timber butt or tip first				
			position and alignment of grapple				
			correct transport height				
		Transport load to conversion/stacking site	Transportation				
		Conversion/stacking site	load position				
			avoidance of obstacles and damage to				
			standing crop				
			engine speed				
			gear selection stability of valids				
			stability of vehicle				
		Detach load	Load detachment				
			presentation of extracted material for				
			subsequent operations				
			parking brake applied				
			stacking blade lowered (if fitted)				
			Either				
			Winch				
			release tension, avoiding over run, of the				
			winch rope detach chokering system				
			detach chokering system				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	CANDIDA		_	
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
2.3 cont			OR Grapple tongs lowered and opened Timber retrieval				
		Use winch to retrieve timber from behind an obstacle (Line only)	Either Line appropriate strop appropriate pulley appropriate anchor point appropriate shackle risk zones identified maximum angle of pull				
			Grapple N/A				
	Formation alternation		Met ✓ Not Met X	Ц	╚	Ц	
4.3 S4	Explain alternative methods of chokering to the one used, where appropriate		Alternative methods may include polypropylene chains wire rope				
			• other				
			Met ✓ Not Met X				
3.7 B3	Describe safe driving techniques that should be used on site	All relevant to the machine The dangers of driving at high speed	The dangers of driving at high speed				
			stability stopping distance other				
		The benefits of wide wheel track settings	The benefits of wide wheel track settings stability other				
		Up and down hill	Up and down hill straight				
		Across a slope	load distribution Across a slope				
			avoid if possible direction of turn up hill (rigid), downhill (articulated), tracked machine (specific) weight distribution route construction avoid obstacles				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA ⁻	TE D
					Ī		
3.7 cont		Over rough ground	Over rough ground				
			• speed				
			stabilityweight distribution				
		When driving with heavily loaded trailers and implements	When driving with heavily loaded trailers and implements				
			speed stability				
			weight distribution				
			route planning				
			- Toute planning				
		Change of centre of gravity when turning	Change of centre of gravity when turning				
		gravity when turning	stability				
	Committee anamatica	Assessor to observe the	Met ✓ Not Met X	Ш	Ш	Ш	Ш
2.3	Carry out the operation on site in a safe,	candidate carrying out	Start engine				
D2	effective and efficient way	correct starting techniques in accordance to	isolator switch engaged				
B2	way	manufacturers	parking brake applied				
2.3	Manoeuvre the machine	recommendations	gears in neutralclutch pedal depressed (if applicable)				
00	on site in a safe and		PTO disengaged (if applicable)				
S2	effective way		hydraulic services in neutral (if applicable)				
			start				
		Assessor to observe the candidate drive the	Candidate to drive machine:				
		machine turning left and	safe access				
		right, reverse, park, switch off and exit	start in accordance with manufacturers				
			recommendations appropriate gear selection				
			smoothness of take off				
			drive in a straight line				
			left and right turn				
			reverse (if applicable)appropriate speed for conditions				
			appropriate speed for conditions appropriate use of brakes				
			safe position on site chosen				
			controls and attachments in neutral and				
			lowered to the ground parking brake applied and effective				
			safe egress				
		Accepte viewelly	Stan angina				
		Assessor to visually observe the candidate	Stop engine				
		carrying out correct	allow engine to idle				
		shutting down techniques in accordance to	lower and disengage hydraulic services and PTO				
		manufacturers recommendations	gears in neutral and parking brake applied				
		1 Joseph Million Marion 13	shut down electrical services/computer disengage ignition and remove key				
			disengage ignition and remove key disengage and remove isolator switch				
			Met ✓ Not Met X	Ш	Ш	Ш	Ш

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT		AND		_
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
4.3	Explain alternative methods of chokering to the one used, where		Alternative methods may include • polypropylene				
S4	appropriate		• chains				
04			wire rope				
			• other				
			Met ✓ Not Met X				
4.4	Explain the procedure for debogging	One required from	Self recovery:				
		self recovery	selection of equipment				
S4		other vehicle	choice of anchor for debogging				
		powered/ hand winch	direction of winch rope through pulley				
		F	correct gear engaged				
			use of hand throttle				
			correct winching/driving techniques				
			vehicle stability				
			equipment re-stowed on vehicle after use				
			Other vehicle:				
			selection of equipment				
			appropriate attachment point				
			choice of anchor for debogging				
			direction of winch rope through pulley				
			correct gear engaged				
			use of hand throttle				
			correct winching/driving techniques				
			vehicle stability				
			equipment re-stowed on vehicle after use				
			Powered or hand winch:				
			selection of equipment				
			choice of anchor for debogging				
			direction of winch rope through pulley				
			correct gear engaged				
			use of hand throttle				
			correct winching/driving techniques				
			vehicle stability				
			equipment re-stowed on vehicle after us				
			Met ✓ Not Met X				
1.3	Work in a way which maintains health and	Assessor to observe	All activities must be completed in a way which protects the operator and those				
	safety and is consistent		around them.				
B & S1	with relevant legislation and industry best practice		Met ✓ Not Met X				
	Carry out work to	Assessor to observe	It is ensured that any possible				
1.4	minimises		environmental damage is minimised at all				
B & S1	environmental damage		times during on site operations				
וטאטו			Met ✓ Not Met X				
L	1	I	I .		<u> </u>	L	