CITY & GUILDS NPTC LEVEL 2 AWARD IN FOREST MACHINE OPERATIONS – CHOKERMAN QAN 600/9108/3



QUALIFICATION GUIDANCE

Independently Assessed

Essential Qualification Information

Not to be used by the Candidate during Assessment

You will require some of this information to accurately complete the Record of Assessment (ROA)

Qualification Group No	0 0 2 0	Forestry & Arboriculture Level 2
Qualification Programme No	0 0 2 0 - 2 1	Award in Forest Machine Operations Chokerman
Unit	2 1 4	Choker Person Operations
Endorsement(s)	0 0 1	Skyline
	0 0 2	High lead
Guided Learning Hours (GLH)	2 1 4	GLH 35 (Credit Value 4)
Total Qualification Time (TQT)		40 Hours
Recommended Assessment		3 – 4.5 hours per Candidate

Version and date	Change detail	Section
1.2 November 2017	Added TQT details Deleted QCF / Learning Time	Qualification at a glance, Structure
		Throughout

City and Guilds Level 2 Award in Forest Machine Operations - Chokerman Qualification guidance

Introduction

The scheme will be administered by City & Guilds

City & Guilds will:

Publish

- Scheme regulations
- Qualification guidance
- Training material
- Trainers support material

Approve centres to co-ordinate and administer the scheme Set standards for the training of verifiers and assessors Recruit, train and deploy verifiers Manage verification Issue certificates to successful Candidates

The Qualification

The qualification will be awarded to candidates who achieve the required level of competence in the units to which their certificate relates.

Instruction

Attendance at a course of instruction is not a pre-requisite for an application for an assessment but potential Candidates are strongly advised to ensure that they are up to the standards that will be expected of them when they are assessed.

Total Qualification Time

Total Qualification Time (TQT) is the total amount of time, in hours, expected to be spent by a Learner to achieve a qualification. It includes both guided learning hours (which are listed separately) and hours spent in preparation, study and assessment.

Access to Assessment

Assessment centres will be responsible for arranging assessment on behalf of the Candidate.

The minimum age limit for Candidates taking Certificates of Competence is 16 years. There is no upper age limit.

The assessment consists of one compulsory unit:

Unit 214 Choker Person Operations

Outcomes

- 1. Be able to work safely (1)
- Be able to select and prepare machinery and site (2)
- 3. Be able to set up a cable crane (3)
- 4. Know relevant health and safety legislation and industry good practice (4)
- 5. Know how to set up a cable crane (5)

Candidates must successfully achieve all assessment activities in Mandatory unit 214.

Endorsement: The assessment may be taken on a machine with any type of:

001 Skyline 002 High lead

The certificate will be endorsed accordingly. Candidates are encouraged to take their assessment with different machines to broaden their certification.

The certificate will be endorsed accordingly. Candidates are encouraged to take their assessment with different machines to broaden their certification. (If Skyline is the taken as the first endorsement, then the candidate will automatically get High lead, as long as they are registered for it. However, if the candidate is registered for High lead, they **WILL NOT** automatically get Skyline)

Only two endorsements can be taken in any one registration.

Quality Assurance

Verification is a process of monitoring assessment; it is an essential check to confirm that the assessment procedures are being carried out in the way City & Guilds has laid down. The overall aim of verification is to establish a system of quality assurance that is acceptable in terms of both credibility and cost effectiveness.

Approved Assessors will be subject to a regular visit by the verifier at a time when assessments are being undertaken.

A selection of assessment reports completed by the Assessor will be evaluated by a City & Guilds approved verifier.

Compliance with the verification requirements is a pre-requisite for Assessors remaining on the list of approved Assessors.

After assessment has been completed the Qualification Guidance is to be forwarded to the centre and retained by the centre until after the annual centre visit has taken place by a Quality Systems Consultant (QSC).

Performance Evaluation

The result of each assessment activity is evaluated against the following criteria:

- Met Meets or exceeds the assessment criteria by displaying a level of practical performance and/or underpinning knowledge.

 If the Criterion has been MET, a tick ☑ is to be put in the box provided in the bottom right-hand column of each section.
- NM = Not Met Does not satisfy the requirements of the assessment criteria, being unable to perform the practical task satisfactorily or safely or being deficient in underpinning knowledge. If the Criterion is NOT MET, a cross 🗵 is to be put in the box provided in the bottom right-hand column of each section.

Appeals and Equal opportunities

Centres must have their own auditable, appeals procedures. If a Candidate is not satisfied with the examination conditions or a Candidate feels the opportunity for examination is being denied, the Centre Manager should, in the first instance, address the problem. If, however the problem cannot be resolved, City & Guilds will arbitrate and an external verifier may be approached to offer independent advice. All appeals must be clearly documented by the Centre Manager and made available to the external verifier or City & Guilds if advice is required.

Should occasions arise when centres are not satisfied with any aspect of the external verification process, they should contact Verification Services at City & Guilds.

Access to the qualification is open to all, irrespective of gender, race, creed, age or special needs. Subject to H&S restrictions the Centre Manager should ensure that no learner is subjected to unfair discrimination on any grounds in relation to access to assessment and to the fairness of the assessment. QCA requires City & Guilds to monitor centres to check whether equal opportunities policies are being adhered to.

Validation of Equipment

A Manufacturer's instruction book or operator's manual should be available for the Candidate to use during the assessment if required.

Vehicles must comply with department of Transport and road Traffic acts where relevant.

Any appropriate item of machinery complying with current legal requirements is acceptable for the assessment, provided it is suitably equipped for all assessment activities to be carried out.

Additional Information

May be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Questions should be related to the background or employment aspirations of the candidate and, where possible, product labels used should be representative of products typically used in that sector or industry.

Candidates who undertake this assessment and have met the requirements are reminded of their legal obligation to receive/undertake appropriate additional training in the use of any equipment that differs from that used during the assessment, but which they are nevertheless qualified to use.

Assessment Guidance for the Assessor

This qualification can only be assessed by an Assessor who is suitably qualified and meets the requirements of the awarding body. The Assessor must be independent **and cannot have been involved with the training of the Candidate**. Please see City & Guilds Centre Manual for guidance.

The Candidate is to be notified of the place and time of assessment and when formal assessment commences and ceases.

Assessors are reminded that assessment is a formal process and that assessment must be carried out using this Qualification Guidance. All relevant assessment criteria must be assessed against the criterion as specified in the Qualification Guidance. Assessment will be carried out by direct observation and by oral questioning of the Candidate. Where a specific number of responses are required theses may include other suitable answers not specified if they are deemed to be correct by the Assessor. The performance of the Candidate is to be recorded on the Qualification Guidance for the person assessing to record relevant information which can be utilised to provide feedback to the Candidate. After assessment has been completed the Qualification Guidance document is to be retained by the assessor and provided if required by a Quality Systems consultant (QSC).

Assessment Guidance for Candidate

A list of registered assessment centres is available from City & Guilds NPTC. (www.nptc.org.uk)

Assessment is a process by which it is confirmed that the candidate is competent in the unit(s) within the award to which the assessment relates. It is the process of collecting evidence about his/her capabilities and judging whether that evidence is sufficient to attribute competence.

The Candidate must be registered through the City & Guilds approved assessment centre for this qualification prior to the assessment.

The results of the assessment will be recorded on the Record of Assessment form (ROA).

The qualification guidance contains criteria relating to:

- Observation of practical performance
- Assessment of underpinning knowledge

Safe Practice:

- 1. Assessors must hold a current 'First Aid at Work' Certificate.
- It is strongly recommended that Candidates hold at least a recent, recognised 'Emergency First Aid' Training Certificate.
- All forest machines used in the assessments must comply with relevant Arboriculture and Forestry Advisory Group (AFAG) Safety Guides
- Candidates should be familiar with the machine that they are going to operate.
- Appropriate Personal Protective Equipment (PPE) must be worn at all times.
- 6. A First Aid kit meeting current regulations, of the appropriate size for the number of persons on site, must be available.
- The Assessor must ensure a Risk Assessment is carried out, and sufficient control measures implemented.
- Any necessary permissions must have been granted, and notifications made as appropriate: (e.g. Forestry Commission, Forest Enterprise, Private owners etc).
- All equipment being used for this assessment must comply with relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998 and Lifting Operations and Lifting Equipment Regulations (LOLER) 1998.
- 10. Information may be sought from the relevant operator manuals or any other appropriate training or safety publication.
- 11. Provision must be made to avoid the risk of environmental pollution and adequate control measures must be implemented. (a suitable response kit to be available on the machine)
- 12. It is the responsibility of the Assessor and the Candidate to ensure that any additional requirements and provisions are met as relevant to this qualification.
- 13. Whenever the Candidate leaves the base machine, the parking brake must be applied.
- 14. When the Base Machine is parked and left unattended, or any attachments/detachments of equipment, must carry out the safe stop procedure.
- 15. The Base Machine must be operated in such a way that the Candidate, Assessor, other persons or equipment are not endangered.
- 16. All ancillary equipment, when detached must be left in a safe and stable condition.
- 17. Candidates must comply with current regulations when working at heights regulations 2005 amended
- 18. The assessment is carried out in accordance with the safety guidelines laid down in Arboriculture and Forestry Advisory Group (AFAG) Safety Guides, Health and Safety publications and current machinery directives.
- 19. A breach of Health and Safety that puts any person at risk during the assessment process will result in the assessment being terminated and the Candidate not meeting the required standard
- 20. Initial tonnage is done on unladen weight

Validation of Equipment:

Any Base Machine complying with industry guidance and European directives is acceptable for the test, provided it is suitably equipped for all assessment activities to be carried out. Where a ROPs structure is fitted, an operator seat restraint is in place and functional.

Any machine that can lift or suspend the load above the operator, who isn't protected by adequate/suitable FOPS and OPS, will be required to produce a current LOLER certificate to the Assessor

> Published by City & Guilds **Building 500** Abbey Park Stareton Warwickshire CV8 2LY

T +44 (0)24 7685 7300 F +44 (0)24 7669 6128 www.nptc.org.uk

e-mail: information@cityandguilds.com

Candidate	A Name:		Date		Start Time:	Dura	ition	1:		
Candidate	B Name:		Date	:	Start Time:	Dura	ition	1:		
Candidate	C Name:		Date	:	Start Time:	Dura	ition	1:		
Candidate	D Name:		Date	:	Start Time: Dura			Duration:		
CRITERIA	ASSESSMENT	ASSESSOR		AS	SSESSMENT		C/	AND	IDAT	Έ
NUMBER	CRITERIA	GUIDANCE			ACTIVITIES		Α	В	С	D
4.2 4	Outline the emergency planning procedures relevant to the working area	The Candidate to state five factors in emergence planning		location name	g procedures for a site o	ould				
			•	designated me	eting place					
				site location na	ame					
				nearest access	s point					
				street name/dis	•					
				type of access						
				• •	pter landing area					
					of nearest doctor					
			•	location and ph accident and e	none number of nearest mergency hospital or contact details					
			•	•				Ш		
			•	your own conta	act number					
					Met ✓ Not N	/let X				
1.1 1	Identify the hazards and risks associated with the working area and the proposed work		r	ause harm) and riselevant to:	nything with the potential sks (who might be harme					
		The Candidate to state four hazards and four		he work area/worl 	k to be done					
		risks with the working area/work to be done	•	lazards power lines terrain						
				access routes	5					
				chain shot						
				risk zones						
				struck by timb	per					
				other						
				Risks				,		1
			•		!					
			•	operator						
			•	F						
			•	other machine						
			•	other						
		The Candidate to state four hazards and three		he machine						
		risks for the machine		lazards						
					aress					
					g. 000					
				working at he	iahte					
			•	=	igino					
			•	spillages						
			•	otner						

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C A	AND B	C IDA	TE D
1.1 cont			Risks • public • operator				
			environment other				
			Met√ Not Met X				
1.2	Use appropriate tools, equipment and personal protective equipment (PPE)	Assessor to observe appropriate tools, equipment and PPE are used in accordance to	All tools, equipment and Personal Protective Equipment are used in line with industry good practice e.g. AFAG/HSE. During all on site operations PPE in				
1	(ГГС)	industry good practice	accordance with industry good practice must be worn.				
		All applicable to the task at hand	Personal Protective Equipment identified could include: safety helmet (if required)				
			hearing protection (where needed)suitable protective glovesprotective boots				
			non snag outer clothinghigh visibility clothing where risk				
			assessment identifies ithand cleaning materialsfirst aid kit				
			other Met ✓ Not Met X				
4.1	Outline key health and safety legislation and industry good practice	The Candidate to state two relevant points of each of the following:	Outline key points from the legislation listed below:				
4		Health and Safety at Work Act (HSWA) (1974)	Health and Safety at Work Act (HSWA) (1974) – • general duties for employers and employees				
			maintain safe places of work other				
		Provision and Use of Work Equipment Regulations 1998	Provision and Use of Work Equipment Regulations 1998 (PUWER 98) – record keeping				
		(PUWER 98)	operators adequately trainedequipment fit for purposeother				
		Lifting Operations and Lifting Equipment Regulations (1998) (LOLER)	Lifting Operations and Lifting Equipment Regulations (1998) (LOLER) main requirements of the LOLER required by the machine				
			risk zonessafe working load				
			 inspection by a competent person operating controls labelled other				
		Reporting of Injuries, Diseases and Dangerous Occurrences Regulations	Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (RIDDOR)				
		1995 (RIDDOR)	 reporting of accidents reporting of dangerous occurrences other				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT		AND		
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
4.1 cont		Working at Heights	Working at Heights				
4.1 0011			adequate precautions taken for safe				
			working procedures				
			any height constitutes working at heights				
			other				
		Control of Substances Hazardous to Health	Control of Substances Hazardous to Health (COSHH) Regulations (2002)				
		(COSHH) Regulations (2002)	correct PPE to be identified				
		(2002)	correct storage and application				
			disposal				
			• other				
		State two sources of industry good practice	Industry Good Practice				
		information	Arboriculture Forestry Advisory Group				
			(AFAG) information Health and safety in forestry				
			Forest and water guidelines				
			Operators manual				
			Operators mandar				
		State two factors of lone working	Lone working				
			effective communication system				
			fail to safe system				
			reporting in times				
		State two procedures to be followed when machine	Line contact possible procedures: • where possible, drive away to safe area				
		contacts power line	if safe, stay in machine and contact power company/supervisor				
			jump from machine, bunny hop as far as				
			possible				
		State four factors regarding working near	Power lines designated crossing point (goal posts)				
		power lines					
			liaison with power companies otherwise.				
			• site maps				
			AFAG Alectricity of work				
			electricity at work				
			• other				
			Met ✓ Not Met X				
4.4	Describe the types of records that may be	The Candidate to state two types of record	Records:				
== =	required for	keeping to meet PUWER	• logbook				
4	management and		service logbook				
	legislative requirements		time sheet				
	1 oquilolliollio		maintenance schedule				
			• other				
			Met ✓ Not Met X				
			wet ₹ not met X	Ш	Ш	Ш	L

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA [*]	TE D
NOWIDER	Carry out pre-start	GOIDANGE	Wire ropes	A	ь	C	ט
2.1 2	checks and routine maintenance on chokers	MACHINE SPECIFIC and according to operators handbook	certificatedappropriate weight rating				
		All required	inspect and report on condition type/construction				
		Assessor to observe	type/constructiondiameter appropriate to task				
		Assessor to observe	appropriate and acceptable condition of				
			splicing				
			Chokers				
			inspectedtype/construction				
			appropriate to task				
			compatibility with carriage				
			• other				
			Met ✓ Not Met X				
	Describe how	Three causes	Environmental damage may be caused by:				
4.5	environmental damage can be caused and		incorrect storage of fuel and oil				
4	minimised		defective machinery				
			poor work practices				
			oil and fuel spillages				
			• other				
		Three preventions	Environmental damage may be prevented by				
			following principles of industry good practice				
			good housekeeping				
			appropriately trained operators				
			spill kits are available				
			• other				
			Met ✓ Not Met X				
	Describe the correct	The Candidate to state	Disposal of waste from workplace activities may				
4.6	methods for disposing of waste	one method	include: use of designated waste/recycle bins				
4	or waste		waste oils placed in approved containers for				
			disposal other				
			other				
			Met ✓ Not Met X				
5.1	Explain the purpose and comment on condition of all the rigging	All required	Components to include: Strops				
5	components used in the operation		appropriate weight rating				
	орегация		correct length				
			inspected				
			• type				
			Shackles				
			appropriate weight rating				
			• inspected				
			type size				
			• 3IZG				

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	A	AND	DIDA.	TE
	ONTENA	COIDAIGE	Anchor ropes			J	
5.1 cont			appropriate weight rating				
			correct lengthinspected				
			Kuplex ring (if appropriate)				
			appropriate weight ratinginspected				
			• type				
			• size				
			Wire Ropes				
			• certificated				
			appropriate weight ratinginspect and report on condition				
			type/construction				
			diameter appropriate to task				
			Hand winches (where appropriate)				
			appropriately rated				
			• inspected				
			typesize				
			shear pin				
			• handle				
			• other	□			
			Pulleys				
			appropriate weight rating				
			inspectedtype				
			• size				
			certificated				
			Carriage				
			appropriate weight rating				
			• inspected				
			typesize				
			locking/braking device (if fitted)				
			Correct end termination				
			clamps/clipssnap link set				
			other	_			
			Supports				
			appropriate weight rating				
			• inspected				
			typesize				
			compatibility with carriage				
			• other	□			
			Met ✓ Not I	Viet X			

CRITERIA NUMBER	ASSESSMENT CRITERIA	ASSESSOR GUIDANCE	ASSESSMENT ACTIVITIES	C.	AND B	IDA1	TE D
	Carry out site survey on	The site can be clear fell	Site survey to include identifying				
2.2	assessment site	or thinning	a straight rack				
2			suitable supports (if applicable)				
			suitable anchors				
			overhead hazards				
			Met ✓ Not Met X				
	State the factors to be	All required	Factors may include:				
5.2	taken in to account when setting up a cable		• uphill				
5	crane on different site		upnill downhill				
	types		• convex				
			• concave				
			thinning / clear fell				
			Met ✓ Not Met X				
5.3	State the reasons when it would be acceptable	One reason	steep downhill extraction				
5.5	to use off set winching		topographyother				
5	_		• other				
			Met ✓ Not Met X				
F 4	Explain the use of a		reduce manual handling				
5.4	straw line		pulling haul back rope around system				
5							
	Rig straw line		Met ✓ Not Met X • identify route of haul back rope	Щ	Щ	브	닏
3.1	Trig straw line		install strops and pulley blocks correctly				
		Assessor to observe	using tie backs where necessary				
3			thread the straw line around system				
			pull haul back line around the systemstow straw line correctly				
			3tow straw line correctly				
			Met ✓ Not Met X				
5.5	Explain how to rig the		Suitable tree selected				
0.0	tail spar tree		in line with the tower				
5			suitable height				
			suitable girthadequate root system				
3.2	Rig tail spar tree		suitable back anchor points available				
	rug tan opar a co		·				
3		Range of equipment used for rigging is at the	Equipment required				
		assessor discretion	strops				
			kuplex rings				
			• shackles				
			back anchor ropes				
			anchoring system				
			Access equipment				
			ladder				
			climbing spikes				
			rope and harness other				
			• other		Ш		

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT	-	AND		
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES	Α	В	С	D
5.5			Rigging layout				
5		In front or behind spar tree	Skyline				
		to be explained	in front of spar tree				
			behind spar tree				
3.2			OR				
3			High lead				
Cont			• in front				
			Met ✓ Not Met X				
	Describe how to rig an	All required	Material selected				
5.6	artificial spar system						
_	and artificial support		suitable legs of adequate length and diameter				
5			suitable connectors (cap or diagonal				
			lashing)				
			suitable length of back anchor rope				
			suitable anchor(s) selected and attached				
			adequate footings selected				
			small pole selected to gain height of support				
			legs				
			support legs rigged for the system selected running ropes through pulleys				
			fixed rope through hanger or snatch block				
			correct angle of legs achieved				
			legs raised to the appropriate angle using an acceptable method				
			check security of installation				
			Met ✓ Not Met X				
	Explain how to install		EITHER	H			
5.7	intermediate supports using standing trees		Skyline				
5	using standing trees	Range of equipment	Skyllile				
		described for rigging is at the assessors discretion	Suitable tree selected				
		M support or single	equal distance either side of the extraction route				
		support to be described	preferably in line with each other				
			suitable height				
			suitable girth				
			adequate root system				
			suitable back anchor points available				
			·				
			Select suitable equipment				
			strops				
			kuplex rings				
			shackles				
			back anchor ropes				
			anchoring system				
			• pulleys			_	
			<u> </u>	┸┈	Ш	Ш	

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT			IDA	
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES Access equipment	Α	В	С	D
5.7 cont			Access equipment				
			ladder				
			climbing spikes				
			rope and harness				
			• other				
			OR				
			High lead				
			Not applicable				
			Met ✓ Not Met X				
1.0	Explain why it is	State One	Importance of communication could include				
4.3	important to maintain good communication		health and safety				
4	and team work within		site planning/co-ordination				
	the working		other				
	environment						
			Met ✓ Not Met X				
	Install haul-back line or		connect haul back rope to straw line using				
3.3	cable	Assessor to observe	approved methodhaul back rope winched around system				
3		Assessor to observe	straw line disconnected and stored				
			Straw line disconnected and stored				
			Met ✓ Not Met X				
3.4	Install skyline		EITHER				
		Assessor to observe	Skyline				
3		7,0000001 to 0200170	skyline is connected to haul-back line installed and anchored / terminated				
			OR				
			High lead				
			Not applicable				
			Met ✓ Not Met X				
	Install carriage		EITHER				
3.5		Assessor to observe	Skyline				
3			carriage installed onto the skyline rope				
			security checked				
			haul in rope threaded through carriage				
			suitable chocker system attached				
			haul back rope attached to carriage				
			skyline tensioned				
			suitable working height achieved				
			release mechanism tested				
			communication system(s) checked				
			skyline de-tensioned/lowered				

CRITERIA	ASSESSMENT	ASSESSOR	ASSESSMENT			IDA.	_
NUMBER	CRITERIA	GUIDANCE	ACTIVITIES OR	Α	В	С	D
3.5 cont			High lead				
			carriage installed security checked				
			haul in rope threaded through carriage				
			suitable chocker system attached				
			haul back rope attached to carriage				
			suitable working height achieved				
			de-tensioned and lowered				
			Met ✓ Not Met X				
3.6	Chokering operations	Assessor to observe	the carriage should be halted at the correct position on the command of the choker				
3		The Candidate will carry out a suitable method of chokering, according to	personthe load should be chokered				
		site specifications, of one of the following	The choker person must not operate				
		- Sawlogs	in the bight of any ropes or cablesstand under any supports				
		OR	underneath the carriage				
		- short wood OR - whole tree	the choker person must				
		Candidate to extract sufficient timber to enable	move to a safe area before communicating haul in				
		assessor to evaluate the	observe load moving to carriage				
		candidate has met the	communicate when at carriage				
		criteria	communication when to release brake				
			Met ✓ Not Met X				
3.7	Carry out splicing	One to be carried out	Candidate to carry out				
3		Soft eye Modified	soft eye splice OR				
			modified splice				
			splice cable				
			appropriate hand and eye protection				
			Met ✓ Not Met X				
1.3	Work in a way which maintains health and safety and is consistent	Assessor to observe	All activities must be completed in a way which protects the operator and those around them.				
1	with relevant legislation and industry best practice		Met ✓ Not Met X				
1.4	Carry out work to minimise environmental damage	Assessor to observe	It is ensured that any possible environmental damage is minimised at all times during on site operations				
1			Met ✓ Not Met X				

Summary of Assessment (The A	lssessor is	to come	lete the	e followina a	as appropriate)
-------------------------	-------	-------------	---------	----------	---------------	-----------------

Candidate A	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓	
	Signed:	Date:			
Candidate B	Candidate has met all of the assessment criteria	Tick	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓	
	Signed:	Date:	ate:		
Candidate C	Candidate has met all of the assessment criteria	Tick	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓	
	Signed: Date:				
Candidate D	Candidate has met all of the assessment criteria	Tick ✓	The Candidate has not met all of the assessment criteria; (state reason(s))	Tick ✓	
	Signed:	Date:	I		
For use by Internal Verifier ONLY if the assessment process was internally verified (Internal Verifier to complete ONE of the boxes below)					
	I observed an assessment process taking place and I am satisfied that the assessment was conducted in line with the qualification requirements and that the judgement of the Assessor was appropriate.				
I observed an assessment process taking place. The following were noted as areas of concern.				Tick ✓	
Sig	ned:	Date:			