



City & Guilds NPTC Level 2 Award in the Safe Application of Pesticides Using Specialist Equipment (PASC) (601/5153/5)

Version 1.0 (February 2024)

Assessment Pack – Centre and Candidate Version

Version and date	Change detail	Section
1.0 February 2024	First version	All

Contents

Introduction	3
231 Operating automated equipment for applying pesticides	5
232 Operation of mounted, trailed or self propelled electostatic charged sprayers for applying pesticides to Crops	10
233 Operation of pesticide applicators attached to cultivating or planting equipment	17
234 Operation of a sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides	24
235 Operation of a bankside sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides	30
236 Operating 'any other' equipment for applying pesticides	35
Appendix 1 Practical table	44
231 Operating automated equipment for applying pesticides	44
232 Operation of mounted, trailed or self propelled electostatic charged sprayers for applying pesticides to Crops	45
233 Operation of pesticide applicators attached to cultivating or planting equipment	45
234 Operation of a sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides	46
235 Operation of a bankside sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides	47
236 Operating 'any other' equipment for applying pesticides	48
Appendix 2 Sources of general information	49

Introduction

This assessment relates to the unit in the Qualification handbook. The assessment can be achieved at pass only. If any task is not yet met the candidate is unsuccessful.

This assessment is for the following units and learning outcomes:

231 Operating automated equipment for applying pesticides covering the following learning outcomes:

1. Know the legislative and safety regulations relating to application equipment
2. Be able to assess the environmental factors relating to mixing and application
3. Be able to read and interpret product information
4. Be able to prepare and calibrate the automated/robotic equipment
5. Be able to operate the application equipment
6. Know how to carry out post-operational procedures

232 Operation of Mounted, Trailed or Self Propelled Electrostatic Charged Sprayers for applying Pesticides to Crops covering the following learning outcomes:

1. Know the legislative and safety regulations relating to application equipment
2. Be able to assess the environmental factors relating to mixing and application
3. Be able to read and interpret product information
4. Be able to prepare and calibrate the applicator
5. Be able to operate the application equipment
6. Know how to carry out post-operational procedures

233 Operation of Pesticide Applicators attached to Cultivating or Planting Equipment covering the following learning outcomes:

1. Know the legislative and safety regulations relating to application equipment
2. Be able to assess the environmental factors relating to the filling & application site
3. Be able to read and interpret product information
4. Be able to prepare and calibrate the applicator(s)
5. Be able to operate the applicator(s)
6. Know how to carry out post-operational procedures

234 Operation of a sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides covering the following learning outcomes:

1. Know the legislative and safety regulations relating to application equipment
2. Be able to assess the environmental factors relating to filling, mixing and application
3. Be able to read and interpret product information
4. Be able to prepare and calibrate the applicator
5. Be able to operate the application equipment
6. Know how to carry out post-operational procedures

235 Operation of a bankside sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides covering the following learning outcomes:

1. Know the legislative and safety regulations relating to application equipment
2. Be able to assess the environmental factors relating to filling, mixing and application
3. Be able to read and interpret product information

4. Be able to prepare and calibrate the applicator
5. Be able to operate the application equipment
6. Know how to carry out post-operational procedures

236 Operating 'any other' equipment for applying pesticides covering the following learning outcomes:

1. Know the legislative and safety regulations relating to application equipment
2. Be able to assess the environmental factors relating to filling, mixing and application
3. Be able to read and interpret product information
4. Be able to prepare and calibrate the applicator
5. Be able to operate the application equipment
6. Know how to carry out post-operational procedures

General guidance on the requirements for assessment can be found in the Assessor Guidance General guidance on the requirements for assessment can be found in the Assessor Guidance document available on the City & Guilds web site www.nptc.org.uk

The assessor must complete the Practical Table mark sheet for each candidate which should be kept by the assessor for a minimum period of twelve months.

Record of assessment (ROA)

A prepopulated record of assessment must be completed by the assessor following an assessment. The number of outcomes is listed above, these must be ticked into the relevant met or not met sections of the ROA.

ARAS Forms

An Assessment Result Advice Slip (ARAS form) must be completed by the assessor following an assessment. The ARAS is not a certificate but, based on the evidence of the candidate's performance, is a recommendation to City & Guilds that the candidate is either met or not met the assessment criteria. All feedback is to be recorded by the assessor on the feedback section of the ARAS form.

Assessment Time

The expected assessment time for this qualification is 1.5 – 3 hours.

Summary of responsibilities in the assessment process		
Centre responsibilities	Candidate responsibilities	Assessor responsibilities
A suitable site is made available for the assessment to take place		Ensuring that the site provided is suitable for the assessment to take place
Machinery, equipment and materials are available to enable assessment of all the activities to take place	To be familiar with the machinery/equipment being used for the assessment	Ensuring that the machinery, equipment and materials provided satisfy the assessment requirements
	To bring appropriate Personal Protective Equipment (PPE) to the assessment	Ensuring that candidate's PPE complies with the requirements of the assessment
	To bring relevant training materials (including calibration sheet if applicable)	

	To bring a product label appropriate for the assessment	To ensure that the product label is appropriate for the assessment (or provide a suitable alternative)
--	---	--

This is not an open book assessment, however additional technical information may be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Practical observation descriptor table

231 Operating automated equipment for applying pesticides:

Activity number and description from check list		Assessment criteria
1.1	Describe the legal requirements relating to applying pesticides using automated or robotic equipment	May include: <ul style="list-style-type: none"> all required guards are in place and equipment complies with legal requirements comply with The Plant Protection Products (Sustainable Use) Regulations 2012 the operator must hold the appropriate certification for the equipment they are using
1.2	Describe how to apply pesticides safely using automated or robotic equipment following industry best practice	May include: <ul style="list-style-type: none"> comply with Pesticide Codes of Practice adopt industry best practice be aware of any safety implications imposed by COSHH/Risk Assessment and comply with the requirements
2.1	Identify risks to the environment	May include: <ul style="list-style-type: none"> ground conditions water courses drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site
2.2	Explain how to minimise risks to the environment	Explanation may include the following points: <ul style="list-style-type: none"> check and maintain application rate

		<ul style="list-style-type: none"> • avoid spray drift • avoid off target application • observe buffer zones • comply with LERAP requirements • inform neighbours • erect warning signs • use an appropriate pesticide (minimal environmental impact) • appropriate timing of application • operate within any temperature parameters <p>Minimising spray drift:</p> <ul style="list-style-type: none"> • avoidance of contamination to people and the environment <p>Check wind speed and direction:</p> <ul style="list-style-type: none"> • use of anemometer at suitable height or visible signs • wind direction <p>Factors that affect spray drift:</p> <ul style="list-style-type: none"> • wind speed and direction • nozzle type and size • pressure • forward speed • nozzle height • defective equipment • suction effect of wind
3.1 - 3.2	<p>Read product information</p> <p>Interpret product information</p>	<p>May include the following:</p> <ul style="list-style-type: none"> • product name • active substance(s) (ingredient(s)) <p>Important information:</p> <ul style="list-style-type: none"> • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection • environmental protection • restrictions on use <p>Crop specific information:</p> <ul style="list-style-type: none"> • crop/target • dose rate • water volume • timing <p>Mixing and spraying:</p> <ul style="list-style-type: none"> • filling

		<ul style="list-style-type: none"> • reduced volume applications (if applicable) • recommended nozzles • recommended pressure • spray quality • additional label information • compatibility
4.1	Identify the components & controls on the equipment	<p>May include:</p> <ul style="list-style-type: none"> • tank • lid • filters • pipe work • pump • pressure control • nozzles • pressure gauge • connections • seals • metering devices • mechanical/electrical controls • programming controls <p>Nozzle types</p> <ul style="list-style-type: none"> • flat fan – fine/medium/coarse spray • air inclusion – medium/coarse spray, low-drift • cone – fine spray good coverage
4.2	Carry out pre use checks to the prime mover (if applicable)	<p>May include:</p> <ul style="list-style-type: none"> • integrity of power source • fluid levels • fail-safe systems
4.3	Carry out pre-use checks to the application equipment	<p>May include:</p> <ul style="list-style-type: none"> • metering & delivery systems • drive systems • condition & tension of belts <p>Security of attachment</p> <ul style="list-style-type: none"> • boom suspension/break-back devices (if applicable) • security of attachment to prime mover • lubrication of components • checking for leaks under pressure • any problems identified to be rectified if within operators level of responsibility and ability
4.4	Calibrate the application equipment and record relevant data	<p>May include:</p> <ul style="list-style-type: none"> • accurate measurements • accurate timings

		<ul style="list-style-type: none"> • accurate calculations • correct use of formulae <p>Calibration data may include:</p> <ul style="list-style-type: none"> • equipment settings used • product used for calibration • application rate achieved
4.5	Measure the area to be treated	<p>Must include:</p> <ul style="list-style-type: none"> • accurate measurements
4.6	Calculate the area to be treated	<p>Must include:</p> <ul style="list-style-type: none"> • accurate calculations
4.7	Calculate the quantities of pesticide and water required for a specified area	<p>May include:</p> <ul style="list-style-type: none"> • amount of water required for specified area • amount of pesticide required for specified area
5.1	Measure the required quantities and add to the applicator, or attach pesticide container	<p>To include all of the following:</p> <ul style="list-style-type: none"> • correct selection and use of PPE/RPE (as required by the product label, COSHH/Risk Assessment) • suitable site selected • fill following product recommendations and approved procedures • correct use of water supply • accurate measurement of water • accurate measurement of pesticide • avoidance of spillage or • attach pesticide container
5.2	Demonstrate safe and accurate application procedures	<p>To include:</p> <ul style="list-style-type: none"> • treatment area clearly identified • constant speed maintained • accurate switch on/off points • accurate matching of bouts • obstacles dealt with correctly (if applicable) • area treated minimising overlaps and misses • awareness of changing climatic conditions and appropriate action taken (if applicable)
5.3	Carry out all activities protecting human health and the environment	<p>To include:</p> <ul style="list-style-type: none"> • prevention of personal injury and contamination through correct selection and use of PPE/RPE (as required by the product information and/or COSHH/Risk Assessment) • prevention of public/bystander contamination

		<ul style="list-style-type: none"> • safe filling procedure • avoidance of spray drift • avoidance of off target application • avoidance of over/under dosing crop/target/plant material
5.4	Complete a treatment record	<p>Completion of the treatment record must be:</p> <ul style="list-style-type: none"> • accurate • legible (if handwritten)
6.1	Explain how to manage surplus pesticide and dispose of waste material	<p>Surplus concentrate pesticide</p> <ul style="list-style-type: none"> • return to temporary mobile store • return to fixed store <p>Containers:</p> <ul style="list-style-type: none"> • triple rinsed • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor <p>Packaging:</p> <ul style="list-style-type: none"> • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor <p>Surplus dilute pesticides</p> <ul style="list-style-type: none"> • back on to target as long as it is below the maximum dose rate • use on another approved crop/target • treated by specialist treatment facility on site (e.g. a lined bio bed) • collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the application equipment	<p>May include:</p> <ul style="list-style-type: none"> • select and use correct PPE/RPE • selection of an appropriate site for cleaning the application equipment • triple rinse the applicator following product information recommendations • through flushing of system • safe disposal of contaminated washings in an appropriate manner following good practice • safe procedures followed
6.3	Describe the storage requirements for the application equipment	<p>May include:</p> <ul style="list-style-type: none"> • de-pressurisation • ensure the application equipment is clean and dry • inspect for wear or damage

		<ul style="list-style-type: none"> • repair or notify supervisor if not within operators level of responsibility and ability • lubricate if required • frost protection measures implemented • nozzles and filters removed prior to freezing conditions • store in a secure area • isolation of any electrical controls • store under cover and out of direct sunlight
--	--	---

232 Operation of mounted, trailed or self propelled electrostatic charged sprayers for applying pesticides to crops:

1.1	Describe the legal requirements relating to applying pesticides using electrostatic equipment	<p>May include:</p> <ul style="list-style-type: none"> • all required guards are in place and equipment complies with legal requirements • comply with all relevant road traffic regulations when operating or transporting on the public highway • comply with The Plant Protection Products (Sustainable Use) Regulations 2012 • the operator must hold the appropriate certification for the equipment they are using
1.2	Describe how to apply pesticides safely using electrostatic equipment following industry best practice	<p>Operator safety regulation may include:</p> <ul style="list-style-type: none"> • comply with Pesticide Codes of Practice • adopt industry best practice • be aware of any safety implications imposed by COSHH/Risk Assessment and comply with the requirements • awareness of possible electro-hazards <p>Checks to protect self from pesticide contamination:</p> <p>Sealed cab:</p> <ul style="list-style-type: none"> • fit carbon filter • use of in-cab controls • ensure ventilation system is functional • close all windows • contaminated PPE stored in external locker • awareness of the siting of pressurised • components within confines of cab <p>Open cab/canopy/platform:</p>

		<ul style="list-style-type: none"> • use of appropriate PPE • awareness of the siting of pressurised components within confines of cab/canopy/platform <p>Checks to protect self from physical danger during operation:</p> <ul style="list-style-type: none"> • compatibility of prime mover and sprayer • front weights • wheel track width • correct tyre pressures • condition of tyres • brake function • circuit integrity <p>Safe practice when driving on uneven/sloping terrain:</p> <ul style="list-style-type: none"> • assess conditions • select four wheel drive (if fitted) • appropriate speed • correct gear selection • effect of changing load on stability • use of weights to stabilise prime mover • correct turning procedure
2.1	Identify risks to the environment	<p>May include:</p> <ul style="list-style-type: none"> • ground conditions • water courses • environmental margins/strips/areas • drains • boreholes • wildlife • non-target plants • sensitive crops/areas • hedgerows • housing • public access • other risks particular to the site
2.2	Explain how to minimise risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> • use of an appropriate pesticide • careful timing of application • check and maintain application rate • avoid spray drift • observe buffer zones • erect warning signs • notify neighbours before application <p>Minimising off target application and spray drift</p>

		<ul style="list-style-type: none"> • avoidance of contamination to people and the environment <p>Check wind speed and direction:</p> <ul style="list-style-type: none"> • use of anemometer at suitable height or visible signs • wind direction <p>Factors that affect spray drift:</p> <ul style="list-style-type: none"> • wind speed and direction • nozzle type and size • pressure • forward speed • nozzle height • defective equipment
3.1 - 3.2	<p>Read product information</p> <p>Interpret product information</p>	<p>May include the following:</p> <ul style="list-style-type: none"> • product name • active substance(s) (ingredient(s)) • suitability for electrostatic applications <p>Important information:</p> <ul style="list-style-type: none"> • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection • environmental protection • restrictions on use <p>Crop specific information:</p> <ul style="list-style-type: none"> • crop/target • dose rate • water volume • timing <p>Mixing and spraying:</p> <ul style="list-style-type: none"> • filling • reduced volume applications (if applicable) • recommended nozzles • recommended pressure • spray quality • additional label information • compatibility
4.1	Identify sprayer components and controls	<p>May include:</p> <ul style="list-style-type: none"> • main spray tank • pump • pulsation damper • filling control and devices

		<ul style="list-style-type: none"> • agitation control • pressure adjustment control • pressure gauge • on/off control • boom isolators • boom section pressure compensation controls • filters • tank wash system • clean water tank(s) • nozzles/atomisers • diaphragm check valves • tank drain • earthing system • other components/controls specific to the applicator <p>Nozzle types</p> <ul style="list-style-type: none"> • flat fan – fine/medium/coarse spray • air inclusion – medium/coarse spray, low-drift • cone – fine spray good coverage
4.2	Carry out pre use checks to the prime mover	<p>May include:</p> <ul style="list-style-type: none"> • guards in place and in good condition • visual inspection of the wheels and tyres • tyre pressures • fuel level adequate • engine oil level is within acceptable limits • hydraulic oil level is within acceptable limits (if accessible) • transmission oil level is within acceptable limits (if accessible) • coolant level is adequate • engine air filter is clean
4.3	Carry out pre-use and operational checks to the sprayer	<p>May include all/some of the following as applicable to the sprayer:</p> <p>Possible mechanical & electrical defects</p> <ul style="list-style-type: none"> • seized, worn or damaged controls/components • integrity of electrostatic circuitry <p>Sprayer lubrication:</p> <ul style="list-style-type: none"> • identification of lubrication points • visual inspection of lubrication points • visual inspection of oil levels <p>Security of attachment</p> <ul style="list-style-type: none"> • fasteners tight

		<ul style="list-style-type: none"> • straps inspected and adjusted if necessary • linkage secure • sideways movement restricted • drawbar pin secured <p>Boom settings, suspension and break-back devices:</p> <ul style="list-style-type: none"> • safe unfolding of booms to avoid personal contamination and contact with Over Head Power Lines (OHPL) and any other overhead hazards • boom suspension operational • parallel linkage operational • break-back efficiency • height adjustment <p>Remove, clean & refit a filter</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • replace if worn/damaged • refit <p>Remove, clean/replace & refit a nozzle</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • replace if worn/damaged • refit <p>Part fill sprayer</p> <ul style="list-style-type: none"> • suitable site selected • fill by usual on-site method, following approved procedure • clean water supply <p>Check for leaks/spray patterns:</p> <ul style="list-style-type: none"> • use higher than normal operating pressure • visual check of all nozzles for correct spray patterns • absence of blockages, streaking, pulsing & correct alignment • replace defective nozzles/diaphragm check valves • electrostatic feature operational <p>Use of control panel may include:</p> <ul style="list-style-type: none"> • functions of control panel • recognition of malfunctions before and during operation
--	--	---

		<ul style="list-style-type: none"> • check accuracy of calibration • switch to manual/test mode where applicable <p>Action in event of control panel failing:</p> <ul style="list-style-type: none"> • stop pesticide operation • manual operation of controls if possible
4.4	Calibrate the application equipment and record relevant data	<p>Calibration may include the following:</p> <ul style="list-style-type: none"> • select suitable forward speed for crop & ground conditions • appropriate gear selected and engine speed established • accurate measurement of distance • accurate measurement of time taken to cover distance • correct use of formula to determine forward speed <p>Output/volume rate</p> <ul style="list-style-type: none"> • correct use of formula <p>Selection of nozzle:</p> <ul style="list-style-type: none"> • use of manufacturer's/operator's handbook • use of nozzle manufacturer's literature • confirm requirements of product label <p>Set operating pressure</p> <ul style="list-style-type: none"> • pressure as determined from nozzle chart • pressurise/purge appropriate to the system <p>Nozzle outputs</p> <ul style="list-style-type: none"> • electrostatic system disabled • use measuring jug to check output from at least one nozzle per boom section • compare with target output • vary pressure to make small adjustments • change nozzles if required <p>Calibration data may include:</p> <ul style="list-style-type: none"> • registration number of vehicle • tyre size & pressure • gear selected • engine speed • forward speed • application volume • nozzle fitted • operation pressure • flow rate

4.5	Calculate the quantities of pesticide and water required for a specified operation	<p>May include:</p> <ul style="list-style-type: none"> • amount of water required for specified area • amount of pesticide required for specified area • amount of pesticide required for full tank
5.1	Measure the required quantities and add to sprayer	<p>To include all of the following:</p> <ul style="list-style-type: none"> • correct selection and use of PPE/RPE (as required by the product label, COSHH/Risk Assessment) • suitable site selected • fill following product recommendations and approved procedures • correct use of water supply • accurate measurement of water • accurate measurement of pesticide • avoidance of spillage • observance of pesticide manufacturer's instructions for mixing & agitation
5.2	Demonstrate safe and accurate application procedures	<p>Methods to achieve accurate application</p> <p>May include any of the following:</p> <ul style="list-style-type: none"> • tramlines • crop rows • blob markers • marker poles • use of GPS <p>Procedure to refill applicator part way through application:</p> <ul style="list-style-type: none"> • avoid contact with contaminated crop • mark the spot at which the sprayer emptied • refill sprayer • continue spraying by accurately matching at the appropriate point <p>Procedure when nozzle/restrictor becomes blocked during an application</p> <ul style="list-style-type: none"> • select and use appropriate PPE/RPE • care not to walk in contaminated crop • clean or replace nozzle as appropriate <p>Demonstrate safe and accurate application procedures to include:</p> <ul style="list-style-type: none"> • ensure boom is level or aligned to the target • correct boom height according to the target and type of nozzle • treatment area clearly identified • constant speed maintained • accurate switch on/off points

		<ul style="list-style-type: none"> • accurate matching of bouts • obstacles dealt with correctly (if applicable) • area treated minimising overlaps and misses • awareness of changing weather conditions and appropriate action taken (if applicable)
5.3	Carry out all activities protecting human health and the environment	<p>To include:</p> <ul style="list-style-type: none"> • prevention of personal injury and contamination through correct selection and use of PPE/RPE (as required by the product information and/or COSHH/Risk Assessment) • prevention of public/bystander contamination • safe filling procedure • avoidance of spray drift • avoidance of off target application • avoidance of over/under dosing crop/target
5.4	Complete a treatment record	<p>Completion of the treatment record must be:</p> <ul style="list-style-type: none"> • accurate • legible (if handwritten)
6.1	Explain how to manage surplus pesticide and dispose of waste material	<p>Surplus concentrate pesticide</p> <ul style="list-style-type: none"> • return to temporary mobile store • return to fixed store <p>Containers:</p> <ul style="list-style-type: none"> • triple rinsed (if applicable) • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor <p>Packaging:</p> <ul style="list-style-type: none"> • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor <p>Surplus dilute pesticide</p> <ul style="list-style-type: none"> • back on to target as long as it is below the maximum dose rate • use on another approved crop/target • treated by specialist treatment facility on site (e.g. a lined bio bed) • collected by a licensed waste disposal contractor

6.2	Explain how to clean and decontaminate the applicator and prime mover (if applicable)	<p>May include:</p> <ul style="list-style-type: none"> • select and use correct PPE/RPE • selection of an appropriate site for cleaning the application equipment • triple rinse the applicator following product information recommendations • through flushing of system • safe disposal of contaminated washings in an appropriate manner following good practice • safe procedures followed
6.3	Describe the storage requirements for the sprayer	<p>May include:</p> <ul style="list-style-type: none"> • ensure the application equipment is clean and dry • inspect for wear or damage • repair or notify supervisor if not within operators level of responsibility and ability • lubricate if required • frost protection measures implemented • store in a secure area • isolation of any electrical controls/components • store under cover and out of direct sunlight

233 Operation of pesticide applicators attached to cultivating or planting equipment:

1.1	Describe the legal requirements relating to applying pesticides using equipment attached to cultivators or planters	<p>May include:</p> <ul style="list-style-type: none"> • all required guards are in place and equipment complies with legal requirements • comply with all relevant road traffic regulations when operating or transporting on the public highway • comply with The Plant Protection Products (Sustainable Use) Regulations 2012 • the operator must hold the appropriate certification for the equipment they are using
1.2	Describe how to apply pesticides safely using equipment attached to cultivators or planters following industry best practice	<p>Operator safety regulation may include:</p> <ul style="list-style-type: none"> • comply with Pesticide Codes of Practice • adopt industry best practice • be aware of any safety implications imposed by COSHH/Risk Assessment and comply with the requirements <p>Sealed cab:</p>

		<p>Checks to protect self from pesticide contamination:</p> <ul style="list-style-type: none"> • fit carbon filter • use of in-cab controls • ensure ventilation system is functional • close all windows • contaminated PPE stored in external locker • awareness of the siting of pressurised components within confines of cab <p>Open cab/canopy/platform:</p> <ul style="list-style-type: none"> • use of appropriate PPE • awareness of the siting of pressurised components within confines of cab/canopy/platform <p>Checks to protect self from physical danger during operation:</p> <ul style="list-style-type: none"> • compatibility of prime mover and sprayer • front weights • wheel track width • correct tyre pressures • condition of tyres • brake function <p>Safe practice when driving on uneven/sloping terrain:</p> <ul style="list-style-type: none"> • assess conditions • select four wheel drive • appropriate speed • correct gear selection • effect of changing load on stability • use of weights to stabilise prime mover • correct turning procedure
2.1	Identify risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> • water courses • ground conditions • drains • boreholes • wildlife • non-target plants • sensitive crops/areas • housing • public/co-worker access • environmental margins/strips/areas • other risks specific to the site
2.2	Explain how to minimise risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> • use of appropriate pesticides

		<ul style="list-style-type: none"> • careful timing of application • check and maintain application rate • avoid spray drift • observe buffer zones • erect warning signs • notify neighbours before application <p>Check wind speed and direction:</p> <ul style="list-style-type: none"> • use of anemometer at suitable height or visible signs • wind direction <p>Minimising off target application and spray drift</p> <ul style="list-style-type: none"> • avoidance of contamination to people and the environment <p>Factors that affect target application:</p> <ul style="list-style-type: none"> • wind speed and direction • nozzle type and size • pressure • forward speed • nozzle height • defective delivery mechanisms
<p>3.1</p> <p>3.2</p>	<p>Read product information</p> <p>Interpret product information</p>	<p>May include the following:</p> <ul style="list-style-type: none"> • product name • active substance(s) (ingredient(s)) <p>Important information:</p> <ul style="list-style-type: none"> • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection • environmental protection • restrictions on use <p>Crop specific information:</p> <ul style="list-style-type: none"> • crop/target • dose rate • water volume (if applicable) • timing <p>Mixing and spraying:</p> <ul style="list-style-type: none"> • filling • reduced volume applications (if applicable) • recommended nozzles • recommended pressure • spray quality

		<ul style="list-style-type: none"> • recommended aperture settings • soil incorporation requirements • additional label information • compatibility
4.1	Identify applicator components and controls	<p>May include:</p> <ul style="list-style-type: none"> • tank/hopper • lid • filters • pipe work • connections • filling controls and devices • pressure adjustment control • pressure gauge • diaphragm check valves • tank wash system • clean water tank(s) • seals • pump • mechanical/electrical controls • nozzles/delivery mechanisms • aperture controls
4.2	Carry out pre use and operational checks to the prime mover	<p>May include:</p> <ul style="list-style-type: none"> • visual inspection of the wheels & tyres • tyre pressures • fuel level adequate • engine oil within acceptable limits • hydraulic oil within acceptable limits (if accessible) • transmission oil level within acceptable limits (if accessible) • coolant level is adequate • engine air filter is clean
4.3	Carry out pre-use checks to the applicator(s)	<p>May include all/some of the following as applicable to the application equipment:</p> <p>Possible mechanical defects</p> <ul style="list-style-type: none"> • seized, worn or damaged controls/components <p>Applicator lubrication:</p> <ul style="list-style-type: none"> • identification of lubrication points • visual inspection of lubrication points • visual inspection of oil levels <p>Security of attachment</p> <ul style="list-style-type: none"> • fasteners tight • linkage secure • sideways movement restricted • drawbar pin secured

		<p>Remove, clean & refit a filter</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • refit <p>Part fill tank/hoppers</p> <ul style="list-style-type: none"> • suitable site selected • fill by usual on-site method, following approved procedures • clean water supply <p>Use of control panel may include:</p> <ul style="list-style-type: none"> • functions of control panel • recognition of malfunctions before and during operation • check accuracy of calibration • switch to manual/test mode where applicable <p>Action in event of control panel failing:</p> <ul style="list-style-type: none"> • stop pesticide application • manual operation of controls if possible
4.4	Calibrate the application equipment and record relevant data	<p>Calibration may include the following:</p> <p>Select & record forward speed</p> <ul style="list-style-type: none"> • select suitable forward speed for crop & ground conditions • appropriate gear selected and engine speed established • accurate measurement of distance • accurate measurement of time taken to cover distance • correct use of formula to determine forward speed <p>Calculate required outputs</p> <ul style="list-style-type: none"> • correct use of formula <p>Appropriate nozzle</p> <ul style="list-style-type: none"> • use of manufacturer's/operator's handbooks • use of nozzle manufacturer's literature • confirm requirements of product label <p>Operating pressure</p> <ul style="list-style-type: none"> • pressure as determined from nozzle chart • pressurise/purge appropriate to the system <p>Nozzle outputs</p> <ul style="list-style-type: none"> • use measuring jug to check liquid outputs

		<ul style="list-style-type: none"> • use weighing equipment to check powder/granule outputs • compare with target outputs • vary settings to make appropriate adjustments <p>Calibration data may include:</p> <ul style="list-style-type: none"> • registration number of prime mover • tyre size & pressure • gear selected • engine speed • forward speed • applicator settings • flow rate
5.1	Measure the required quantities of pesticide and add to the applicator(s)	<p>To include all of the following:</p> <ul style="list-style-type: none"> • correct selection and use of PPE/RPE (as required by the product label, COSHH/Risk Assessment) • suitable site selected • fill following product recommendations and approved procedures • correct use of water supply • accurate measurement of water • accurate measurement/weighing of pesticide • avoidance of spillage • observance of pesticide manufacturer's instructions for mixing and agitation (if applicable)
5.2	Demonstrate safe and accurate application procedures	<p>Methods to achieve accurate application</p> <p>May include any of the following:</p> <ul style="list-style-type: none"> • crop rows • marker poles • use of GPS <p>Procedure to refill applicator part way through application:</p> <ul style="list-style-type: none"> • avoid contact with contaminated crop • mark the spot at which the tank/hopper emptied • refill tank/hopper • continue application by accurately matching at the appropriate point <p>Demonstrate safe and accurate application procedures to include:</p> <ul style="list-style-type: none"> • constant speed maintained • accurate switch on/off points • accurate matching of bouts • obstacles dealt with correctly (if applicable)

		<ul style="list-style-type: none"> • area treated minimising overlaps and misses • awareness of changing weather conditions and appropriate action taken (if applicable)
5.3	Carry out all activities protecting human health and the environment	<p>To include:</p> <ul style="list-style-type: none"> • prevention of personal injury and contamination through correct selection and use of PPE/RPE (as required by the product information and/or COSHH/Risk Assessment) • prevention of public/bystander contamination • safe filling procedure • avoidance of spray drift • avoidance of off target application • avoidance of over/under dosing crop/target
5.4	Complete a treatment record	<p>Completion of the treatment record must be:</p> <ul style="list-style-type: none"> • accurate • legible (if handwritten)
6.1	Explain how to manage surplus pesticide(s) and dispose of waste material	<p>Surplus concentrate pesticide</p> <ul style="list-style-type: none"> • return to temporary mobile store • return to fixed store <p>Containers:</p> <ul style="list-style-type: none"> • triple rinsed (if applicable) • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor <p>Packaging:</p> <ul style="list-style-type: none"> • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor <p>Surplus dilute pesticide</p> <ul style="list-style-type: none"> • use on another approved crop/target • treated by specialist treatment facility on site (e.g. a lined bio bed) • collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the applicator(s) and prime mover (if applicable)	<p>May include:</p> <ul style="list-style-type: none"> • select and use correct PPE/RPE • selection of an appropriate site for cleaning the application equipment • triple rinse the liquid applicator following product information recommendations • through flushing of system

		<ul style="list-style-type: none"> • safe disposal of contaminated washings in an appropriate manner following good practice • thorough (dry) cleaning of powder/granule mechanisms following product manufacturer's guidelines • safe disposal of contaminated (dry) arisings following product manufacturer's guidelines
6.3	Describe the storage requirements for the applicator(s)	<p>May include:</p> <ul style="list-style-type: none"> • ensure the application equipment is clean and dry • inspect for wear or damage • repair or notify supervisor if not within operators level of responsibility and ability • lubricate if required • frost protection measures implemented • rust protection applied as appropriate • store in a secure area • isolation of any electrical controls • store under cover and out of direct sunlight

234 Operation of a sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides:

1.1	Describe the legal requirements relating to applying pesticides using rail track application equipment	<p>May include:</p> <ul style="list-style-type: none"> • all required guards are in place and equipment complies with legal requirements • comply with all relevant trackside safety regulations and protocols • comply with The Plant Protection Products (Sustainable Use) Regulations 2012 • the operator must hold the appropriate certification for the equipment they are using
1.2	Describe how to apply pesticides safely using rail track application equipment following industry best practice	<p>Operator safety regulation may include:</p> <ul style="list-style-type: none"> • comply with Pesticide Codes of Practice • adopt industry best practice • be aware of any safety implications imposed by Risk/COSHH Assessment and comply with the requirements <p>Checks to protect self from physical danger during operation:</p> <ul style="list-style-type: none"> • trackside safety protocols

		<ul style="list-style-type: none"> • safe access from ground level to spraying platform • safe travel along spraying platform
2.1	Identify risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> • water courses • drains • wildlife • viaducts • station platforms • non-target plants • sensitive crops/areas • trackside housing • public/co-worker access • other risks specific to the site
2.2	Explain how to minimise risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> • use of an appropriate pesticide • careful timing of application • check and maintain application rate • avoid spray drift • observe buffer zones <p>Check wind speed and direction:</p> <ul style="list-style-type: none"> • use of anemometer at suitable height or visible signs • wind direction <p>Minimising off target application and spray drift</p> <ul style="list-style-type: none"> • avoidance of contamination to people and the environment <p>Factors that affect spray drift</p> <ul style="list-style-type: none"> • wind speed and direction • nozzle type and size • pressure • forward speed • nozzle height & angle • defective equipment
3.1 - 3.2	<p>Read product information</p> <p>Interpret product information</p>	<p>May include the following:</p> <ul style="list-style-type: none"> • product name • active substance(s) (ingredient(s)) <p>Important information:</p> <ul style="list-style-type: none"> • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection

		<ul style="list-style-type: none"> • environmental protection • restrictions on use <p>Crop specific information:</p> <ul style="list-style-type: none"> • crop/target • dose rate • water volume • timing <p>Mixing and spraying:</p> <ul style="list-style-type: none"> • filling • reduced volume applications (if applicable) • recommended nozzles • recommended pressure • spray quality • additional label information • compatibility
4.1	Identify sprayer components and controls	<p>May include:</p> <ul style="list-style-type: none"> • tank(s) • transfer systems • filters • pipe work • connections • filling controls and devices • pressure adjustment control • pressure gauge • clean water tank • seals • pumps • mechanical/electrical controls <p>Nozzle types</p> <ul style="list-style-type: none"> • flat fan – standard boom nozzle • radial – standard spraytrain nozzle • extended reach nozzle
4.2	Carry out pre-use and operational checks to the sprayer	<p>May include all/some of the following as applicable to the sprayer:</p> <p>Possible mechanical defects</p> <ul style="list-style-type: none"> • seized, worn or damaged controls/components <p>Sprayer lubrication:</p> <ul style="list-style-type: none"> • identification of lubrication points • visual inspection of lubrication points • visual inspection of oil levels (if applicable) <p>Security of attachment</p> <ul style="list-style-type: none"> • fasteners tight • linkage secure (if applicable)

		<p>Boom settings, suspension and break-back devices:</p> <ul style="list-style-type: none"> • boom suspension operational • break-back efficiency • height adjustment <p>Remove, clean & refit a filter</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • refit <p>Remove, clean/replace & refit a nozzle</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • replace if worn/damaged • refit <p>Part fill sprayer</p> <ul style="list-style-type: none"> • suitable site selected • fill by usual on-site method, following approved procedure • clean water supply <p>Check for leaks/spray patterns:</p> <ul style="list-style-type: none"> • use higher than normal operating pressure • visual check of all nozzles for correct spray patterns • absence of blockages, streaking, pulsing & correct alignment • replace defective nozzles/diaphragm check valves <p>Use of control panel may include:</p> <ul style="list-style-type: none"> • functions of control panel • recognition of malfunctions before and during operation • check accuracy of calibration • switch to manual/test mode where applicable <p>Action in event of control panel failing:</p> <ul style="list-style-type: none"> • stop pesticide operation • manual operation of controls if possible
4.3	Calibrate the sprayer and record relevant data	<p>Calibration may include the following:</p> <p>Select & record forward speed</p> <ul style="list-style-type: none"> • request suitable forward speed • accurate measurement of distance • accurate measurement of time taken to cover distance

		<ul style="list-style-type: none"> • correct use of formula to determine forward speed <p>Output/volume rate</p> <ul style="list-style-type: none"> • correct use of formula <p>Appropriate nozzle</p> <ul style="list-style-type: none"> • use of manufacturer's operators handbook • use of nozzle manufacturer's literature • confirm requirements of product label <p>Operating pressure</p> <ul style="list-style-type: none"> • pressure as determined from nozzle chart • pressurise/purge appropriate to the system <p>Nozzle outputs</p> <ul style="list-style-type: none"> • use measuring jug to check output from at least one nozzle • compare with target output • vary pressure to make small adjustments • change nozzles if required <p>Calibration data may include:</p> <ul style="list-style-type: none"> • identification number of spray train • forward speed • application volume • nozzle fitted • operation pressure • flow rate
4.4	Calculate the quantities of pesticide and water required for a specified operation	<p>May include:</p> <ul style="list-style-type: none"> • amount of pesticide required for specified area • amount of water required for specified area • amount of pesticide required for full tank
5.1	Determine that there are sufficient quantities of water and pesticide on board for the task	<p>To include all of the following:</p> <ul style="list-style-type: none"> • correct selection and use of PPE (as required by the product label, COSHH/Risk Assessment) • suitable site selected • fill following product recommendations and approved procedures • correct use of water supply • accurate measurement of water • accurate measurement of pesticide • avoidance of spillage • observance of pesticide manufacturer's instructions for mixing and agitation

5.2	Demonstrate safe and accurate application procedures	<p>Methods to achieve accurate application May include any of the following:</p> <ul style="list-style-type: none"> • track markers • use of GPS <p>Procedure to refill applicator part way through application:</p> <ul style="list-style-type: none"> • avoid contact with contaminated target • mark the spot at which the sprayer emptied • refill sprayer • continue spraying by accurately matching at the appropriate point <p>Procedure when nozzle/restrictor becomes blocked during an application</p> <ul style="list-style-type: none"> • select and use appropriate PPE • care not to walk in contaminated target • clean or replace nozzle as appropriate <p>Demonstrate safe and accurate application procedures to include:</p> <ul style="list-style-type: none"> • correct boom height and attitude according to the target and type of nozzle • treatment area clearly identified • constant speed maintained • accurate switch on/off points • obstacles dealt with correctly (if applicable) • awareness of changing climatic conditions and appropriate action taken (if applicable)
5.3	Carry out all activities protecting human health and the environment	<p>To include:</p> <ul style="list-style-type: none"> • prevention of personal injury and contamination through correct selection and use of PPE (as required by the product information and/or COSHH/Risk Assessment) • prevention of public / bystander contamination • safe filling procedure • avoidance of off target application • avoidance of over/under dosing target
5.4	Complete a treatment record	<p>Completion of the treatment record must be:</p> <ul style="list-style-type: none"> • accurate • legible (if handwritten)
6.1	Explain how to manage surplus pesticide and dispose of waste material	<p>Surplus concentrate pesticide</p> <ul style="list-style-type: none"> • return to temporary mobile store • return to fixed store <p>Containers:</p>

		<ul style="list-style-type: none"> • triple rinsed (if applicable) • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor <p>Packaging:</p> <ul style="list-style-type: none"> • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor <p>Surplus dilute pesticide</p> <ul style="list-style-type: none"> • back on to target as long as it is below the maximum dose rate • use on another approved target • collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the applicator and prime mover (if applicable)	<p>May include:</p> <ul style="list-style-type: none"> • select and use correct PPE • selection of an appropriate site for cleaning the application equipment • triple rinse the applicator following product information recommendations • through flushing of system • safe disposal of contaminated washings in an appropriate manner following good practice • safe procedures followed
6.3	Describe the storage requirements for the applicator	<p>May include:</p> <ul style="list-style-type: none"> • de-commissioning • ensure the application equipment is clean and dry • inspect for wear or damage • repair or notify supervisor if not within operators level of responsibility and ability • lubricate if required • frost protection measures implemented • store in a secure area

235 Operation of a bankside sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides:

1.1	Describe the legal requirements relating to applying pesticides using rail track bankside application equipment	<p>May include:</p> <ul style="list-style-type: none"> all required guards are in place and equipment complies with legal requirements comply with all relevant trackside safety regulations and protocols comply with The Plant Protection Products (Sustainable Use) Regulations 2012 the operator must hold the appropriate certification for the equipment they are using
1.2	Describe how to apply pesticides safely using rail track bankside application equipment following industry best practice	<p>Operator safety regulation may include:</p> <ul style="list-style-type: none"> comply with Pesticide Codes of Practice adopt industry best practice be aware of any safety implications imposed by COSHH/Risk Assessment and comply with the requirements <p>Checks to protect self from physical danger during operation:</p> <ul style="list-style-type: none"> trackside safety protocols safe access from ground level to spraying platform safe travel along spraying platform
2.1	Identify risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> water courses drains wildlife viaducts station platforms non-target plants sensitive crops/areas trackside housing public/co-worker access other risks specific to the site
2.2	Explain how to minimise risks to the environment	<p>May include the following:</p> <ul style="list-style-type: none"> use of an appropriate pesticide careful timing of application check and maintain application rate avoid spray drift observe buffer zones <p>Check wind speed and direction:</p> <ul style="list-style-type: none"> use of anemometer at suitable height or visible signs wind direction

		<p>Minimising off target application and spray drift</p> <ul style="list-style-type: none"> • avoidance of contamination to people and the environment <p>Factors that affect spray drift</p> <ul style="list-style-type: none"> • wind speed and direction • nozzle type and size • pressure • forward speed • nozzle height & angle • defective equipment
3.1 - 3.2	<p>Read product information</p> <p>Interpret product information</p>	<p>May include the following:</p> <ul style="list-style-type: none"> • product name • active substance(s) (ingredient(s)) <p>Important information:</p> <ul style="list-style-type: none"> • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection • environmental protection • restrictions on use <p>Crop specific information:</p> <ul style="list-style-type: none"> • crop/target • dose rate • water volume • timing <p>Mixing and spraying:</p> <ul style="list-style-type: none"> • filling • reduced volume applications (if applicable) • recommended nozzles • recommended pressure • spray quality • additional label information • compatibility
4.1	Identify sprayer components and controls	<p>May include:</p> <ul style="list-style-type: none"> • tank(s) • transfer systems • filters • pipe work • connections • filling controls and devices • pressure adjustment control

		<ul style="list-style-type: none"> • pressure gauge • clean water tank • operating pod • nozzle directional controls • seals • pumps • mechanical/electrical controls <p>Nozzle types</p> <ul style="list-style-type: none"> • flat fan – standard boom nozzle • radial – standard spraytrain nozzle • extended reach nozzle
4.2	Carry out pre-use and operational checks to the sprayer	<p>May include all/some of the following as applicable to the sprayer:</p> <p>Possible mechanical defects</p> <ul style="list-style-type: none"> • seized, worn or damaged controls/components <p>Sprayer lubrication</p> <ul style="list-style-type: none"> • identification of lubrication points • visual inspection of lubrication points • visual inspection of oil levels (if applicable) <p>Security of attachment</p> <ul style="list-style-type: none"> • fasteners tight • linkage secure (if applicable) <p>Directional controls</p> <ul style="list-style-type: none"> • free movement throughout range of operation <p>Remove, clean & refit a filter</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • refit <p>Remove, clean/replace & refit a nozzle</p> <ul style="list-style-type: none"> • remove & clean using appropriate method • contain spillage • check for defects • replace if worn/damaged • refit <p>Part fill sprayer</p> <ul style="list-style-type: none"> • suitable site selected • fill by usual on-site method, following approved procedure • clean water supply <p>Check for leaks/spray patterns:</p>

		<ul style="list-style-type: none"> • use higher than normal operating pressure • visual check of all nozzles for correct spray patterns • absence of blockages, streaking, pulsing and correct alignment • replace defective nozzles <p>Use of control panel may include:</p> <ul style="list-style-type: none"> • functions of control panel • recognition of malfunctions before and during operation • check accuracy of calibration • switch to manual/test mode where applicable <p>Action in event of control panel failing:</p> <ul style="list-style-type: none"> • stop pesticide operation • manual operation of controls if possible
4.3	Calibrate the sprayer and record relevant data	<p>Calibration may include the following:</p> <p>Select & record forward speed</p> <ul style="list-style-type: none"> • request suitable forward speed • accurate measurement of distance • accurate measurement of time taken to cover distance • correct use of formula to determine forward speed <p>Output/volume rate</p> <ul style="list-style-type: none"> • correct use of formula <p>Appropriate nozzle</p> <ul style="list-style-type: none"> • use of manufacturer's operators handbook • use of nozzle manufacturer's literature • confirm requirements of product label <p>Operating pressure</p> <ul style="list-style-type: none"> • pressure as determined from nozzle chart • pressurise/purge appropriate to the system <p>Nozzle outputs</p> <ul style="list-style-type: none"> • use measuring jug to check output from at least one nozzle • compare with target output • vary pressure to make small adjustments • change nozzles if required <p>Calibration data may include:</p> <ul style="list-style-type: none"> • identification number of spray train • forward speed • application volume

		<ul style="list-style-type: none"> • nozzle fitted • operation pressure • flow rate
4.4	Calculate the quantities of pesticide and water required for a specified operation	<p>May include:</p> <ul style="list-style-type: none"> • amount of water required for specified area • amount of pesticide required for specified area • amount of pesticide required for full tank
5.1	Determine that there are sufficient quantities of water and pesticide on board for the task	<p>To include all of the following:</p> <ul style="list-style-type: none"> • correct selection and use of PPE (as required by the product label, COSHH/Risk Assessment) • suitable site selected • fill following product recommendations and approved procedures • correct use of water supply • accurate measurement of water • accurate measurement of pesticide • avoidance of spillage • observance of pesticide manufacturer's instructions for mixing and agitation
5.2	Demonstrate safe and accurate application procedures	<p>Methods to achieve accurate application</p> <p>May include any of the following:</p> <ul style="list-style-type: none"> • track markers • use of GPS <p>Procedure to refill applicator part way through application:</p> <ul style="list-style-type: none"> • avoid contact with contaminated target • mark the spot at which the sprayer emptied • refill sprayer • continue spraying by accurately matching at the appropriate point <p>Procedure when nozzle/restrictor becomes blocked during an application</p> <ul style="list-style-type: none"> • select and use appropriate PPE • care not to walk in contaminated target • clean or replace nozzle as appropriate <p>Demonstrate safe and accurate application procedures to include:</p> <ul style="list-style-type: none"> • correct angle/alignment according to the target and type of nozzle • treatment area clearly identified • constant speed maintained • accurate switch on/off points • obstacles dealt with correctly (if applicable)

		<ul style="list-style-type: none"> • awareness of changing weather conditions and appropriate action taken (if applicable)
5.3	Carry out all activities protecting human health and the environment	<p>To include:</p> <ul style="list-style-type: none"> • prevention of personal injury and contamination through correct selection and use of PPE (as required by the product information and/or COSHH/Risk Assessment) • prevention of public/bystander contamination • safe filling procedure • avoidance of spray drift • avoidance of off target application • avoidance of under/over dosing target
5.4	Complete a treatment record	<p>Completion of the treatment record must be:</p> <ul style="list-style-type: none"> • accurate • legible (if handwritten)
6.1	Explain how to manage surplus pesticide and dispose of waste material	<p>Surplus concentrate pesticide</p> <ul style="list-style-type: none"> • return to temporary mobile store • return to fixed store <p>Containers:</p> <ul style="list-style-type: none"> • triple rinsed (if applicable) • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor <p>Packaging:</p> <ul style="list-style-type: none"> • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor <p>Surplus dilute pesticide</p> <ul style="list-style-type: none"> • back on to target as long as it is below the maximum dose rate • use on another approved target • collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the applicator and prime mover (if applicable)	<p>May include:</p> <ul style="list-style-type: none"> • select and use correct PPE • selection of an appropriate site for cleaning the application equipment • triple rinse the applicator following product information recommendations • through flushing of system • safe disposal of contaminated washings in an appropriate manner following good practice

		<ul style="list-style-type: none"> • safe procedures followed
6.3	Describe the storage requirements for the applicator	<p>May include:</p> <ul style="list-style-type: none"> • de-commissioning • ensure the application equipment is clean and dry • inspect for wear or damage • repair or notify supervisor if not within operators level of responsibility and ability • lubricate if required • frost protection measures implemented • store in a secure area

236 Operating 'any other' equipment for applying pesticides:

1.1	Describe the legal requirements relating to applying pesticides using selected application equipment	<p>May include:</p> <ul style="list-style-type: none"> • all required guards are in place and equipment complies with legal requirements • comply with The Plant Protection Products (Sustainable Use) Regulations 2012 • the operator must hold the appropriate certification for the equipment they are using
1.2	Describe how to apply pesticides safely using selected application equipment following industry best practice	<p>May include:</p> <ul style="list-style-type: none"> • comply with Pesticide Codes of Practice • adopt industry best practice • be aware of any safety implications imposed by COSHH/Risk Assessment and comply with the requirements
2.1	Identify risks to the environment	<p>May include:</p> <ul style="list-style-type: none"> • ground conditions • water courses • drains • boreholes • wildlife • non-target plants • sensitive crops/areas • hedgerows • housing • public access • other risks particular to the site
2.2	Explain how to minimise risks to the environment	<p>Explanation may include the following points:</p> <ul style="list-style-type: none"> • check and maintain application rate • avoid spray drift

		<ul style="list-style-type: none"> • avoid off target application • observe buffer zones • comply with LERAP requirements • inform neighbours • erect warning signs • use an appropriate pesticide (minimal environmental impact) • appropriate timing of application • operate within any temperature parameters <p>Minimising spray drift or off target application</p> <ul style="list-style-type: none"> • avoidance of contamination to people and the environment <p>Check wind speed and direction:</p> <ul style="list-style-type: none"> • use of anemometer at suitable height or visible signs • wind direction <p>Factors that affect spray drift</p> <ul style="list-style-type: none"> • wind speed and direction • nozzle type and size • pressure • forward speed • nozzle height • defective equipment • suction effect of wind
3.1 - 3.2	<p>Read product information</p> <p>Interpret product information</p>	<p>May include the following:</p> <ul style="list-style-type: none"> • product name • active substance(s) (ingredient(s)) <p>Important information:</p> <ul style="list-style-type: none"> • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection • environmental protection • restrictions on use <p>Crop specific information:</p> <ul style="list-style-type: none"> • crop/target • dose rate • water volume • timing <p>Mixing and spraying:</p> <ul style="list-style-type: none"> • filling

		<ul style="list-style-type: none"> • reduced volume applications (if applicable) • recommended nozzles • recommended pressure • spray quality • additional label information • compatibility
4.1	Identify the components & controls on the equipment	<p>May include:</p> <ul style="list-style-type: none"> • tank • lid • filters • pipe work • pump • pressure control • nozzles • pressure gauge • connections • seals • metering devices • mechanical/electrical controls • programming controls <p>Nozzle types</p> <ul style="list-style-type: none"> • flat fan – fine/medium/coarse spray • air inclusion – medium/coarse spray, low-drift • cone – fine spray, good coverage
4.2	Carry out pre use checks to the prime mover (if applicable)	<p>May include:</p> <ul style="list-style-type: none"> • integrity of power source • fluid levels • fail-safe systems
4.3	Carry out pre-use checks to the selected application equipment	<p>May include:</p> <ul style="list-style-type: none"> • metering & delivery systems • drive systems • condition & tension of belts <p>Security of attachment</p> <ul style="list-style-type: none"> • boom suspension/break-back devices (if applicable) • security of attachment to prime mover • lubrication of components • checking for leaks under pressure • any problems identified to be rectified if within operators level of responsibility and ability
4.4	Calibrate the selected application equipment and record relevant data	<p>May include:</p> <ul style="list-style-type: none"> • accurate measurements • accurate timings

		<ul style="list-style-type: none"> • accurate calculations • correct use of formulae <p>Calibration data may include:</p> <ul style="list-style-type: none"> • equipment settings used • product used for calibration • application rate achieved
4.5	Measure the area/volume to be treated	<p>Must include:</p> <ul style="list-style-type: none"> • accurate measurements
4.6	Calculate the area/ volume to be treated	<p>Must include:</p> <ul style="list-style-type: none"> • accurate calculations
4.7	Calculate the quantities of pesticide and water required for a specified area/volume	<p>May include:</p> <ul style="list-style-type: none"> • amount of water required for specified area/volume • amount of pesticide required for specified area/volume
5.1	Measure the required quantities and add to the selected applicator	<p>To include all of the following:</p> <ul style="list-style-type: none"> • correct selection and use of PPE/RPE (as required by the product label, COSHH/Risk Assessment) • suitable site selected • fill following product recommendations and approved procedures • correct use of water supply • accurate measurement of water • accurate measurement of pesticide • avoidance of spillage <p>or</p> <ul style="list-style-type: none"> • attach pesticide container
5.2	Demonstrate safe and accurate application procedures	<p>To include:</p> <ul style="list-style-type: none"> • treatment area clearly identified • constant speed maintained • accurate switch on/off points • accurate matching of bouts (if applicable) • obstacles dealt with correctly (if applicable) • area/volume treated minimising overlaps and misses (if applicable) • awareness of changing climatic conditions and appropriate action taken (if applicable)
5.3	Carry out all activities protecting human health and the environment	<p>To include:</p> <ul style="list-style-type: none"> • prevention of personal injury and contamination through correct selection and use of PPE/RPE (as required by the product information and/or COSHH/Risk Assessment)

		<ul style="list-style-type: none"> • prevention of public/bystander contamination • safe filling procedure • avoidance of spray drift • avoidance of off target application • avoidance of over/under dosing crop/target/plant material
5.4	Complete a treatment record	<p>Completion of the treatment record must be:</p> <ul style="list-style-type: none"> • accurate • legible (if handwritten)
6.1	Explain how to manage surplus pesticide and dispose of waste material	<p>Surplus concentrate pesticide</p> <ul style="list-style-type: none"> • return to temporary mobile store • return to fixed store <p>Containers:</p> <ul style="list-style-type: none"> • triple rinsed • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor <p>Packaging:</p> <ul style="list-style-type: none"> • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor <p>Surplus dilute pesticides</p> <ul style="list-style-type: none"> • back on to target as long as it is below the maximum dose rate • use on another approved crop/target • treated by specialist treatment facility on site (e.g. a lined bio bed) • collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the selected application equipment	<p>May include:</p> <ul style="list-style-type: none"> • select and use correct PPE/RPE • selection of an appropriate site for cleaning the application equipment • triple rinse the applicator following product information recommendations • through flushing of system • safe disposal of contaminated washings in an appropriate manner following good practice • safe procedures followed
6.3	Describe the storage requirements for the selected application equipment	<p>May include:</p> <ul style="list-style-type: none"> • de-pressurisation • ensure the application equipment is clean and dry

		<ul style="list-style-type: none"> • inspect for wear or damage • repair or notify supervisor if not within operators level of responsibility and ability • lubricate if required • frost protection measures implemented • nozzles and filters removed prior to freezing conditions • store in a secure area • isolation of any electrical controls • store under cover and out of direct sunlight
--	--	---

Appendix 1 Practical table

231 Operating automated equipment for applying pesticides

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using automated or robotic equipment	
1.2 Describe how to apply pesticides safely using automated or robotic equipment following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify the components & controls on the equipment	
4.2 Carry out pre use checks to the prime mover (if applicable)	
4.3 Carry out pre-use checks to the application equipment	
4.4 Calibrate the application equipment and record relevant data	
4.5 Measure the area to be treated	
4.6 Calculate the area to be treated	
4.7 Calculate the quantities of pesticide and water required for a specified area	
5.1 Measure the required quantities and add to the applicator, or attach pesticide container	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the application equipment	
6.3 Describe the storage requirements for the application equipment	

232 Operation of mounted, trailed or self propelled electrostatic charged sprayers for applying pesticides to crops

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using electrostatic equipment	
1.2 Describe how to apply pesticides safely using electrostatic equipment following industry best practice	

2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify sprayer components and controls	
4.2 Carry out pre use checks to the prime mover	
4.3 Carry out pre-use and operational checks to the sprayer	
4.4 Calibrate the application equipment and record relevant data	
4.5 Calculate the quantities of pesticide and water required for a specified operation	
5.1 Measure the required quantities and add to sprayer	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the applicator and prime mover (if applicable)	
6.3 Describe the storage requirements for the sprayer	

233 Operation of pesticide applicators attached to cultivating or planting equipment

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using equipment attached to cultivators or planters	
1.2 Describe how to apply pesticides safely using equipment attached to cultivators or planters following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify applicator components and controls	
4.2 Carry out pre use and operational checks to the prime mover	
4.3 Carry out pre-use checks to the applicator(s)	
4.4 Calibrate the application equipment and record relevant data	
5.1 Measure the required quantities of pesticide and add to the applicator(s)	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	

6.1 Explain how to manage surplus pesticide(s) and dispose of waste material	
6.2 Explain how to clean and decontaminate the applicator(s) and prime mover (if applicable)	
6.3 Describe the storage requirements for the applicator(s)	

234 Operation of a sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using rail track application equipment	
1.2 Describe how to apply pesticides safely using rail track application equipment following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify sprayer components and controls	
4.2 Carry out pre-use and operational checks to the sprayer	
4.3 Calibrate the sprayer and record relevant data	
4.4 Calculate the quantities of pesticide and water required for a specified operation	
5.1 Determine that there are sufficient quantities of water and pesticide on board for the task	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the applicator and prime mover (if applicable)	
6.3 Describe the storage requirements for the applicator	

235 Operation of a bankside sprayer mounted on a train fitted with hydraulic nozzles for applying pesticides

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using rail track bankside application equipment	
1.2 Describe how to apply pesticides safely using rail track bankside application equipment following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify sprayer components and controls	
4.2 Carry out pre-use and operational checks to the sprayer	
4.3 Calibrate the sprayer and record relevant data	
4.4 Calculate the quantities of pesticide and water required for a specified operation	
5.1 Determine that there are sufficient quantities of water and pesticide on board for the task	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the applicator and prime mover (if applicable)	
6.3 Describe the storage requirements for the applicator	

236 Operating 'any other' equipment for applying pesticides

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using selected application equipment	
1.2 Describe how to apply pesticides safely using selected application equipment following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify the components & controls on the equipment	

4.2 Carry out pre use checks to the prime mover (if applicable)	
4.3 Carry out pre-use checks to the selected application equipment	
4.4 Calibrate the selected application equipment and record relevant data	
4.5 Measure the area/volume to be treated	
4.6 Calculate the area/ volume to be treated	
4.7 Calculate the quantities of pesticide and water required for a specified area/volume	
5.1 Measure the required quantities and add to the selected applicator	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the selected application equipment	
6.3 Describe the storage requirements for the selected application equipment	

Appendix 2 Sources of general information

The following documents contain essential information for centres delivering City & Guilds qualifications. To download the documents and to find other useful documents, go to the **Centre Document Library** on www.cityandguilds.com or click on the links below:

Quality Assurance Standards: Centre Handbook

This document is for all approved centres and provides guidance to support their delivery of our qualifications. It includes information on

- Centre quality assurance criteria and monitoring activities
- Administration and assessment systems
- Centre-facing support teams at City & Guilds / ILM
- Centre quality assurance roles and responsibilities.

The Centre Handbook should be used to ensure compliance with the terms and conditions of the Centre Contract.

Quality Assurance Standards: Centre Assessment

Approved centres must have effective quality assurance systems to ensure optimum delivery and assessment of qualifications. Quality assurance includes initial centre approval, qualification approval and the centre's own internal procedures for monitoring quality. Centres are responsible for internal quality assurance and City & Guilds is responsible for external quality assurance. All external quality assurance processes reflect the minimum requirements for verified and moderated assessments, as detailed in the Centre Assessment Standards Scrutiny (CASS), section H2 of Ofqual's General Conditions. For more information on both CASS and City & Guilds Quality Assurance processes visit: the [What is CASS?](#) and [Quality Assurance Standards](#) documents on the City & Guilds website.

This document sets out the minimum common quality assurance requirements for our regulated and non-regulated qualifications that feature centre assessed components. Specific guidance will also be included in relevant qualification handbooks and/or assessment documentation.

It incorporates our expectations for centre internal quality assurance and the external quality assurance methods we use to ensure that assessment standards are met and upheld. It also details the range of sanctions that may be put in place when centres do not comply with our requirements, or actions that will be taken to align centre marking/assessment to required standards. Additionally, it provides detailed guidance on the secure and valid administration of centre-assessments.

Access arrangements - When and how applications need to be made to City & Guilds

provides full details of the arrangements that may be made to facilitate access to assessments and qualifications for candidates who are eligible for adjustments in assessment.

The **Centre Document Library** also contains useful information on such things as:

- Conducting examinations
- Registering learners

- Appeals and malpractice

Useful contacts

Please visit the Contact Us section of the City & Guilds website, **Contact us**

About City & Guilds

As the UK's leading vocational education organisation, City & Guilds is leading the talent revolution by inspiring people to unlock their potential and develop their skills. We offer over 500 qualifications across 28 industries through 8500 centres worldwide and award around two million certificates every year. City & Guilds is recognised and respected by employers across the world as a sign of quality and exceptional training.

City & Guilds Group

The City & Guilds Group is a leader in global skills development. Our purpose is to help people, organisations and economies develop their skills for growth. We work with education providers, employers and governments in over 100 countries across the world to help people, businesses and economies grow by shaping skills systems and supporting skills development.

The Group is made up of City & Guilds, ILM, Kineo, The Oxford Group, Gen2, and Intertrain. Together we set the standard for professional and technical education and corporate learning and development around the world.

Copyright

The content of this document is, unless otherwise indicated, © The City & Guilds of London Institute and may not be copied, reproduced or distributed without prior written consent. However, approved City & Guilds centres and learners studying for City & Guilds qualifications may photocopy this document free of charge and/or include a PDF version of it on centre intranets on the following conditions:

- centre staff may copy the material only for the purpose of teaching learners working towards a City & Guilds qualification, or for internal administration purposes
- learners may copy the material only for their own use when working towards a City & Guilds qualification

The Standard Copying Conditions (see the City & Guilds website) also apply.

Published by City & Guilds, a registered charity established to promote education and training

City & Guilds of London Institute
Giltspur House
5-6 Giltspur Street
London
EC1A 9DE

cityandguildsgroup.com

