

City & Guilds NPTC Level 2 Award in The Safe Application of Pesticides using Self-propelled, Mounted, Trailed Horizontal Boom Sprayers (PA2) (601/5141/9)

Version 1.0 (February 2024)

Assessment Pack – Centre and Candidate Version

Contents

Introduction		3
	111 Operating mounted, trailed and self propelled hydraulic nozzle or rotary atomiser horizontal boom sprayers	4
	112 Operating mounted, trailed and self propelled air/ fluid nozzle horizontal boom sprayers	13
	113 Operating mounted, trailed and self propelled downward air assisted horizontal boom sprayers	23
	114 Operating mounted or trailed wick type applicators	32
	115 Operating vehicle mounted kerb sprayers fitted with hydraulic nozzles/rotary atomisers	39
Appendix 1	Practical table	48
	111 Operating mounted, trailed and self propelled hydraulic nozzle or rotary atomiser horizontal boom sprayers	48
	112 Operating mounted, trailed and self propelled air/ fluid nozzle horizontal boom sprayers	48
	113 Operating mounted, trailed and self propelled downward air assisted horizontal boom sprayers	49
	114 Operating mounted or trailed wick type applicators	49
	115 Operating vehicle mounted kerb sprayers fitted with hydraulic	
	nozzles/rotary atomisers	49
Appendix 2	Sources of general information	52

Introduction

This assessment relates to the unit in the Qualification handbook. The assessment can be achieved at pass only. If any task is not yet met the candidate is unsuccessful.

This assessment is for the following units and learning outcomes:

- 111 Operating mounted, trailed and self propelled hydraulic nozzle or rotary atomiser horizontal boom sprayers covering the following learning outcomes:
 - 1. Know the legislative and safety regulations relating to application equipment
 - 2. Be able to assess the environmental factors relating to the mixing and application site
 - 3. Be able to read and interpret product information
 - 4. Be able to prepare and calibrate the applicator
 - 5. Be able to operate the application equipment
 - 6. Know how to carry out post-operational procedures
- 112 Operating mounted, trailed and self propelled air/ fluid nozzle horizontal boom sprayers covering the following learning outcomes:
 - 1. Know the legislative and safety regulations relating to application equipment
 - 2. Be able to assess the environmental factors relating to the mixing and application site
 - 3. Be able to read and interpret product information
 - 4. Be able to prepare and calibrate the applicator
 - 5. Be able to operate the application equipment
 - 6. Know how to carry out post-operational procedures
- 113 Operating mounted, trailed and self propelled downward air assisted horizontal boom sprayers covering the following learning outcomes:
 - 1. Know the legislative and safety regulations relating to application equipment
 - 2. Be able to assess the environmental factors relating to the mixing and application site
 - 3. Be able to read and interpret product information
 - 4. Outcome 4. Be able to prepare and calibrate the applicator
 - 5. Outcome 5. Be able to operate the application equipment
 - 6. Outcome 6. Know how to carry out post-operational procedures
- 114 Operating mounted or trailed wick type applicators covering the following learning outcomes:
 - 1. Know the legislative and safety regulations relating to application equipment
 - 2. Be able to assess the environmental factors relating to the mixing and application site
 - 3. Be able to read and interpret product information
 - 4. Be able to prepare and calibrate the applicator
 - 5. Be able to operate the application equipment
 - 6. Know how to carry out post-operational procedures
- 115 Operating vehicle mounted kerb sprayers fitted with hydraulic nozzles/rotary atomisers covering the following learning outcomes:
 - 1. Know the legislative and safety regulations relating to application equipment

- 2. Be able to assess the environmental factors relating to the mixing and application site
- 3. Be able to read and interpret product information
- 4. Be able to prepare and calibrate the applicator
- 5. Be able to operate the application equipment
- 6. Know how to carry out post-operational procedures

General guidance on the requirements for assessment can be found in the Assessor Guidance General guidance on the requirements for assessment can be found in the Assessor Guidance document available on the City & Guilds web site www.nptc.org.uk

The assessor must complete the Practical Table mark sheet for each candidate which should be kept by the assessor for a minimum period of twelve months.

Record of assessment (ROA)

A prepopulated record of assessment must be completed by the assessor following an assessment. The number of outcomes is listed above, these must be ticked into the relevant met or not met sections of the ROA.

ARAS Forms

An Assessment Result Advice Slip (ARAS form) must be completed by the assessor following an assessment. The ARAS is not a certificate but, based on the evidence of the candidate's performance, is a recommendation to City & Guilds that the candidate is either met or not met the assessment criteria. All feedback is to be recorded by the assessor on the feedback section of the ARAS form.

Assessment Time

The expected assessment time for this qualification is 1.5 - 3 hours.

Summary of responsibilities in the assessment process			
Centre responsibilities	Candidate responsibilities	Assessor responsibilities	
A suitable site is made available for the assessment to take place		Ensuring that the site provided is suitable for the assessment to take place	
Machinery, equipment and materials are available to enable assessment of all the activities to take place	To be familiar with the machinery/equipment being used for the assessment	Ensuring that the machinery, equipment and materials provided satisfy the assessment requirements	
	To bring appropriate Personal Protective Equipment (PPE) to the assessment	Ensuring that candidate's PPE complies with the requirements of the assessment	
	To bring relevant training materials (including calibration sheet if applicable)		
	To bring a product label appropriate for the assessment	To ensure that the product label is appropriate for the assessment (or provide a suitable alternative)	

This is not an open book assessment, however additional technical information may be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Practical observation descriptor table

Unit 111 - Operating mounted, trailed and self propelled hydraulic nozzle or rotary atomiser horizontal boom sprayers

rotary a	otary atomiser horizontal boom sprayers			
Activity check I	number and description from ist	Assessment criteria		
1.1	Describe the legal requirements relating to applying pesticides using horizontal boom sprayers	 May include: all required guards are in place and equipment complies with legal requirements comply with all relevant road traffic regulations when operating or transporting on the public highway comply with The Plant Protection Products (Sustainable Use) Regulations 2012 the operator must hold the appropriate certification for the equipment they are using 		
1.2	Describe how to apply pesticides safely using horizontal boom sprayers following industry best practice	Operator safety regulations may include:		

safe practice when driving on uneven/sloping terrain: assess conditions select four wheel drive appropriate speed correct gear selection effect of changing load on stability use of weights to stabilise prime mover correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemomenter at suitable height or visual signs			Cofe practice when driving an
select four wheel drive appropriate speed correct gear selection effect of changing load on stability use of weights to stabilise prime mover correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			Safe practice when driving on uneven/sloping terrain:
appropriate speed correct gear selection effect of changing load on stability use of weights to stabilise prime mover correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			assess conditions
correct gear selection effect of changing load on stability use of weights to stabilise prime mover correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			select four wheel drive
effect of changing load on stability use of weights to stabilise prime mover correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			appropriate speed
use of weights to stabilise prime mover correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explantion may include the following points: check and maintain application rate avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) approgriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			correct gear selection
correct turning procedure keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			effect of changing load on stability
keep centre of gravity as low as possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment avoid spray drift avoid off target application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			use of weights to stabilise prime mover
possible Consideration for safe driving on a public highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			correct turning procedure
highway: independent brakes coupled together travelling at high speed makes vehicle unstable Identify risks to the environment May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			
ldentify risks to the environment May include:			=
Identify risks to the environment May include: ground conditions environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			independent brakes coupled together
ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			
e water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height		Identify risks to the environment	May include:
2.1 environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			ground conditions
2.1 a drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			water courses
2.1 boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain to the site Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			environmental margins/strips/areas
2.1 wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			drains
non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			boreholes
sensitive crops/areas hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height	2.1		wildlife
hedgerows housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			non-target plants
housing public access other risks particular to the site Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			sensitive crops/areas
public access other risks particular to the site Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			hedgerows
Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			housing
Explain how to minimise risks to the environment Explanation may include the following points: check and maintain application rate avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			public access
environment points:			other risks particular to the site
avoid spray drift avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height		•	•
avoid off target application observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			check and maintain application rate
observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			avoid spray drift
observe buffer zones comply with LERAP requirements inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height			avoid off target application
 inform neighbours erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height 			
 erect warning signs use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height 			comply with LERAP requirements
 use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height 			inform neighbours
 use an appropriate pesticide (minimal environmental impact) appropriate timing of application Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height 	22		
Minimising spray drift: avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height 	2.2		
 avoidance of contamination to people and the environment Check wind speed and direction: use of an anemometer at suitable height 			appropriate timing of application
Check wind speed and direction: use of an anemometer at suitable height			avoidance of contamination to people
use of an anemometer at suitable height			
			use of an anemometer at suitable height

	wind direction
	Factors that affect spray drift:
	11. 11.0
	direction of spraying
	nozzle type and size
	pressure
	forward speed
	boom height
	rotary atomiser speed
	defective equipment
Read product information	May include the following:
	product name
Interpret product information	 active substance(s) (ingredient(s))
	Important information:
	field of use
	crop/target
	maximum individual dose
	maximum total dose
	maximum number of treatments
	specific product precautions/warnings
	operator protection
	environmental protection
3.1	restrictions on use
-	Crop specific information:
3.2	crop/target
	dose rate
	water volume
	 timing Mixing and spraying:
	• filling
	 reduced volume applications (if applicable)
	recommended pressure
	spray quality
	additional label information
	compatibility
Identify applicator components and controls	May include:
Controls	main spray tank
	• pump
	pulsation damper
4.1	filling control and devices
	agitation control
	pressure adjustment control
	pressure gauge
	on/off control

			oom isolators
			oom section pressure compensation ontrols
		_	Iters
			ank wash system
			lean water tank(s)
			ozzles/atomisers
			iaphragm check valves
			ank drain
			ther components/controls specific to ne applicator
		Nozz	le types:
		• fla	at fan – fine/medium/coarse spray
			ir inclusion – medium/coarse spray, ow-drift
		• C	one – fine spray, good coverage
	Carry out pre-use checks to the	May	include:
	prime mover	• g	uards in place and in good condition
		• V	isual inspection of the wheels and tyres
		 ty 	re pressures
			uel level adequate
4.2			ngine oil level is within acceptable mits
			ydraulic oil level is within acceptable mits (if accessible)
			ansmission oil level is within cceptable limits (if accessible)
		• C	oolant level is adequate
		• e	ngine air filter is clean
	Carry out pre-use and operational checks to the	appli	include all/some of the following as cable to the sprayer/applicator:
	sprayer		rity of attachment
		p C	afe unfolding of booms to avoid ersonal contamination and contact with over Head Power Lines (OHPL) and ny other overhead hazards
		• fa	asteners tight
4.3			traps inspected and adjusted if ecessary
		• lii	nkage secure
		• s	ideways movement restricted
			rawbar pin secured
			sible mechanical defects:
			eized, worn or damaged ontrols/components
			tomiser drives and electrical
			onnectors
		Appli	cator lubrication:

- identification of lubrication points
- visual inspection of lubrication points
- visual inspection of levels

Boom settings, suspension and break-back devices:

- boom suspension operational
- break-back efficiency
- height adjustment

Candidate to remove, clean and refit filter:

- remove and clean using appropriate method
- contain spillage
- · check for defects, replace if damaged
- refit

Candidate to remove, clean and refit a nozzle/restrictor:

- remove and clean using appropriate method
- contain spillage
- check for defects replace if worn/damaged
- refit

Use of control panel may include:

- functions of control panel
- recognition of malfunctions before and during operation
- check accuracy of base settings
- switch to manual/test mode where possible

Part fill applicator to include:

- suitable site selected
- fill by usual on-site method, following approved procedures
- clean water supply

Check for leaks/spray patterns:

- suitable site selected
- use higher than normal operating pressure
- visual check of all nozzles/atomisers for correct spray patterns, absence of blockages, streaking, pulsing
- correct alignment
- replace defective nozzles/atomisers/discs
- lids and seals
- pipe work and connections
- control valves
- filters

		T
		pressure gauge
		diaphragm check valves
		Action in event of control panel failing:
		stop pesticide application
		manual operation of controls if possible
	Calibrate the sprayer and	Calibration may include the following:
	record relevant data	 suitable forward speed for crop/target and ground conditions
		appropriate gear selected and engine speed established
		accurate measurement of distance
		accurate measurement of time taken to cover distance correct use of formula to establish forward speed
		correct use of formula to establish forward speed
		Calculate required output/volume rate:
		correct use of formula
		Selection of nozzle/atomiser:
		use of manufacturers operators handbook
		use of nozzle/atomiser manufacturers literature
		confirm requirements of product label
		Operating pressure/disc speed:
		pressure as determined by nozzle chart
4.4		disc speed as determined by manufacturers literature
		pressurise/purge appropriate to the system
		Nozzle/atomiser outputs:
		use a measuring jug to check output from at least outputs one nozzle/atomiser per boom section (minimum of three per applicator)
		compare with target output
		vary pressure to make small
		adjustments
		change nozzles/atomisers if required
		or any other acceptable method
		Calibration data:
		registration number of vehicle
		tyre size and pressure
		gear selected
		engine speed
		vehicle forward speed
		application volume
		nozzle/atomiser fitted

		pressure/disc speed
		flow rate
	Calculate the quantities of	To include:
4.5	pesticide and water required	amount of water required for specified area
4.5		amount of pesticide required for specified area
		amount of pesticide required for full tank
	Measure the required quantities and	To include:
	add to the sprayer	 correct selection and use of PPE (as required by the product label and/or COSHH assessment)
		observance of pesticide manufacturers
5.1		 instructions for mixing sequence and agitation (or other recommended method)
		suitable site selected
		clean water supply
		accurate measurement of water
		accurate measurement of pesticide
		use of filling device (if fitted)
		avoidance of spillage
		return to secure storage
	Demonstrate safe and	Methods to achieve accurate application
	accurate application	May include any of the following:
	procedures	tramlines
		crop rows
		blob markers
		marker poles
		marker dyes
		• use of GPS
		Refilling applicator part way through application
		Explanation to include:
5.2		avoid contact with contaminated crop avoid the leasting of which the applicators
		mark the location at which the applicator emptied
		refill applicator
		continue spraying by accurately matching at the appropriate point
		Procedure when nozzle/restrictor becomes blocked during an application
		Explanation to include:
		select and use appropriate PPE
		care not to walk in contaminated crop
		clean or replace nozzle/restrictor as appropriate

		Demonstrate safe and accurate application procedures to include:
		ensure boom is level or aligned to the target
		 correct boom height according to target and type of nozzle
		 operate controls to start and finish applying accurately at the beginning and end of each bout
		correct forward speed and pressure
		accurate matching of bouts / use of driving aids
		coping with obstacles (if applicable)
		all of specified area treated, minimising overlaps and misses
		awareness of changes in wind speed and direction
	Carry out all activities	To include:
	protecting human health and the environment	 prevention of personal injury and contamination through correct selection and use of PPE (as required by the product information and/or COSHH/Risk Assessment)
5.3		prevention of public / bystander contamination
		safe filling procedure
		avoidance of spray drift
		avoidance of off-target application
		avoidance of over dosing/under dosing crop/target
5 4	Complete a treatment record	Completion of the treatment record must be:
5.4		accurate
		legible (if handwritten)
	Explain how to manage surplus	Surplus concentrate pesticide:
	pesticide and dispose of waste material	return to temporary mobile store
	material	return to fixed store
		Containers:
		triple rinsed
		placed in secure storage until disposal
6.1		returned to supplier
		collected by licensed waste contractor Packaging:
		Packaging: thoroughly emptied
		placed in secure storage until disposal
		collected by licensed waste disposal
		contractor
		Surplus dilute pesticide:

		back on to site as long as it is below the maximum dose rate
		use on another approved crop/target
		treated by specialist treatment facility on site (e.g. a lined bio bed)
		collected by licensed waste disposal contractor
	Explain how to clean and	May include:
	decontaminate the sprayer and, if	select and use appropriate PPE
	applicable, the prime mover	appropriate site
		 thorough washing with water and suitable cleaning agent (if recommended/required)
		internal and external surfaces
6.2		use of in-built wash systems if provided
		care to ensure contamination 'hot-spots' are clean
		thorough flushing of systems
		safe disposal of contaminated washings
		when cleaning should take place
		safe procedures followed
	Describe the storage requirements	May include:
	for the sprayer	ensure the applicator is clean and dry
		inspect for wear and damage
		replace any worn or damaged parts
6.3		controls left in appropriate positions
0.0		frost protection measures implemented
		lubricate as required
		store undercover and out of direct sunlight
		store in a secure area

Unit 112 - Operating mounted, trailed and self propelled air / fluid nozzle horizontal boom sprayers

	Describe the legal requirements relating to applying pesticides using horizontal boom sprayers with thin fluid nozzles	May include: all required guards are in place and equipment complies with legal requirements
1.1		 comply with all relevant road traffic regulations when operating or transporting on the public highway comply with The Plant Protection Products (Sustainable Use) Regulations 2012

		the operator must hold the appropriate actification for the aguinment they are
		certification for the equipment they are using
	Describe how to apply pesticides	Operator safety regulations may include:
	safely using horizontal boom sprayers following industry best	Comply with Pesticides Codes of Practice
	practice	adopt industry best practice
		be aware of any safety implications imposed by Risk/COSHH Assessment and comply with the requirements
		Checks to protect self from pesticide contamination:
		Cabbed:
		fit carbon filter
		use of in-cab controls
		ensure ventilation system is functional
		close all windows
		contaminated PPE stored in external locker
		awareness of the siting of pressurised components within confines of the cab
		Open cab/canopy/platform:
		use of appropriate PPE
1.2		awareness of the siting of pressurised components within confines of the cab/canopy/platform
1.2		Checks to protect self from physical danger during operation:
		compatibility of prime mover and sprayer
		front weights
		wheel track width
		correct tyre pressures
		condition of tyres
		brake function
		Safe practice when driving on uneven/sloping terrain:
		assess conditions
		select four wheel drive (if fitted)
		appropriate speed
		correct gear selection
		effect of changing load on stability
		use of weights to stabilise prime mover
		correct turning procedure
		keep centre of gravity as low as possible
		Consideration for safe driving on a public highway:

		 independent brakes coupled together travelling at high speed makes vehicle unstable
2.1	Identify risks to the environment	 May include: ground conditions water courses environmental margins/strips/areas drains boreholes wildlife non-target plants sensitive crops/areas hedgerows housing public access other risks particular to the site
2.2	Explain how to minimise risk to the environment	Explanation to include the following points:

	Read product information	The following to be provided:
	·	product name
	Interpret product information	 active substance(s) (ingredient(s))
		Important information:
		field of use
		crop/target
		maximum individual dose
		maximum total dose
		maximum number of treatments
		specific product precautions/warnings
		operator protection
		environmental protection
3.1		restrictions on use
-		Crop specific information:
3.2		crop/target
		dose rate
		water volume
		timing
		Mixing and spraying:
		• filling
		reduced volume applications (if applicable)
		recommended nozzles/restrictors
		recommended pressure
		spray quality
		additional label information
		compatibility

	Identify applicator components and	May include:
	controls	main spray tank
		• pump
		compressor
		air inlet
		pressure relief device
		 pulsation damper
		filling control and devices
		agitation control
		fluid pressure adjustment control
		air pressure adjustment control
		air and fluid pressure gauges
		on/off control
		boom isolators
		boom section pressure compensation
4.1		controls
7.1		filters
		tank wash system
		clean water tank
		nozzle flow restrictors
		nozzle flood jets
		diaphragm check valves
		tank drain
		other components/controls specific to the applicator
		Nozzle restrictors:
		• green (35) - 50-120 l/ha. Low volume
		application
		blue (40) 60 -150 l/ha. Medium volume
		application
		• yellow (50) - 90-250 l/ha. High volume
		application
	Carry out pre-use checks to the	May include:
	prime mover	guards in place and in good condition
		visual inspection of the wheels and tyres
		tyre pressures
		fuel level adequate
4.2		engine oil level is within acceptable limits
		hydraulic oil level is within acceptable limits (if accessible)
		transmission oil level is within
		acceptable limits (if accessible)
		coolant level is adequate
		engine air filter is clean

	Carry out pre-use and operational checks to the	May include all/some of the following as applicable to the sprayer/applicator:
	sprayer	Security of attachment
		 Safe unfolding of booms to avoid personal contamination and contact with Over Head Power Lines (OHPL) and any other over head hazards
		fasteners tight
		straps inspected and adjusted if necessary
		linkage secure
		sideways movement restricted
		drawbar pin secured
		Possible mechanical defects:
		seized, worn or damaged controls/components
		Applicator lubrication:
		identification of lubrication points
		visual inspection of lubrication points
		visual inspection of levels
		Boom settings, suspension and break-back devices:
		boom suspension operational
		break-back efficiency
4.3		height adjustment
		Candidate to remove, clean and refit filter:
		 remove and clean using appropriate method
		contain spillage
		check for defects
		refit
		Candidate to Remove, clean/replace and
		refit a nozzle restrictor and flood jet:
		 remove and clean using appropriate method
		contain spillage
		check for defects
		replace if worn/damaged
		refit
		Use of control panel may include:
		functions of control panel
		 recognition of malfunctions before and during operation
		check accuracy of calibration
		switch to manual/test mode where applicable
		Part fill applicator to include:

suitable site selected

	T	
		 fill by usual on-site method, following approved procedures
		clean water supply
		Check for leaks/spray patterns:
		use higher than normal operating pressure
		 visual check of all nozzles for correct spray patterns, absence of blockages, streaking, pulsing and correct alignment
		replace defective nozzle restrictors and/or flood jets
		lids and seals
		liquid and air pipe work and connections
		control valves
		filters
		liquid and air pressure gauge
		diaphragm check valves
		Action in event of control panel failing:
		stop pesticide application
		manual operation of controls if possible
	Calibrate the sprayer and	Calibration may include the following:
	record relevant data	 suitable forward speed for crop/target and ground conditions
		 appropriate gear selected and engine speed established (if applicable)
		accurate measurement of distance
		accurate measurement of time taken to cover distance
		 correct use of formula to establish forward speed
		Calculate required output/volume rate:
		correct use of formula
		Selection of nozzle restrictor:
4.4		 use of manufacturers operators handbook
		use of manufacturers literature
		confirm requirements of product label
		Operating pressure for liquid and air:
		 pressure as determined by manufacturers literature
		 pressurise/purge appropriate to the system
		Nozzle outputs:
		use a measuring jug to check output from at least one nozzle per boom section (minimum of three per applicator)
		compare with target output
L	I .	

		 vary pressure to make small adjustments
		 change nozzle restrictors and/or flood jets if required
		or any other acceptable method
		Calibration data:
		registration number of vehicle
		tyre size and pressure
		gear selected
		engine speed
		vehicle forward speed
		application volume
		nozzle restrictor fitted
		air pressure
		liquid pressure
		flow rate
	Calculate the quantities of pesticide	To include:
	and water required for a specified	amount of water required for specified
	area	area
4.5		amount of pesticide required for
		specified area
		amount of pesticide required for full tank
	Measure the required quantities and	To include:
	add to the sprayer	Correct selection and use of PPE (as required by the product label and/or COSHH Assessment)
		suitable site selected
		fill by usual on-site method, following approved procedures
5.1		clean water supply
		accurate measurement of water
		accurate measurement of pesticide
		correct filling procedure
		use of filling device if fitted
		avoidance of spillage
		observance of pesticide manufacturers instructions for mixing and agitation
	Demonstrate safe and accurate	
	application procedures	Methods to achieve accurate application May include any of the following;
		tramlines
		crop rows
		blob markers
5.2		marker poles
		marker dyesuse of GPS
		Refilling applicator part way through
		application
		-1-1

		Explanation to include:
		avoid contact with contaminated crop
		mark the spot at which the applicator emptied
		refill applicator
		continue spraying by accurately matching at the appropriate point
		Procedure when nozzle/restrictor becomes blocked during an application
		Explanation to include:
		select and use appropriate PPE
		care not to walk in contaminated crop
		clean or replace nozzle restrictor or flood jet as appropriate
		Demonstrate safe and accurate application procedures to include:
		ensure boom is level or aligned to the target
		correct boom height according to target and type of nozzle
		operate controls to start and finish applying accurate application accurately at the beginning and end of each bout
		correct forward speed and pressure for site conditions
		accurate matching of bouts / use of driving aids
		coping with obstacles
		all of specified area treated, minimising overlaps and misses
		awareness of changes in wind speed and direction
	Carry out all activities	To include:
	protecting human health and the environment	 prevention of personal injury and contamination through correct selection and use of PPE (as required by the product label and/or COSHH Assessment)
5.3		prevention of public / bystander contamination
		safe filling procedure
		avoidance of spray drift
		avoidance of off-target application avoidance of ever design/under design
		avoidance of over dosing/under dosingcrop/target
	Complete a treatment record	Completion of the treatment record must be:
5.4		accurate
		legible (if handwritten)

6.1	Explain how to manage surplus pesticide and dispose of waste material	 surplus concentrate pesticide: return to temporary mobile store return to fixed store Containers: triple rinsed placed in secure storage until disposal returned to supplier collected by a licensed waste disposal contractor Packaging: thoroughly emptied placed in secure storage until disposal collected by a licensed waste disposal contractor Surplus dilute pesticide: back on to site as long as it is below the maximum dose rate use on another approved crop/target treated by specialist treatment facility on site (e.g. a lined bio bed) collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the sprayer and, if applicable, the prime mover	May include: select and use appropriate PPE appropriate site thorough washing with water and suitable additive if required internal and external surfaces use of in-built wash systems if provided care to ensure contamination 'hot-spots' are clean thorough flushing of systems safe disposal of contaminated washings when cleaning should take place safe procedures followed
6.3	Describe the storage requirements for the sprayer	May include: ensure the applicator is clean and dry inspect for wear and damage replace any worn or damaged parts controls left in appropriate positions frost protection measures implemented lubricate as required store undercover and out of direct sunlight store in a secure area

Unit 113 - Operating mounted, trailed and self propelled downward air assisted horizontal boom sprayers

	Describe the legal requirements	May include:
	Describe the legal requirements relating to applying pesticides using horizontal boom sprayer	 May include: all required guards are in place and equipment complies with legal requirements
1.1		comply with all relevant road traffic regulations when operating or transporting on the public highway
		comply with The Plant Protection Products (Sustainable Use) Regulations 2012
		the operator must hold the appropriate certification for the equipment they are using
	Describe how to apply pesticides	Operator safety regulations may include:
	safely using horizontal boom sprayers following industry best	comply with Pesticides Codes of Practice
	practice	adopt industry best practice
		be aware of any safety implications imposed by Risk/COSHH Assessment and comply with the requirements
		Checks to protect self from pesticide contamination:
		Cabbed:
		fit carbon filter
		use of in-cab controlsensure ventilation system is functional
		ensure ventilation system is functional close all windows
		contaminated PPE stored in external locker
1.2		awareness of the siting of pressurised
		components within confines of the cab
		Open cab/canopy/platform:
		use of appropriate PPE
		awareness of the siting of pressurised components within confines of the cab/canopy/platform
		Checks to protect self from physical danger during operation:
		compatibility of prime mover and sprayer
		front weights
		wheel track width
		correct tyre pressures
		condition of tyresbrake function
		Drake function

		Safe practice when driving on
		uneven/sloping terrain:
		assess conditions
		select four wheel drive (if fitted)
		appropriate speed
		correct gear selection
		effect of changing load on stability
		use of weights to stabilise prime mover
		correct turning procedure
		keep centre of gravity as low as possible
		Consideration for safe driving on a public highway:
		independent brakes coupled together
		travelling at high speed makes vehicle unstable
	Identify risks to the environment	May include:
	•	ground conditions
		water courses
		environmental margins/strips/areas
		• drains
		boreholes
2.1		wildlife
		non-target plants
		sensitive crops/areas
		hedgerows
		housing
		public access
		other risks particular to the site
	Explain how to minimise risks to the	Explanation to include the following points:
	environment	check and maintain application rate
		avoid spray drift
		observe buffer zones
		comply with LERAP requirements
		inform neighbours
		erect warning signs
		use an appropriate pesticide (minimal
		environmental impact)
2.2		careful timing of application
		Minimising spray drift:
		avoidance of contamination to people
		and the environment
		Check wind speed and direction:
		use of anemometer at suitable heights
		or visual
		wind direction
		Factors that affect spray drift:
		wind direction

		weather conditions direction of approximate
		direction of spraying
		nozzle type and size
		air outlet/nozzle angle in a science as
		air assistance
		liquid pressure
		forward speed
		boom height
		defective equipment
	Read product information	The following to be provided:
		product name
	Interpret product information	active substance(s) (ingredient(s))
		Important information:
		field of use
		crop/target
		maximum individual dose
		maximum total dose
		maximum number of treatments
		specific product precautions/warnings
		operator protection
		environmental protection
3.1		restrictions on use
-		Crop specific information:
3.2		crop/targe
		dose rate
		water volume
		timing
		Mixing and spraying:
		filling
		 reduced volume applications (if applicable)
		recommended nozzles
		recommended pressure
		spray quality
		additional label information
		compatibility
	Identify applicator components and	May include:
	controls	main spray tank
		• pump
		pressure relief device
		pulsation damper
4.1		filling control and devices
		agitation control
		liquid pressure adjustment control
		fan
		air intake
		- all littano

		air bag/sleeve
		fan speed adjustment control
		air outlet angle control
		fan speed indicator
		on/off control
		boom isolators
		boom section pressure compensation controls
		• filters
		tank wash system
		clean water tank
		nozzles
		nozzle angle control
		diaphragm check valves
		tank drain
		other components/controls specific to
		the applicator
		Nozzle types:
		flat flan – fine/medium/coarse spray air inclusion – medium/coarse spray
		 air inclusion – medium/coarse spray, low drift
		cone – fine spray, good coverage
	Carry out pre-use checks to the	May include:
	prime mover	visual inspection of the wheels and tyres
		tyre pressures
		fuel level adequate
4.2		engine oil level is within acceptable limits
		hydraulic oil level is within acceptable limits (if accessible)
		transmission oil level is within acceptable limits (if accessible)
		coolant level is adequate
		engine air filter is clean
	Carry out pre-use and operational checks to the sprayer	May include all/some of the following as applicable to the sprayer/applicator:
		Security of attachment
		Safe unfolding of booms to avoid personal contamination and contact with Over Head Power Lines (OHPL) and any other over head bezords
4.3		any other over head hazards
		fasteners tight straps inspected and adjusted if
		straps inspected and adjusted if necessary
		linkage secure
		sideways movement restricted
		drawbar pin secured
		Possible mechanical defects:

seized, worn or damaged controls/components

Applicator lubrication:

- identification of lubrication points
- visual inspection of lubrication points
- visual inspection of levels

Boom settings, suspension and break-back devices:

- · boom suspension operational
- break-back efficiency
- height adjustment

Candidate to remove, clean and refit filter:

- remove and clean using appropriate method
- contain spillage
- check for defects
- refit

Candidate to remove, clean and refit a nozzle:

- remove and clean using appropriate method
- contain spillage
- check for defects
- replace if worn/damaged
- refit

Use of control panel may include:

- functions of control panel
- recognition of malfunctions before and during operation
- check accuracy of calibration
- switch to manual/test mode where applicable

Part fill applicator to include:

- suitable site selected
- fill by usual on-site method, following approved procedures
- clean water supply

Check for air leaks/spray patterns:

use higher than normal operating pressure

- visual check of all nozzles for correct spray
- replace defective nozzles
- lids and seals
- liquid pipe work and connections
- air bag/sleeve
- control valves
- filters
- liquid pressure gauge

	diaphragm check valves
	Action in event of control panel failing:
	 stop pesticide application
	 manual operation of controls if possible
	·
Calibrate the sprayer and record relevant data	Calibration may include the following:
Televani data	 suitable forward speed for crop/target and ground conditions
	 appropriate gear selected and engine speed established (if applicable)
	accurate measurement of distance
	 accurate measurement of time taken to cover distance
	 correct use of formula to establish forward speed
	Calculate required output/volume rate:
	correct use of formula
	Selection of nozzle/air speed:
	 use of manufacturers operators handbook
	use of manufacturers literature
	confirm requirements of product label
	Operating pressure for liquid, and set air speed:
	 liquid pressure as determined by manufacturers
4.4	 air speed as determined by manufacturers literature
	 pressurise/purge appropriate to the system
	Nozzle outputs:
	 use a measuring jug to check output from at least one nozzle per boom section (minimum of three per applicator)
	compare with target output
	 vary pressure to make small adjustments
	change nozzles if required
	or any other acceptable method
	Calibration data:
	registration number of vehicle
	tyre size and pressure
	gear selected
	engine speed
	 vehicle forward speed
	application volume
	nozzles fitted
1	• Hozzies iilleu

		flow rate
		- now rate
	Calculate the quantities of pesticide	To include:
	and water required for a specified area	amount of water required for specified
4.5	alea	area
		amount of pesticide required for specified area
		 amount of pesticide required for full tank
	Measure the required quantities and	To include:
	add to the sprayer	correct selection and use of PPE (as
		required by the product label and/or
		COSHH Assessment)
		suitable site selected
		fill by usual on-site method, following
		approved procedures
5.1		clean water supply
		accurate measurement of water
		accurate measurement of pesticide correct filling procedure
		correct filling procedureuse of filling device if fitted
		avoidance of spillage
		 observance of pesticide manufacturers
		instructions for mixing and agitation
	Demonstrate safe and accurate	Methods to achieve accurate application
	application procedures	May include any of the following:
		tramlines
		crop rows
		blob markers
		marker poles
		marker dyes
		• use of GPS
		Refilling applicator part way through application
		Explanation to include:
5.2		avoid contact with contaminated crop
		mark the spot at which the applicator
		emptied
		refill applicator
		continue spraying by accurately
		matching at the appropriate point
		Procedure when nozzle/restrictor becomes blocked during an application
		Explanation to include:
		 select and use appropriate PPE
		 care not to walk in contaminated crop
		 clean or replace nozzle as appropriate
		s.ca ccp.acc nezzio ac appropriato

Procedure in event of failure of air assistance system:

- stop spraying
- continue to spray without using downwards air assistance (if conditions allow)

Effects of increasing the speed of air assistance:

- keeps the air bag/sleeve inflated over its entire length
- a larger air volume is produced, which may;
 - improve penetration of the spray into the crop
 - lead to excessive drift

Adjusting air outlet angle and/or nozzle angle

Incline forward will:

- open the crop canopy and counteract the effect on the spray created by the forward speed of the sprayer
- counteract the effect on the spray created by a head wind

inclining rearward will:

 open the crop canopy and counteract the effect on the spray created by a tail wind

Demonstrate safe and accurate application procedures to include:

- ensure boom is level or aligned to the target
- correct boom height according to target and type of nozzle
- correct air speed according to target and conditions
- correct air outlet and nozzle angle according to target and conditions
- operate controls to start and finish applying accurately at the beginning and end of each bout
- correct forward speed and pressure for site conditions
- accurate matching of bouts / use of driving aids
- coping with obstacles
- all of specified area treated, minimising overlaps and misses
- awareness of changes in wind speed and direction

5.3	Carry out all activities protecting human health and the environment	 prevention of personal injury and contamination through correct selection and use of PPE (as required by the product label and/or COSHH Assessment) prevention of public / bystander contamination safe filling procedure avoidance of spray drift avoidance of over dosing/under dosing crop/target
5.4	Complete a treatment record	Completion of the treatment record must be:
6.1	Explain how to manage surplus pesticide and dispose of waste material	Surplus concentrate pesticide: return to temporary mobile store return to fixed store Containers: triple rinsed placed in secure storage until disposal returned to supplier collected by a licensed waste disposal contractor Packaging: thoroughly emptied placed in secure storage until disposal collected by a licensed waste disposal contractor Surplus dilute pesticide: back on to site as long as it is below the maximum dose rate use on another approved crop/target treated by specialist treatment facility on site (e.g. a lined bio bed) collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the sprayer and, if applicable, the prime mover	 May include: select and use appropriate PPE appropriate site thorough washing with water and suitable additive if required internal and external surfaces use of in-built wash systems if provided care to ensure contamination 'hot-spots' are clean

		thorough flushing of systems, including air bag/sleeve
		safe disposal of contaminated washings
		when cleaning should take place
		safe procedures followed
	Describe the storage requirements	May include:
	for the sprayer 6.3	ensure the applicator is clean and dry
		inspect for wear and damage
		replace any worn or damaged parts
6.3		controls left in appropriate positions
0.5		frost protection measures implemented
		lubricate as required
	 store undercover and out of direct sunlight 	
		store in a secure area

Unit 114 - Operating mounted or trailed wick type applicators

	B 11 11 1 1 1 1	T
	Describe the legal requirements relating to applying pesticides using wick type applicators	 May include: all required guards are in place and equipment complies with legal requirements comply with all relevant road traffic
1.1		regulations when operating or transporting on the public highway comply with The Plant Protection Products (Sustainable Use) Regulations 2012)
		the operator must hold the appropriate certification for the equipment they are using
	Describe how to apply pesticides	Operator safety regulations may include:
	safely using wick type applicators following industry best practice	comply with Pesticides Codes of Practice
		adopt industry best practice
		be aware of any safety implications imposed by Risk/COSHH Assessment and comply with the requirements
1.2		Checks to protect self from pesticide contamination:
		Cabbed:
		fit carbon filter
		use of in-cab controls
		ensure ventilation system is functional
		close all windowscontaminated PPE stored in external
		locker
		Open cab/canopy/platform:

		use of appropriate PPE
		Checks to protect self from physical danger during operation:
		compatibility of prime mover and sprayer
		front weights
		wheel track width
		correct tyre pressures
		 condition of tyres
		brake function
		Safe practice when driving on
		uneven/sloping terrain:
		select four wheel drive (if fitted)
		appropriate speed
		correct gear selection
		effect of changing load on stability
		use of weights to stabilise prime mover
		correct turning procedure
		 keep centre of gravity as low as possible
		Consideration for safe driving on a public highway:
		independent brakes coupled together
		travelling at high speed makes vehicle unstable
	Identify risks to the environment	May include:
		ground conditions
		water courses
		environmental margins/strips/areas
		drains
		• boreholes
2.1		wildlife
		non-target plants
		sensitive crops/areas
		hedgerows
		• housing
		public access
		other risks particular to the site
	Explain how to minimise risks to the	Explanation to include the following points:
	environment	check and maintain application rate
		observe buffer zones
2.2		inform neighbours
2.2		erect warning signs
		 use an appropriate pesticide (minimal environmental impact)
		careful timing of application
i	1	Minimising off target application:

		avoidance of contamination to people and the environment
3.1	Read product information Interpret product information	The following to be provided: • product name • active substance(s) (ingredient(s)) Important information: • field of use • crop/target • maximum individual dose • maximum total dose • maximum number of treatments • specific product precautions/warnings • operator protection • environmental protection • restrictions on use Crop specific information: • crop/target • dose rate • timing • dilution rate • mixing and filling • additional label information • compatibility
4.1	Identify applicator components and control	May include: main tank wick pump filling control and devices agitation control pressure adjustment control pressure gauge on/off control filters clean water tank nozzles/distribution system diaphragm check valves tank drain other components/controls specific to the applicator
4.2	Carry out pre-use checks to the prime mover	May include: • guards in place and in good condition • visual inspection of the wheels and tyres • tyre pressures • fuel level adequate

	T	
		engine oil level is within acceptable limits
		hydraulic oil level is within acceptable limits(if accessible)
		transmission oil level is within acceptable limits (if accessible)
		coolant level is adequate
		engine air filter is clean
	Carry out pre-use and operational checks to the applicator	May include all/some of the following as applicable to the applicator:
		Security of attachment
		Safe unfolding of booms to avoid personal of applicator mechanisms contamination and contact with Over Head Powerlines (OHPL) and any other over head hazards
		fasteners tight
		 straps inspected and adjusted if necessary
		linkage secure
		sideways movement restricted
		drawbar pin secured
		Possible mechanical defects:
		 seized, worn or damaged controls/components
		electrical connectors
		condition of wick
1.0		Applicator lubrication:
4.3		identification of lubrication points
		visual inspection of lubrication points
		visual inspection of levels
		Candidate to remove, clean and refit filter:
		 remove and clean using appropriate method
		contain spillage
		check for defects
		• refit
		Part fill applicator to include:
		suitable site selected
		fill by usual on-site method, following approved procedures
		approved proceduresclean water supply
		Check for leaks/correct distribution:
		visual check of all nozzles/distribution
		system for even application to wick
		replace defective nozzles/distribution system components
		lids and seals

		pipe work and connections
		control valves
		• filters
		pressure gauge
		diaphragm check valves
Set up the	e applicator and record	Set up may include the following:
relevant d		 suitable forward speed for target and
		ground conditions
		Frame settings:
		height adjustment
		Prime wick:
		travel slowly forward to ensure even
		distribution
4.4		time required to prime wick (wet/dry)
		adjust flow rate to wick
		Operational data:
		 registration number of vehicle
		gear selected
		priming time for wick
		liquid pressure (if applicable)
		flow rate setting
	the quantities of pesticide	To include:
	and water required for a specified area	amount of water required for specified
4.5		area
		 amount of pesticide required for specified area
		 amount of pesticide required for full tank
Measure t	the required quantities and	To include:
	applicator	correct selection and use of PPE (as
		required by the product label and/or
		COSHH Assessment)
		suitable site selected
		fill by usual on-site method, following approved precedures.
		approved proceduresclean water supply
5.1		accurate measurement of water
		accurate measurement of water
		correct filling procedure
		use of filling device if fitted
		avoidance of spillage
		observance of pesticide manufacturers
		instructions for mixing and agitation
Demonstr	ate safe and accurate	Methods to achieve accurate application
application	n procedures	May include any of the following:
5.2		blob markers
		 marker poles

		• use of CDS
		 use of GPS Refilling applicator part way through
		application
		Explanation to include:
		avoid contact with contaminated crop
		mark the spot at which the applicator
		emptied
		refill applicator
		 continue application by accurately matching at the appropriate point Problems when working on sideways
		sloping ground may include:
		 increased saturation of lowest side of wick
		 decreased saturation of highest side of wick
		Procedure when nozzle/restrictor becomes blocked during an application
		Explanation to include:select and use appropriate PPE
		 select and use appropriate FFE care not to walk in contaminated crop
		 clean or replace nozzle/distribution
		system as appropriate
		Demonstrate safe and accurate application procedures to include:
		 ensure wick is level or aligned to the target
		correct wick height according to targetoperate controls to start and finish
		applying accurately to the target
		 avoidance of over-saturating wick
		 avoidance of under-saturating wick
		correct forward speed for site conditions
		 accurate matching of bouts/use of driving aids
		 coping with obstacles
		 all of specified area treated, minimising overlaps and misses
	Carry out all activities protecting	To include:
5.3	human health and the environment	 prevention of personal injury and contamination through correct selection and use of PPE (as required by the product label and/or COSHH Assessment)
3.3		 prevention of public/bystander contamination
		safe filling procedure
		 avoidance of drips from wick
		avoidance of off target application

		avoidance of over dosing/under dosing crop/target
5.4	Complete a treatment record	Completion of the treatment record must be:
6.1	Explain how to manage surplus pesticide and dispose of waste material	Surplus concentrate pesticide: return to temporary mobile store return to fixed store Containers: triple rinsed placed in secure storage until disposal returned to supplier collected by a licensed waste disposal contractor Packaging: thoroughly emptied placed in secure storage until disposal collected by a licensed waste disposal contractor Surplus dilute pesticide: back on to site as long as it is below the maximum dose rate use on another approved crop/target treated by specialist treatment facility on site (e.g.a lined bio bed) collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the applicator and, if applicable, the prime mover	 May include: select and use appropriate PPE appropriate site thorough washing with water and suitable additive if required internal and external surfaces cleaning of the wick thorough flushing of systems safe disposal of contaminated washings when cleaning should take place safe procedures followed
6.3	Describe the storage requirements for the applicator	May include: ensure the applicator is clean and dry inspect for wear and damage replace any worn or damaged parts controls left in appropriate positions frost protection measures implemented

	lubricate as required
	 store undercover and out of direct sunlight
	store in a secure area

Unit 115 - Operating vehicle mounted kerb sprayers fitted with hydraulic nozzles/rotary atomisers

	Describe the legal requirements	May include:
	Describe the legal requirements relating to applying pesticides using	May include:
1.1	vehicle mounted kerb sprayers	 all required guards are in place and equipment complies with legal requirements
		comply with all relevant road traffic regulations when operating or transporting on the public highway
		comply with The Plant Protection Products (Sustainable Use) Regulations 2012
		the operator must hold the appropriate certification for the equipment they are using
	Describe how to apply pesticides	Operator safety regulations may include:
	safely using vehicle mounted kerb sprayers following industry best	comply with Pesticides Codes of Practice
	practice	adopt industry best practice particular in respect of non-porous surfaces and risk of contamination of surface and ground water
		be aware of any safety implications imposed by Risk/COSHH Assessment and comply with the requirements
		Checks to protect self from pesticide contamination:
		Cabbed:
1.2		fit carbon filter
1.2		use of in-cab controls
		ensure ventilation system is functional
		close all windows
		contaminated PPE stored in external locker
		awareness of the siting of pressurised components within confines of the cab
		Open cab/canopy/platform:
		use of appropriate PPE
		awareness of the siting of pressurised components within confines of the cab/canopy/platform
		Checks to protect self from physical danger during operation:

	I .	 compatibility of prime mover and
ļ		 compatibility of prime mover and sprayer
		wheel track width
		correct tyre pressures
		condition of tyres
		brake function
		Safe practice when driving on uneven/sloping terrain:
ļ		assess conditions
ļ		appropriate speed
ļ		correct gear selection
		effect of changing load on stability
ļ		correct turning procedure
		keep centre of gravity as low as possible
		Consideration for safe driving on a public highway:
		travelling at high speed makes vehicle unstable
		slow moving vehicle protocols
	Identify risks to the environment	May include:
		hard surface run-off
		drains
		water courses
		environmental areas
2.4		wildlife
2.1		non-target plants
		sensitive crops/areas
		hedgerows
		housing
		public access
		other risks particular to the site
	Explain how to minimise risks to the	Explanation to include the following points:
	environment	check and maintain application rate
		avoid run-off
2.2		avoid spray drift
		observe buffer zones
		inform neighbours
		appropriate warning signs
		use an appropriate pesticide (minimal environmental impact)
		careful timing of application
		Minimising spray drift:
		avoidance of contamination to people and the environment
	1	1
2.1	Explain how to minimise risks to the	possible Consideration for safe driving on a public highway: • travelling at high speed makes vehicle unstable • slow moving vehicle protocols May include: • hard surface run-off • drains • water courses • environmental areas • wildlife • non-target plants • sensitive crops/areas • hedgerows • housing • public access • other risks particular to the site Explanation to include the following points: • check and maintain application rate • avoid run-off • avoid spray drift • observe buffer zones • inform neighbours • appropriate warning signs • use an appropriate pesticide (minimal environmental impact)

	•	use of anemometer at suitable heights
		or visual signs
	•	wind direction
	F	Factors that affect spray drift:
	•	weather conditions
	•	direction of spraying
	•	nozzle type and size
	•	pressure
	•	forward speed
	•	nozzle height
	•	rotary atomiser speed
	•	defective equipment
Read product in	nformation T	The following to be provided:
	•	product name
Interpret produc	et information •	active substance(s) (ingredient(s))
	Ir	mportant information:
	•	field of use
	•	target
	•	maximum individual dose
	•	maximum total dose
	•	maximum number of treatments
	•	specific product precautions/warnings
3.1	•	operator protection
3.1	•	environmental protection
3.2	•	restrictions on use
0.2	T	Target specific information:
	•	target
	•	dose rate
	•	water volume
	•	timing
	l N	Mixing and spraying:
	•	9
	•	recommended nozzles
	•	recommended pressure
	•	spray quality
	•	additional label information
	tor components and M	May include:
controls	•	main spray tank
	•	F •F
	•	filling control and devices
4.1	•	a.g.ta.tiot.
7.1	•	pressure adjustment control
	•	pressure gauge
	•	on/off control
	•	boom isolators

		tank wash system
		clean water tank
		nozzles/atomisers/spray heads
		diaphragm check valves
		tank drain
		other components/controls specific to the applicator
		Nozzle types:
		Flat flan – fine/medium/coarse spray
		Air inclusion – medium/coarse spray, low drift
	Carry out pre-use checks to the	May include:
	prime mover	visual inspection of the wheels and tyres
		tyre pressures
		fuel level adequate/motive batteries
4.2		charged
		oil level(s) within acceptable limits
		coolant level is adequate
		engine air filter is clean
	Carry out pro use and energtional	
	Carry out pre-use and operational checks to the sprayer/applicator	May include all/some of the following as applicable to the sprayer/applicator:
	checks to the sprayer/applicator	Security of attachment
		fasteners tight
		straps inspected and adjusted if
		necessary
		Possible mechanical defects:
		seized, worn or damaged
		controls/components
		atomiser drives and electrical connectors
		Applicator lubrication:
		identification of lubrication points
		visual inspection of lubrication points
4.3		visual inspection of levels
		Spray head attachments/break-back
		devices
		height adjustment
		break-back efficiency
		Candidate to remove, clean and refit filter:
		remove and clean using appropriate method
		contain spillage
		check for defects
		• refit
		Candidate to remove, clean/replace and
		refit a nozzle/restrictor/spray head:
		 remove and clean using appropriate
		method

	contain spillage
	contain spillagecheck for defects
	replace if worn/damaged
	• refit
	Use of control panel may include:
	functions of control panel
	 recognition of malfunctions before and during operation
	 switch to manual/test mode where applicable
	Part fill applicator to include:
	 suitable site selected
	 fill by usual on-site method, following approved procedures
	 clean water supply
	Check for air leaks/spray patterns:
	 or attach pesticide container
	 use higher than normal operating pressure
	 visual check of all nozzles/atomisers/spray heads for correct spray patterns, absence of blockages, streaking and pulsing
	 replace defective nozzles/atomisers/spray heads lids and seals
	 pipe work and connections
	control valves
	• filters
	pressure gauge
	 diaphragm check valves
	Action in event of control panel failing:
	 stop pesticide application
	 stop pesticide application manual operation of controls if possible
Colibrate the amore and are t	·
Calibrate the sprayer and record relevant data	 Calibration may include the following: suitable forward speed for target and ground conditions
	appropriate gear selected and engine speed established (if applicable)
	accurate measurement of distance
4.4	accurate measurement of time taken to cover distance
	 correct use of formula to establish forward speed
	Calculate required output/volume rate:
	correct use of formula
	Selection of appropriate nozzle/atomiser/spray head:

		 use of manufacturers operators handbook use of nozzle/atomiser/spray head manufacturers literature confirm requirements of product label Operating pressure/disc speed: pressure as determined by nozzle chart disc speed as determined by manufacturers literature pressurise/purge appropriate to the system Nozzle/atomiser/spray head outputs: use a measuring jug to check nozzle/atomiser/spray head output compare with target output vary pressure/flow rate to make small adjustments change nozzles/atomisers/spray heads if required Or any other acceptable method Calibration data: registration number of vehicle tyre size and pressure gear selected engine speed vehicle forward speed application volume nozzle/atomiser/spray head fitted pressure/disc speed
	Calculate the quantities of pesticide	flow rate To include:
4.5	and water required, if applicable	 amount of water required for specified area amount of pesticide required for specified area amount of pesticide required for full tank
5.1	Measure the required quantities and add to the sprayer or attach pesticide container	To include: correct selection and use of PPE (as required by the product label and/or COSHH Assessment) suitable site selected fill by usual on-site method, following approved procedures clean water supply accurate measurement of water accurate measurement of pesticide correct filling procedure avoidance of spillage

		 observance of pesticide manufacturers instructions for mixing and agitation
		 correct selection and use of PPE (as required by the product label and/or COSHH Assessment)
		suitable site selected
		container undamaged
		correct procedure for attaching container
		avoidance of spillage
		check for leakage
	Demonstrate safe and accurate application procedures	Refilling applicator part way through application
		Explanation to include:
		avoid contact with contaminated area
		 mark the spot at which the applicator emptied
		refill applicator
		 continue spraying by accurately matching at the appropriate point
		Procedure when nozzle/restrictor/spray head becomes blocked during an application
		Explanation to include:
		select and use appropriate PPE
		care not to walk on contaminated area
5.2		 clean or replace nozzle/restrictor/spray head as appropriate
		Demonstrate safe and accurate application procedures to include:
		 ensure spray head is aligned to the target
		 correct spray head height to achieve compliance with hard-surface recommendations
		operate controls to apply accurately
		 correct forward speed and pressure for site conditions
		coping with obstacles
		all of specified area treated
		 awareness of changes in wind speed and direction
	Carry out all activities protecting	To include:
5.3	human health and the environment	 prevention of public / bystander contamination
3.0		 prevention of personal injury and contamination through correct selection and use of PPE (as required by the

5.4	Complete a treatment record	product label and/or COSHH Assessment) safe filling procedure avoidance of spray drift avoidance of off target application avoidance of over dosing/under dosing target Completion of the treatment record must be: accurate legible (if handwritten)
6.1	Explain how to manage surplus pesticide and dispose of waste material	Surplus concentrate pesticide: • return to temporary mobile store • return to fixed store Containers: • triple rinsed • placed in secure storage until disposal • returned to supplier • collected by a licensed waste disposal contractor Packaging: • thoroughly emptied • placed in secure storage until disposal • collected by a licensed waste disposal contractor Surplus dilute pesticide: • back on to site as long as it is below the maximum • dose rate • use on another approved target • treated by specialist treatment facility on site (e.g. a lined bio bed) • collected by a licensed waste disposal contractor
6.2	Explain how to clean and decontaminate the sprayer and, if applicable, the prime mover	May include: select and use appropriate PPE appropriate site thorough washing with water and suitable additive if required internal and external surfaces use of in-built wash systems if provided thorough flushing of systems safe disposal of contaminated washings when cleaning should take place safe procedures followed

Appendix 1 Practical table

Unit 111 - Operating mounted, trailed and self propelled hydraulic nozzle or rotary atomiser horizontal boom sprayers

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using horizontal boom sprayers	
1.2 Describe how to apply pesticides safely using horizontal boom sprayers following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify applicator components and controls	
4.2 Carry out pre-use checks to the prime mover	
4.3 Carry out pre-use and operational checks to the sprayer	
4.4 Calibrate the sprayer and record relevant data	
4.5 Calculate the quantities of pesticide and water required	
5.1 Measure the required quantities and add to the sprayer	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the sprayer and, if applicable, the prime mover	
6.3 Describe the storage requirements for the sprayer	

Unit 112 - Operating mounted, trailed and self propelled air / fluid nozzle horizontal boom sprayers

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using horizontal boom sprayers with thin fluid nozzles	
1.2 Describe how to apply pesticides safely using horizontal boom sprayers following industry best practice	
2.1 Identify risks to the environment	

2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify applicator components and controls	
4.2 Carry out pre-use checks to the prime mover	
4.3 Carry out pre-use and operational checks to the sprayer	
4.4 Calibrate the sprayer and record relevant data	
4.5 Calculate the quantities of pesticide and water required for a specified area	
5.1 Measure the required quantities and add to the sprayer	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the sprayer and, if applicable, the prime mover	
6.3 Describe the storage requirements for the sprayer	

Unit 113 - Operating mounted, trailed and self propelled downward air assisted horizontal boom sprayers

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using horizontal boom sprayers	
1.2 Describe how to apply pesticides safely using horizontal boom sprayers following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify applicator components and controls	
4.2 Carry out pre-use checks to the prime mover	
4.3 Carry out pre-use and operational checks to the sprayer	
4.4 Calibrate the sprayer and record relevant data	
4.5 Calculate the quantities of pesticide and water required for a specified area	
5.1 Measure the required quantities and add to the sprayer	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the sprayer and, if applicable, the prime mover	

6.3 Describe the storage requirements for the sprayer	
	i i

Unit 114 - Operating mounted or trailed wick type applicators

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using wick type applicators	
1.2 Describe how to apply pesticides safely using wick type applicators following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	
4.1 Identify applicator components and controls	
4.2 Carry out pre-use checks to the prime mover	
4.3 Carry out pre-use and operational checks to the applicator	
4.4 Calibrate the applicator and record relevant data	
4.5 Calculate the quantities of pesticide and water required for a specified area	
5.1 Measure the required quantities and add to the applicator	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the applicator and, if applicable, the prime mover	
6.3 Describe the storage requirements for the applicator	

Unit 115 - Operating vehicle mounted kerb sprayers fitted with hydraulic nozzles/rotary atomisers

All criteria must be achieved.

Activity number and description	Achieved
1.1 Describe the legal requirements relating to applying pesticides using vehicle mounted kerb sprayers	
1.2 Describe how to apply pesticides safely using vehicle mounted kerb sprayers following industry best practice	
2.1 Identify risks to the environment	
2.2 Explain how to minimise risks to the environment	
3.1 Read product information	
3.2 Interpret product information	

4.1 Identify applicator components and controls	
4.2 Carry out pre-use checks to the prime mover	
4.3 Carry out pre-use and operational checks to the sprayer/applicator	
4.4 Calibrate the sprayer and record relevant data	
4.5 Calculate the quantities of pesticide and water required for a specified area	
5.1 Measure the required quantities and add to the sprayer or attach pesticide container	
5.2 Demonstrate safe and accurate application procedures	
5.3 Carry out all activities protecting human health and the environment	
5.4 Complete a treatment record	
6.1 Explain how to manage surplus pesticide and dispose of waste material	
6.2 Explain how to clean and decontaminate the applicator and, if applicable, the prime mover	
6.3 Describe the storage requirements for the applicator	

Appendix 2 Sources of general information

The following documents contain essential information for centres delivering City & Guilds qualifications. To download the documents and to find other useful documents, go to the *Centre Document Library* on *www.cityandguilds.com* or click on the links below:

Quality Assurance Standards: Centre Handbook

This document is for all approved centres and provides guidance to support their delivery of our qualifications. It includes information on

- Centre quality assurance criteria and monitoring activities
- Administration and assessment systems
- Centre-facing support teams at City & Guilds / ILM
- Centre quality assurance roles and responsibilities.

The Centre Handbook should be used to ensure compliance with the terms and conditions of the Centre Contract.

Quality Assurance Standards: Centre Assessment

Approved centres must have effective quality assurance systems to ensure optimum delivery and assessment of qualifications. Quality assurance includes initial centre approval, qualification approval and the centre's own internal procedures for monitoring quality. Centres are responsible for internal quality assurance and City & Guilds is responsible for external quality assurance. All external quality assurance processes reflect the minimum requirements for verified and moderated assessments, as detailed in the Centre Assessment Standards Scrutiny (CASS), section H2 of Ofqual's General Conditions. For more information on both CASS and City & Guilds Quality Assurance processes visit: the What is CASS? and Quality Assurance Standards documents on the City & Guilds website.

This document sets out the minimum common quality assurance requirements for our regulated and non-regulated qualifications that feature centre assessed components. Specific guidance will also be included in relevant qualification handbooks and/or assessment documentation.

It incorporates our expectations for centre internal quality assurance and the external quality assurance methods we use to ensure that assessment standards are met and upheld. It also details the range of sanctions that may be put in place when centres do not comply with our requirements, or actions that will be taken to align centre marking/assessment to required standards. Additionally, it provides detailed guidance on the secure and valid administration of centre-assessments.

Access arrangements - When and how applications need to be made to City & Guilds provides full details of the arrangements that may be made to facilitate access to assessments and qualifications for candidates who are eligible for adjustments in assessment.

The Centre Document Library also contains useful information on such things as:

- Conducting examinations
- Registering learners

Appeals and malpractice

Useful contacts

Please visit the Contact Us section of the City & Guilds website, Contact us

About City & Guilds

As the UK's leading vocational education organisation, City & Guilds is leading the talent revolution by inspiring people to unlock their potential and develop their skills. We offer over 500 qualifications across 28 industries through 8500 centres worldwide and award around two million certificates every year. City & Guilds is recognised and respected by employers across the world as a sign of quality and exceptional training.

City & Guilds Group

The City & Guilds Group is a leader in global skills development. Our purpose is to help people, organisations and economies develop their skills for growth. We work with education providers, employers and governments in over 100 countries across the world to help people, businesses and economies grow by shaping skills systems and supporting skills development.

The Group is made up of City & Guilds, ILM, Kineo, The Oxford Group, Gen2, and Intertrain. Together we set the standard for professional and technical education and corporate learning and development around the world.

Copyright

The content of this document is, unless otherwise indicated, © The City & Guilds of London Institute and may not be copied, reproduced or distributed without prior written consent. However, approved City & Guilds centres and learners studying for City & Guilds qualifications may photocopy this document free of charge and/or include a PDF version of it on centre intranets on the following conditions:

- centre staff may copy the material only for the purpose of teaching learners working towards a City & Guilds qualification, or for internal administration purposes
- learners may copy the material only for their own use when working towards a City & Guilds qualification

The Standard Copying Conditions (see the City & Guilds website) also apply.

Published by City & Guilds, a registered charity established to promote education and training

City & Guilds of London Institute Giltspur House 5-6 Giltspur Street London EC1A 9DE

cityandguildsgroup.com

