

City & Guilds Level 3 Certificate of Competence in Individual Windblown Trees (0039-37)

September 2022 Version 1.1

Assessment Pack – Centre and Candidate Version

Version and date	Change detail	Section
1.0	First version	
1.1 September 2022	Formatting changes Updated logo Updated 'Sources of general information'	Throughout Front cover Appendix 2

Contents

Introduction		3
	308- Individual windblown trees	4
Appendix 1	Practical Table	10
Appendix 2	Sources of general information	11

Introduction

This assessment relates to the unit in the Qualification handbook. The assessment can be achieved at pass only. If any task is not yet met the candidate is unsuccessful.

This assessment is for unit 308 Individual windblown trees covering the following learning outcomes:

1. Carry out operations to deal with Individual windblown trees

General guidance on the requirements for assessment can be found in the Assessor Guidance document available on the City & Guilds web site **www.cityandguilds.com**.

The assessor must complete the Practical Table mark sheet for each candidate which should be kept by the assessor for a minimum period of twelve months.

Record of assessment (ROA)

A prepopulated record of assessment must be completed by the assessor following an assessment. The number of outcomes is listed above, these must be ticked into the relevant met or not met sections of the ROA.

ARAS Forms

An Assessment Result Advice Slip (ARAS form) must be completed by the assessor following an assessment. The ARAS is not a certificate but, based on the evidence of the candidate's performance, is a recommendation to City & Guilds that the candidate is either met or not met the assessment criteria. All feedback is to be recorded by the assessor on the feedback section of the ARAS form.

Assessment Time

The expected assessment time for this qualification is 1.5 - 3 hours.

Site/workshop requirements:

Site with sufficient space and available windblown trees to meet the assessment criteria Tree diameter from under 380mm up to 760mm

Equipment/Machinery:

Chainsaw with maintenance tools Relevant chainsaw operator's manual Felling and lifting aids eg felling lever, felling wedge, timber tongs/hook, turning strap Measuring aid Winching equipment minimum 1.6 ton capacity First aid kit

Consumables:

Fuel and chainsaw oil

This is not an open book assessment, however additional technical information may be sought from the relevant manufacturer's operator manuals or any other appropriate training or safety publication.

Practical observation descriptor table

308- Individual windblown trees

Activ	ity number and description from check list	Assessment criteria
1.	Identify the hazards, risks and controls associated with the site, task and machine	Identify hazards, risks and controls relevant to the site task and machine
2.	State the emergency procedures relevant to the site	Emergency procedures relevant to the work site
3.	State industry guides and information relevant to windblown trees	 Industry guides relevant to windblown trees: Forest Industry Safety Accord (FISA) Forestry commission winching operations in forestry
4.	State safety considerations before dealing with Individual windblown trees	 Safety considerations when dealing with windblown trees may be: risk assessment must be carried out. emergency procedure must be agreed all works adjacent to public highways must comply with road traffic and signage regulations condition of surrounding trees terrain, ground conditions, season, weather and tree condition will have safety implications on severing of root plates
5.	State safety considerations that may be needed when severing root-plates	 Safety considerations may include: unstable or overhanging root-plates may need a winch restraint cutting a long log to move operator into a safer zone timber under very heavy tension may require V cuts to be made winch restraint of side tension may be required root plates may need moving by machine to be made safe after severing other

6.	State other types of uprooted or damaged trees that will require a higher level of competency	Other types of uprooted or damaged trees may include: • partly uprooted /leaning trees • broken trees with tops still attached • shattered trees with no top /crown • multiple uprooted and/or storm damaged trees
7.	Describe considerations in relation to extreme tension and compression in timber	 Considerations when dealing with extreme tension and compression in timber may include: tension in timber can be very high in either top, bottom or side depending on how the stem is supported tension and compression can change dramatically in different positions up the stem away from the root-plate compression cut is always made first followed by tension cut stepped towards the piece that is likely to move the least a reducing cut on the safer far side of the tree is required when severing stems over guide bar length in diameter
8.	State when winches maybe used when severing root plates	 Winches may also be used for: reduce root plate movement after severance restraint of trees with side tension where the stem is likely to roll
9.	Describe when offset winching should be used	 Offset winching should be used if: terrain prevents a straight-line pull the work method deployed means winch and chainsaw operator need to be visible to each other other
10.	State additional considerations when offset winching	 Additional precautions may be: suitability of anchor point, strops, shackles, block etc. equipment must be rated in accordance with the loading that it will be placed under the exclusion zone within the bight of the winch cable must not be entered when a tree is used as an offset/redirect anchor, the winch and chainsaw operators must be in a safe position other

11.	Select and inspect winch and ancillary equipment and comment on condition and compatibility	 Select and inspect work equipment: check for signs of damage or fatigue to equipment ensure winch, strops, chokers, winch rope, cable fittings, shackles, other ancillary equipment are compatible winch overload prevention device in place winch components secure
12.	Inspect site, uprooted tree, and anchor points and comment on system to be set up	 Explanation of the site, tree, anchor points and the system to be set up may include: planning of site location of anchor points equipment required communication between winch operator and the chainsaw operator established
13.	Prepare and set up site	 Preparation and set up site may include: prepare site by removing obstacles at work position and behind root-plate to route winch cable establish escape routes as appropriate choose cutting position to ensure no obstructions behind chainsaw operator
14.	Select winch and anchor points and set up winching system	 Set up of winching system may include: winch and anchor point suitability adequate for weight of tree and root-plate capacity and configuration of equipment compatible with load to be applied allowance made for any shock loading that may be applied to the system, especially on slopes escape route available for chainsaw and winch operator if applicable
15.	Pre-tension winch to restrain a root plate	 Pre-tension winching system: position strops in relation to where cuts are to be made pre-tension cable fully prior to severing root-plate identify risk zones root plate restrained adequately

16.	Explain the sequence of cuts	 Sequence of cuts may include: a reducing cut is made on the far side of the timber relieving cut made into compression wood severing cut made into tension wood leaving a minimum step of 25mm to leave the saw on the part that will move the least ensure strop/choker avoided when making cuts use escape routes as necessary root plate winched over as appropriate and left in a safe and stable condition
17.	Sever tree from root-plate	 Tree is severed from root-plate: ensure there is no risk to the operator from the root-plate rolling or falling or the stem springing (including sideways) identify tension and compression in stems and select severing methods which is appropriate to tree size and condition aid tools used if applicable ensure tree and root-plate are in a safe condition to enable subsequent operations clearly marked as a hazard if root-plate cannot be made safe
18.	De-tension and dismantle the winch system and make tree and root-plate safe	 De-tension and dismantle winching system may include: tension in the system released make sure root-plate and tree stem are in a safe and appropriate position dismantle, inspect, clean and stow winch system components

	Remove branches from felled	Branch removal techniques should account for
	Remove branches from felled trees using a recognised method	 Branch removal techniques should account for: a systematic sequence of cuts and position of the saw to remove branches as appropriate for the branching habit correct stance and support of the saw on tree or right leg left thumb around the front handle neither handle released while the chain is moving apply chain brake if reaching across bar
		 apply chain brake when negotiating obstacles
		 not walking when the saw is on the same side of the tree as the operator without applying the chainbrake
		 avoid working on lower side of tree on side slopes
		 operator not reaching too far round with saw on far side of tree
19.		 operators not cutting towards legs or body
		 avoiding the use of the tip of guidebar
		 avoiding overreaching with chainsaw
		 not straddling the stem
		 compression and tension forces assessed, and appropriate cuts used
		 using an under-sweep technique if applicable
		• the top cut at an appropriate diameter
		 top removed with a safe method of cutting
		 the stem turned using appropriate aid tools/ techniques
		 using the stem for protection when removing remaining branches as appropriate
		 using a safe and effective method to
		sever remaining branchesall branches being removed flush with the stem

[One and a station of the sector benefit and the sector of
20.	Cross-cut pole length timber in accordance with the site specification	 Cross-cutting of timber to length should include: ensuring appropriate safe working distances from both fuel and other operators is maintained correct use of PPE timber is in a safe and appropriate position safe starting procedure adopted safe stance adopted including: legs and feet are clear of the chain chainsaw is stable/secure/supported during crosscutting minimal risk of muscular/skeletal injury bar aligned to maintain accuracy head out of line of chain use of throttle to cut safely and efficiently cutting techniques employed to complete severance of timber appropriate boring technique used if applicable sequence of cuts undertaken to prevent saw becoming trapped appropriate aids used for lifting, rolling or levering if applicable accuracy of measurement within site specification and reasonable tolerances tension and compression cuts should meet chain brake used appropriately saw switched off and left in safe position, bar cover replaced if appropriate
21.	Check timber is in an appropriate and safe position	Timber should be left in a safe, stable condition and appropriate position as per the site specification
22.	Dispose of waste safely in line with legislation	All waste produced is disposed of in line with legislation, good practice and site requirements
23.	Used appropriate tools, equipment and personal protective equipment (PPE)	All tools, equipment and personal protective equipment is used in line with industry good practice
24.	Carried out work to minimise environmental damage	It is ensured that any possible environmental damage is minimised at all times
25.	Worked in a way which maintains health and safety and is consistent with relevant legislation and industry good practice	All activities must be completed in a way which protects the operator and those around them

Appendix 1 Practical Table

308 - Individual windblown trees

All criteria must be achieved.

Act	ivity number and description	Achieved
1.	Identify the hazards, risks and controls associated with the site, task and machine	
2.	State the emergency procedures relevant to the site	
3.	State industry guides and information relevant to windblown trees	
4.	State safety considerations before dealing with Individual windblown trees	
5.	State safety considerations that may be needed when severing root-plates	
6.	State other types of uprooted or damaged trees that will require a higher level of competency	
7.	Describe considerations in relation to extreme tension and compression in timber	
8.	State when winches maybe used when severing root plates	
9.	Describe when offset winching should be used	
10.	State additional considerations when offset winching	
11.	Select and inspect winch and ancillary equipment and comment on condition and compatibility	
12.	Inspect site, uprooted tree, and anchor points and comment on system to be set up	
13.	Prepare and set up site	
14.	Select winch and anchor points and set up winching system	
15.	Pre-tension winch to restrain a root plate	
16.	Explain the sequence of cuts	
17.	Sever tree from root-plate	
18.	De-tension and dismantle the winch system and make tree and root-plate safe	
19.	Remove branches from felled trees using a recognised method	
20.	Cross-cut pole length timber in accordance with the site specification	
21.	Check timber is in an appropriate and safe position	
22.	Dispose of waste safely in line with legislation	
23.	Used appropriate tools, equipment and personal protective equipment (PPE)	
24.	Carried out work to minimise environmental damage	
25.	Worked in a way which maintains health and safety and is consistent with relevant legislation and industry good practice	

Appendix 2 Sources of general information

The following documents contain essential information for centres delivering City & Guilds qualifications. To download the documents and to find other useful documents, go to the *Centre Document Library* on *www.cityandguilds.com* or click on the links below:

Quality Assurance Standards: Centre Handbook

This document is for all approved centres and provides guidance to support their delivery of our qualifications. It includes information on

- Centre quality assurance criteria and monitoring activities
- Administration and assessment systems
- Centre-facing support teams at City & Guilds / ILM
- Centre quality assurance roles and responsibilities.

The Centre Handbook should be used to ensure compliance with the terms and conditions of the Centre Contract.

Quality Assurance Standards: Centre Assessment

This document sets out the minimum common quality assurance requirements for our regulated and non-regulated qualifications that feature centre assessed components. Specific guidance will also be included in relevant qualification handbooks and/or assessment documentation.

It incorporates our expectations for centre internal quality assurance and the external quality assurance methods we use to ensure that assessment standards are met and upheld. It also details the range of sanctions that may be put in place when centres do not comply with our requirements, or actions that will be taken to align centre marking/assessment to required standards. Additionally, it provides detailed guidance on the secure and valid administration of centre-assessments.

Access arrangements - When and how applications need to be made to City & Guilds

provides full details of the arrangements that may be made to facilitate access to assessments and qualifications for candidates who are eligible for adjustments in assessment.

The Centre Document Library also contains useful information on such things as:

- Conducting examinations
- Registering learners
- Appeals and malpractice

Useful contacts

Please visit the Contact Us section of the City & Guilds website, Contact us

About City & Guilds

As the UK's leading vocational education organisation, City & Guilds is leading the talent revolution by inspiring people to unlock their potential and develop their skills. We offer over 500 qualifications across 28 industries through 8500 centres worldwide and award around two million certificates every year. City & Guilds is recognised and respected by employers across the world as a sign of quality and exceptional training.

City & Guilds Group

The City & Guilds Group is a leader in global skills development. Our purpose is to help people, organisations and economies develop their skills for growth. We work with education providers, employers and governments in over 100 countries across the world to help people, businesses and economies grow by shaping skills systems and supporting skills development.

The Group is made up of City & Guilds, ILM, Kineo, The Oxford Group, Gen2, and Intertrain. Together we set the standard for professional and technical education and corporate learning and development around the world.

Copyright

The content of this document is, unless otherwise indicated, © The City & Guilds of London Institute and may not be copied, reproduced or distributed without prior written consent. However, approved City & Guilds centres and learners studying for City & Guilds qualifications may photocopy this document free of charge and/or include a PDF version of it on centre intranets on the following conditions:

- centre staff may copy the material only for the purpose of teaching learners working towards a City & Guilds qualification, or for internal administration purposes
- learners may copy the material only for their own use when working towards a City & Guilds qualification

The Standard Copying Conditions (see the City & Guilds website) also apply.

Published by City & Guilds, a registered charity established to promote education and training

City & Guilds of London Institute Giltspur House 5-6 Giltspur Street London EC1A 9DE

cityandguildsgroup.com