

01 HEALTH AND SAFETY IN GROUND BASED FORESTRY AND ARBORICULTURAL



Use of this worksheet

This worksheet is part of a series of interactive worksheets that has been produced in association with Husqvarna to support the delivery of training for the City & Guilds (NPTC) suite of chainsaw qualifications.

Copyright © – all rights are reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form by any means whatsoever without written consent from the copyright holder.

Content

This worksheet covers the following outcomes:

Be able to work safely

Know relevant health and safety legislation and industry good practice



Chainsaw Safe Practice (General Guidance)

At all times during training and assessment, equipment must be used in accordance with industry good practice, whatever the task being carried out.

1. Trainers and Assessors must hold a current 'First Aid at Work' Certificate. It is recommended that all Trainees/Candidates hold as a minimum a current Emergency First Aid Certificate
2. All chainsaws used in assessments must comply with relevant Arboriculture and Forestry Advisory Group (AFAG) guidance and HSE Chainsaws at Work INDG317(rev1), in terms of safety features, and be a model and size suited to the task(s) required.
3. Recommended guide bar lengths should be observed, although variations may be accepted at the discretion of the Trainer or Assessor where this is appropriate to the task.
4. Trainees/Candidates should be familiar with the machinery, equipment and tools that they are going to use.
5. During chainsaw based training and assessment a spare working chainsaw must be available.
6. Appropriate Personal Protective Equipment (PPE) must be worn at all times by the Candidate, Trainer and the Assessor. All PPE used must comply with relevant AFAG guidance, industry good practice, Health and Safety Executive publications and current legal requirements in terms of specification and use.

7. A First Aid kit meeting current regulations, of the appropriate size for the number of persons on site, must be available, along with appropriate fire fighting and suitable welfare facilities e.g. hand cleansing wipes.
8. The carrying and use of personal first aid kits must comply with current industry good practice.
9. The Trainer or Assessor must ensure a site specific risk assessment has been carried out, sufficient control measures implemented and appropriate emergency procedures recorded. All recorded risk assessment information should be clearly legible and accessible to candidates and completed for all locations where assessment activities are scheduled to take place.
10. Manual handling techniques must comply with current legislation and industry good practice.
11. Any necessary permission must have been granted, and notifications made as appropriate.
12. All equipment being used for this assessment must comply with legislative requirements and in particular relevant requirements of the Provision and Use of Work Equipment Regulations (PUWER) 1998.
13. Information may be sought from the relevant operator manuals or any other appropriate training or safety publication.
14. The current regulations for transport, handling and storage of fuel and oils must be complied with.
15. Provision must be made to avoid the risk of environmental pollution.
16. It is the responsibility of the Trainer, Assessor and the Candidate to ensure that any additional requirements and provisions are met as relevant to this qualification.
17. At all times during training and assessment, Candidates must act in a way so as not to endanger themselves, the Trainer / Assessor or any other person or equipment. Work must be carried out to achieve the requirements of the assessment criteria in accordance with all relevant and current legislation and good practice guidance.
18. If required, relevant and accurate records must be kept.
19. Appropriate steps should be taken to maintain effective teamwork in respect of other persons on site during the assessment.
20. Any appropriate item of machinery complying with current legal requirements is acceptable for training and assessment, provided it is suitably equipped for **all** training and assessment activities to be carried out.
21. A breach of Health and Safety that puts any person at serious risk during the training or assessment process may result in the training or assessment being immediately terminated.

The statistics

In forestry and arboriculture (between 2004/05 to 2010/11) chainsaws caused **5 deaths**. In forestry in the five years up to March 2012 there was an average of 10.4 fatalities per 100,000 workers. This is more than three times the fatality rate for the construction industry. **Source FISA 2012**

An outline of key health and safety legislation and industry good practice

There are a number of key pieces of legislation, Approved Codes of Practice (ACoP's) and recommendations from industry, that together provide comprehensive guidance for arborists.

Legislation

Legislation places a legal duty on everyone to comply; failure to do so may result in criminal prosecution. Therefore it is important that you know your obligations under relevant pieces of legislation that may affect you and your work.

The Health and Safety at Work Act 1974 (HSWA)

It places general obligations on:

employers	
employees and the self employed	
employers, the self-employed and employees	

It also states that: anyone who recklessly interferes with or misuses anything provided as a legal requirement for health, safety or welfare reasons is liable to prosecution.

The Management of Health and Safety at Work Regulations 1999 (MHSWR)

The purpose of the MHSWR is:

The Manual Handling Operations Regulations 1992 (MHOR)

The requirements of MHOR are:

Provision and Use of Work Equipment Regulations 1998 (PUWER)

The important aspects of PUWER are:

Personal Protective Equipment at Work Regulations 1992 (PPEWR)

PPEWR Regulations require:

all PPE must comply with
and must be ____ marked

The basic requirements for PPE for chainsaw operations are outlined in AFAG 308. Further details will be found on pp. 9-11.

The Control of Noise at Work Regulations 2005 (CNWR)

CNWR requires:

employers to prevent or reduce risk to health and safety from exposure to noise.

Employees must

The Control of Vibration at Work Regulations 2005 (CVWR)

CVWR requires that:

Employers assess the risks and eliminate or reduce risk of vibration, in particular to hands and arms. *(This will reduce the incidence of Hand-arm Vibration Syndrome (HAVS) and other issues such as "White finger".*

You should be aware that other legislation may have implications for some arboricultural operations, including:

- **The Wildlife and Countryside Act 1981 and the Wildlife and Countryside (Amendments) Act 1991**
- **Town and Country Planning (Tree Preservation) (England) Regulations 2012 (TPO's)**

Approved Codes of Practice (ACoP's)

These do not place a legal duty on everyone to comply, but they do give sound practical advice on how compliance with legislative requirements can be achieved. However it should be noted that if it is proved in court that a person has not followed an ACoP they may be deemed to have contravened the HSWA.

The Purpose of the Arboriculture Forestry and Advisory Group (AFAG)



AFAG is an advisory group of the Health and Safety Executives (HSE's) Agriculture Industry Advisory Committee (AIAC).

The main committee role is to consider and make recommendations to AIAC and HSE on:

- Identifying and controlling all major areas of risk to health and safety arising from work activities in forestry, arboriculture and the transport of timber in the forest.
- Implementing the HSE's current strategy for workplace health and safety in Great Britain.
- Helping achieve the targets set by Government to reduce injuries, ill health and days lost.

There are a number of important AFAG advisory leaflets which can be downloaded from <http://www.hse.gov.uk/treework/resources/afag.htm>

Note: The Forestry Industry Safety Accord (FISA) has been recently been signed. The accord is led by a steering group made up of members of leading industry organisations and working groups of practitioners and experts.

FISA has a plan of action covering 2012/13. By the end of 2012 the industry intends to take ownership of the HSE guidance publications. FISA intend to have re-issued these by the end of 2012

Identifying hazards and risks associated with the working area and the proposed work

The Management of Health and Safety at Work Regulations 1999 (MHSWR) places an obligation on employers to ensure that risk assessments are carried out. These identify the possible hazards, quantify the risk and outline what precautions and control measures need to be put in place. (The HSE leaflet INDG 163 rev 3 provides some excellent guidance in assessing risks in the workplace).

For clarity:

- a **hazard** has the potential to cause harm
- a **risk** is the likelihood of harm.

Follow the **five steps** in the HSE leaflet: Five Steps to Risk Assessment.

1. **Identify the hazards**
2. **Decide who might be harmed and how**
3. **Evaluate the risks and decide on precaution**
4. **Record your findings and implement them**
5. **Review your assessment and update if necessary.**

For the purpose of training you are required to complete the table below which identifies the hazards, the risks and control measures for the site and task identified to you by your trainer.

Hazards	The risks	Control measures

Outline the emergency procedures relevant to the working area

As part of the risk assessment activity, emergency procedures should be considered and recorded. They need to be understood by everyone and each person should have a copy to refer to in the event of an emergency. Typically it is a list. **Under the direction of your trainer complete the following table for the site you will be working on.**

Type of information required	Details
Location name	
Grid reference (include letters)	
Designated meeting place (useful in remote areas)	
Site location name	
Nearest access point	
Street name / district	
Type of access (public road/light vehicles, four wheeled drive)	
Suitable helicopter landing area	
Phone number of nearest doctor	
Location of nearest accident and emergency hospital and phone number	
Manager's contact number	
Your own contact number	
Other information	

**Working in a way that maintains health and safety
and is consistent with relevant legislation and
good practice**

During training, assessment and in the working environment, it is essential that all activities undertaken are carried out in a way that protects you the operator and those around you.

You have already covered the basics in health and safety legislation, industry good practice and hazard and risk assessment; however you need to undergo specific training for the tasks that you will be carrying out as a forestry or arboricultural ground worker. Recognised training may culminate in testing to prove that you have reached minimum standards and you may receive a certificate as proof. It should be remembered that this is only the beginning, and you will be required to undertake refresher training to ensure that you remain safe and maintain good working practices. Typically this will be every three years.

**Carrying out work that minimises environmental
damage**

All work needs to be carried out in a manner which minimises damage to the environment. **After discussion with your trainer, complete the table below:**

There are a number of things that can be done, these include:

There are a number of things that can be done, these include:

The potential for environmental damage

There is an enormous potential to cause considerable environmental damage during felling and harvesting activities. The damage can take a number of different forms, including:

- _____ to retained trees
- soil _____
- soil _____ (from heavy machinery / equipment)
- _____ of the land/soil from _____ spillage of fuel/oil
- _____ of watercourses
- _____ of water courses
- damage to _____ or _____ flora
- _____ disturbance
- outbreaks of _____ (where spark arresters are not fitted to machine exhaust systems)
- _____ from incorrect methods of waste disposal

Legal and environmental factors relating to felling trees

There are a number of legal factors to consider in relation to tree felling; these may include:

- _____ may be required
- Tree _____ (TPO's) may be in existence for the tree to be felled
- _____ – the tree(s) to be felled may be in a conservation area

When planning to fell individual trees or a larger forest area, you will need to take the plants and animals that live in the area into consideration.

There may be plants or wildlife present which could be protected under the Wildlife and Countryside Act 1981; an offence could be committed if they are damaged or disturbed.

How environmental damage can be caused and minimised

New chainsaws are more fuel efficient (with up to 20% savings) and some have up to 75% less emissions. By using alkylate petrol, such as 'Aspen'; you can lower the amount of harmful emissions from your chainsaw. There is also vegetable chain oil that is biodegradable and therefore more environmentally friendly than conventional oils. If you are currently using a petrol/oil can with top-up protection, this also prevents unnecessary waste.

Complete the following table providing details of how environmental damaged is caused and how it can be prevented (*continued overleaf*).

Causes of environmental damage	How the damage can be prevented
Defective machinery	
Incorrect storage of fuel and oil	
Blocking watercourses	
Disturbing wildlife	
Poor working practices	
Poorly trained operators	
Damage to retained trees	
Soil erosion	
Soil compaction	

Causes of environmental damage	How the damage can be prevented
Contamination of the land/soil	
Contamination of watercourses	
Damage to rare or protected flora	
Outbreak of fire	
Pollution from incorrect methods of waste disposal	

Waste disposal

All waste that is produced is required to be disposed of in line with legislation, good practice and/or any additional site requirements that may be in existence.

For the examples in the table overleaf, describe methods of disposal that meet legislative requirements and are examples of good practice.

Waste Product	Description of correct method/ or methods of disposal
Cordwood	
Brash	
Stumps	
Broken machines, items of equipment	

Waste Product	Description of correct method/ or methods of disposal
Empty containers	
Waste oil/fuel	
Machine washings	
Litter	

Accidental spillage

There are occasions when an accident occurs (something which was unavoidable). In these circumstances the spillage needs to be dealt with as rapidly as possible to minimise environmental impact. The correct way to do this is with the use of a spillage kit. These come in different sizes and are manufactured to cope with different types of spillage.



Spill Kit

Oil & Hydrocarbon type

✓

Best for use on hydrocarbons (oil and fuels) on water

✓

Can be used on oil spills on land

⊘

Do not use on aqueous (water based) fluids

⊘

Do not use on aggressive fluids (acids and alkalis)


!

Wear approved personal protective equipment

Kit reference code



Describe below the actions you can take as an operator to minimise the possibility of a spillage.



Use appropriate tools, equipment and Personal Protective Equipment (PPE)

The following tools and equipment **may** be required by a ground worker.
Name all of the items in the picture below.



Personal Protective Equipment (PPE)

The requirements for PPE are outlined in AFAG 308. You should remember that PPE is the last line of defence and no PPE can guarantee total protection. This is especially true in respect of cuts from chainsaws.

All items of PPE should comply with legislative requirements, be of a specific standard (either European or British) and carry the CE Chainsaw logo.


CE



Draw the CE
Chainsaw Logo

Complete the following table which contains details of PPE. You need to state why each item is required.

Item of PPE	Reasons for use
	
 <p>Safety helmet complying with BS EN 397 Eye protection complying with BS EN 1731 Hearing protection complying with BS EN 352-1</p>	
 <p>Gloves complying with BS EN 381-7</p>	

Item of PPE	Reasons for use
 <p data-bbox="236 645 715 712">Leg protection complying with BS EN 381-5</p>	<p data-bbox="770 376 976 414">Type A or C?</p>
 <p data-bbox="236 1048 671 1122">Protective high visibility jacket complying with BS EN 381-5</p>	
	
	

The records required for management and legislative purposes and the importance of maintaining them

There are a number of key records which an arborist must keep. These are identified by legislation, Approved Codes of Practice (ACoP's) and recommendations from industry, which together provide comprehensive guidance.

State why it important to maintain each of the records listed below.

Record	Explanation of its importance
General Hazard and Risk Assessment	
Site Specific Risk Assessment	
Method Statement	
Work Equipment Records	

Notes

Published by:

**City & Guilds
Building 500
Abbey Park
Stareton
Warwickshire
CV8 2LY**

T +44 (0)24 7685 7300

F +44 (0)24 7669 6128

www.nptc.org.uk

e-mail: information@cityandguilds.com

City & Guilds is a registered charity established to promote education and training